


जिल्ला प्रशासन कार्यालय  
नवलपरासी

नवलपरासी (बर्दघाट सुस्ता पश्चिम)  
जिल्लाको स्वीकृत जिल्ला दर रेट

आ.व.०७७/७८

तयार गर्ने :

जिल्ला प्रशासन कार्यालय नवलपरासी  
आषाढ २०७७

A series of handwritten signatures and initials in black ink, located at the bottom of the page. The signatures are stylized and vary in length and complexity.





नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७७/७८ को स्वीकृत जिल्ला दर रेट

क्र.सं.	विवरण	पेज नं.
	उपस्थिति	i-ii
	निर्णय नं.१	iii
१.	कामदारहरुको ज्याला दर	१-२
२.	ढुवानी दर	३-४
३.	निर्माणमा प्रयोग हुने निर्माण सामग्री	५-८
४.	फलामजन्य निर्माण सामग्री	९-१२
५.	सडक निर्माणमा प्रयोग हुने निर्माण सामग्री	१३
६.	रंग रोगन सम्बन्धि सामग्री	१४
७.	खानेपानी तथा सरसफाई सम्बन्धि सामग्री	१५-१८
७.१	एच.डी.पी.पाइप	१९
७.२	यु.पि.भि.सी.पाइप	२०
७.३	पी.पी.आर फिटिङ्स	२१-२२
७.४	यु.पि.भि.सी.फिटिङ्स	२३
७.५	खानेपानी सम्बन्धी फिटिङ्स सामग्री	२४-३२
७.६	ईनार तथा ट्युबेल सम्बन्धी सामग्री	३३
७.७	खानेपानी सम्बन्धी हाते औजारहरु	३४-३५
८.	विद्युत सम्बन्धि सामग्री	३६-३८
९.	लघु जल-विद्युत सम्बन्धि सामग्री	३९
१०.	विविध निर्माण सामग्री	४०
११.	सरकारी कार्यालयमा आवश्यक हुने अन्य माल/सामान सम्बन्धी दर	४१-४३
१२.	मेशिन, औजार तथा उपकरणको भाडा दर सम्बन्धी	४४-४७
१३.	फाइवर ग्लास सम्बन्धी	४८
१४.	मेसिन उपकरणबाट गरीने कार्य	४९
१५.	विद्युतीय सोलार सम्बन्धी	५०
	निर्णय नं.२	५१

## १. कामदारहरुको ज्याला दर सम्बन्धी

क्र. सं.	विवरण	इकाई	१२% भ्याट बाहेक				कैफियत
			आ.स. २०७४/७५	आ.स. २०७२/७३	आ.स. २०७६/७७ को स्वीकृत दर रेट	आ.स. २०७७/७८ को स्वीकृत दर रेट	
१	सिकर्मी, डकर्मी, नकर्मी, ग्याबियन बून्ने मिस्त्री, ट्युबवेल गाड्ने मिस्त्री, ड्रिलर (दक्ष/सिपालू कामदार)	प्रतिव्यक्ति प्रतिदिन	७१५	७८०	८००	८२०	
२	ज्यामी, माली, रनर, सयस (अवकाश कामदार)	" "	४८५	५२५	५५०	५६०	
३	बनज्यामी	" "	४९०	५३०	५५०	५६०	
४	बनज्यामी सुपरभाइजर	" "	५७५	६२५	६५०	६६०	
५	अग्नी नियन्त्रक वन हेरालु	मासिक	८०००	१३४५०	१४००	१४१०	
६	स्वीपर	प्रतिव्यक्ति प्रतिदिन	३७५	४१७	४१७	४२७	
७	साधारण सुपरभाइजर (निर्माण कार्यको लागि)	" "	४७५	५१७	५१७	५२७	
८	सडकमा काम गर्ने साधारण दूरीसंभारकर्ता(लेन्थ पर्सन)	" "	४५०	४१७	४१७	४२७	
९	चित्रकार (पेन्टर)	" "	५७५	६२५	६२५	६३५	
१०	विभिन्न प्रकारका सिमेन्टका मृतीहरु कूटने/बनाउने विशेष किसिमका कालीगढ	" "	१०५०	११४०	११७५	११८५	
११	बार वेण्डर, लोहकर्मी (ब्याकस्मीथ)	" "	७१५	७८०	८००	८१०	
१२	डुङ्गा/काठमा जुङ्गा गर्ने, फोटोग्राफर	" "	७१५	७८०	८००	८१०	
१३	ब्लास्टर	" "	७१५	७८०	८००	८१०	
१४	ब्लास्टर हेल्पर	" "	४००	४१७	४४०	४५०	
१५	फोरम्यान(इलेक्ट्रिक कार्यको लागि)	" "	७२५	७९०	८००	८१०	
१६	इलेक्ट्रिसियन दक्ष	" "	६५०	७०५	७७५	७८५	
१७	इलेक्ट्रिसियन हेल्पर	" "	५७५	६२५	६२५	६३५	
१८	फोरम्यान(निर्माण कार्यको लागि)	" "	४७५	५१७	५१७	५२७	
१९	पीच ब्यायलर, पम्म अपरेटर, वारीङ्ग अपरेटर, जुनियर ल्याब. टे., आ. वा. अपरेटर	" "	४९५	५३५	५५०	५६०	
२०	सुरक्षा गार्ड, चौकिदार	" "	४२५	४१७	४४०	४५०	
२१	पथ प्रदर्शक	" "	४७०	४१७	४१७	४२७	
२२	ड्रिप्लिकेटर/फोटोकॉपियर	" "	४७०	४१७	४१७	४२७	
२३	भरीया	" "	४२५	४१७	४१७	४२७	
२४	चेनम्यान/टेपम्यान/स्टाफम्यान, नापी सहायक/सर्भे हेल्पर(नापीसंग सम्बन्धीत काम)	" "	५००	५४५	५४५	५५५	
२५	सिमा नापी कार्यको लागि चेनमनको ज्याला	" "	६७५	७३५	७३५	७४५	
२६	हेभी ईक्वीपमेन्ट अपरेटर (केन, डोजर, ग्रेडर, लोडर, रोलर, आदि), हेभी ड्राइभर	" "	८५०	९२५	९२५	९३५	
२७	हेभी ईक्वीपमेन्ट हेल्पर	" "	४००	४१७	४१७	४२७	
२८	लाईट ड्राइभर (ह.स.चा.सरह)	" "	४२५	४७०	४७०	४८०	
२९	ड्राइभर कम मेकानिक्स	" "	६२५	६८०	७२५	७३५	
३०	मेकानिक्स	" "	४७०	४१७	४१७	४२७	
३१	नर्सरी नाईके, वन हेरालु (दैनिक ८ घण्टा कार्य गर्ने)	मासिक	७७००	१३४५०	१४०००	१४३००	
३२	श्रवकटर (पोर्टेबल मेसिन प्रयोग गरी)	प्रति घण्टा		११०	११०	१२०	

## १. कामदारहरूको ज्याला दर सम्बन्धी

क्र. सं.	विवरण	इकाई	१३% भ्याट बाहेक				वैकल्पिक
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	
३३	गोताखोर	प्रति व्यक्ति/दिन	७९५	८६५	९००	९९०	
३४	ठूल सफा गर्ने कार्य	प्रति सेवर/दिन	६२५	६८०	६८०	६९०	
३५	सेनेटरी सामानको फिटीङ ज्याला (सामानको पसल मुल्यको आधारमा कायम गर्ने)	प्रतिघात	३०	३०	३०	३०	
३६	कृषि मजदुर	" "	३५०	५९७	५९७	५२७	
खानी सम्बन्धी काम गर्ने (असंगठित क्षेत्रका) कामदारहरू							०
३७	खनेल, स्याम्पलर	प्रतिव्यक्ति प्रतिदिन	४५०	५९७	५४०	५५०	
३८	क्याम्प वर्कर	" "	४३०	५९७	५४०	५५०	
३९	ड्रिल हेल्पर, पम्प हेल्पर, पाइप फिटर	" "	४५०	५९७	५४०	५५०	
ओभरहेड ट्याकी सम्बन्धी							०
४०	दल	प्रतिव्यक्ति प्रतिदिन	९०९५	९९००	९२००	९२९०	
४१	अदक्ष	" "	६३०	६७५	७००	७९०	
४२	गेट अपरेटर	" "	०	०	५७५	५८५	

नोट :- उपरोक्त पदका कामदारहरू बाहेक अन्य पदहरूमा ज्यालादारीमा काम गराउने भएमा जुन पदमा काम गराउने हो सो को नेपाल सरकारको सुरु तलबलाई आधारमानी दैनिक ज्याला कायम गर्ने। Man Month हिसाब गर्दा २६ दिनलाई मासिक कार्य दिन मानिनेछ।

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको अ.व.०७७/७८ स्वीकृत जिल्ला दर, रेट (१)

२. ढुवानी दर सम्बन्धी

क्र. सं.	विवरण	इकाई	१३% भ्याट बाहेक				कीफियत
			आ.व. २०७४/७५	आ.व. २०७२/७३	आ.व. २०७४/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	
१	मानिस (भरीया) द्वारा ढुवानी						
	१) सजिलो सामान (डाको, पुन्ने, बोरा, बाकम, आदिमा राखी १ व्यक्ति — क्षमता अनुसार तीन पुन्ने गरी — बोक्न सक्ने सामानहरू, जस्तै: सिमेन्ट, बालुवा, रामायणिक मल, दाउरा, खाद्यान्न, आदि)	प्रतिकेजी प्रतिकोश	२.००	२.६०	२.६०	२.६०	
	२) असजिलो सामान (सामान्य भारी बनाई एक व्यक्तिले बोक्न सक्ने — तर क्षमता अनुसार तीन नपुन्ने — सामानहरू, जस्तै: कंकटपाता, कुनैको ग्यासियन तारजाली, विस्कोटक पदार्थ, एच. डि. पि. ई. पाईप, इन्सुलेटर, औषधी, काठ, कृषिजन्य फलफूलको बिरुवा, आदि)	प्रतिकेजी प्रतिकोश	२.५०	३.३०	३.३०	३.३०	
	३) अति असजिलो सामान (सामान्यतः एक व्यक्तिले माथ बोक्न नसक्ने सामानहरू जस्तै: बि. आई. पाईप, कन्डेन्सर, फलामे छुट्ट, इलेक्ट्रोमेकानिकल सामान, ३ देखि ८ मीटरसम्म लामो स्टील पार्ट्स/विद्युतीको पोल/टेलिफोनको पोल, पि. एस. सि. पोल, आदि)	प्रतिकेजी प्रतिकोश	३.१०	४.१०	४.१०	४.१०	
	४) भो.पु. को लट्टा	प्रतिकेजी प्रतिकोश	५.८५	५.८५	५.८५	५.८५	
	५) मानिसद्वारा पोल ढुवानी (८ मीटर भन्दा लामो फलामे टयबलर पोल)	प्रतिकेजी प्रतिकोश	६.०५	६.०५	६.०५	६.०५	
	६) मानिसद्वारा ट्रान्स्फरभर ढुवानी	प्रतिकेजी प्रतिकोश	१०.६५	१०.६५	१०.६५	१०.६५	
२.	खच्चरद्वारा ढुवानी (सजिलो सामान मात्र)	प्रतिकेजी प्रतिकोश	१.८५	१.८५	१.८५	१.८५	
३.	टायरगाडाद्वारा ढुवानी असजिलो सामान	प्रतिटन प्रतिकिमी	४१५.००	४१५.००	४१५.००	४१५.००	
४.	ट्रयाक्टरद्वारा ढुवानी (तराइमा)						
	क. सजिलो सामान						
	कच्ची (माटे) सडकमा	प्रतिटन प्रतिकिमी	५१.००	५३.००	५५.००	५५.००	
	कच्ची (घामेल) सडकमा	प्रतिटन प्रतिकिमी	४१.००	४३.००	४५.००	४५.००	
	पक्की (कालोपत्रे) सडकमा	प्रतिटन प्रतिकिमी	३२.२०	३३.००	३५.००	३५.००	
	घ. असजिलो सामान						
	कच्ची (माटे) सडकमा	प्रतिटन प्रतिकिमी	७१.००	७२.००	७३.००	७३.००	
	कच्ची (घामेल) सडकमा	प्रतिटन प्रतिकिमी	६२.००	६३.००	७४.००	७४.००	
	पक्की (कालोपत्रे) सडकमा	प्रतिटन प्रतिकिमी	४९.००	५०.००	५१.००	५१.००	
५.	ट्रयाक्टर भाडा (काठ ढुवानी प्रयोजन)						
क.	तेल बाहेक	प्रतिदिन	३,०००.००	३,०००.००	३,०००.००	३,०००.००	
ख.	तेल सहित	प्रतिदिन	५,०००.००	५,०००.००	५,०००.००	५,०००.००	
६.	ट्रयाक्टरद्वारा ढुवानी पहाडी कच्ची सडक (टुक चल्न नसक्ने) मा	प्रतिटन प्रतिकिमी	१२०.००	१२५.००	१२५.००	१२५.००	
७.	टुकद्वारा ढुवानी (५० कि.मी. सम्मको लागि)						
क.	पक्की (कालोपत्रे) सडकमा	प्रति टन प्रतिकिमी	२२.००	२२.००	२२.००	२२.००	
ख.	कच्ची (घामेल) सडकमा	प्रतिटन प्रतिकिमी	२७.००	२७.००	२७.००	२७.००	

Handwritten signatures and dates at the bottom of the page, including a date '१३/५/७५'.

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७७/७८को स्वीकृत जिल्ला दर रेट (२)

२. ढुवानी दर सम्बन्धी

क्र. सं.	विवरण	इकाई	१३% भ्याट बाहेक				कीफायत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	
	कच्ची (माटे) सडकमा	प्रतिटन प्रतिकिमी	३२.००	३३.००	३३.००	३३.००	
७.	टुक्राया ढुवानी (२०कि.मी. भन्दा बढीको खापि)	प्रतिटन प्रतिकिमी	११.००	११.००	११.००	११.००	
८.	लोड र अनलोड (डुबै)						
	१) सजिलो सामान	प्रति स्कीन्टन	१८.००	१९.००	२०.००	२०.००	
	२) असजिलो सामान	प्रति स्कीन्टन	२०.००	२१.००	२२.००	२२.००	
	३) अति असजिलो सामान	प्रति स्कीन्टन	३३.००	३४.००	३५.००	३५.००	
९.	सामानको तीलाई र चौकाई	प्रति स्कीन्टन	१७.५०	१८.००	१९.००	१९.००	
१०.	मल खाद लोड अनलोड	प्रति स्कीन्टन	१७.५०	१९.००	२०.००	२०.००	
११.	औषधि मिसाएएको थोड लोड अनलोड	प्रति स्कीन्टन	१७.५०	१९.००	२०.००	२०.००	
१२.	किटनाशक औषधि (डुलो) लोड अनलोड	प्रति स्कीन्टन	१७.५०	२०.००	२१.००	२१.००	
१३.	मलखाद रिपेरिड तीलाई, सिलाई, चौकाई	प्रति स्कीन्टन	१७.५०	१९.००	२०.००	२०.००	
१४.	इलबाट इकन हटाई निम्नको फोहोर गिलो माटो टुक्राकरबाट ढुवानी गरी बजारबाट बाहिर फाल्ने कार्य	प्रति घ.मी.	४१२.००	४२५.००	४५०.००	४५०.००	
१५.	हयुमपाइप तथा पिएससीपीलको ढुवानी भाडा (कारखाना मुन्यको आधारमा)						
	क ५० कि. मी. सम्म	प्रतिघन	१३.००	१३.००	१३.००	१३.००	
	ख ५० देखि ७५ कि. मी. सम्म	प्रतिघन	१६.५०	१६.५०	१६.५०	१६.५०	
	ग ७५ देखि १०० कि. मी. सम्म	प्रतिघन	२०.००	२०.००	२०.००	२०.००	
	घ १०१ देखि २०० कि. मी. सम्म	प्रतिघन	२५.००	२५.००	२५.००	२५.००	
१६.	ग्याबियन तारजाली टुक वा टुक्राबाट ढुवानी						
	पक्की सडकमा						
	3x1.5x0.75, 3x1x1	प्रतिजाली/ कि.मी.	२.६५	२.६५	२.६५	२.६५	
	3x1x0.75, 2x1x1	प्रतिजाली/ कि.मी.	२.३५	२.३५	२.३५	२.३५	
	3x1x0.60, 2x1.5x0.50	प्रतिजाली/ कि.मी.	१.८५	१.८५	१.८५	१.८५	
	कच्ची सडकमा						
	3x1.5x0.75, 3x1x1	प्रतिजाली/ कि.मी.	३.४०	३.४०	३.४०	३.४०	
	3x1x0.75, 2x1x1	प्रतिजाली/ कि.मी.	३.१०	३.१०	३.१०	३.१०	
	3x1x0.60, 2x1.5x0.50	प्रतिजाली/ कि.मी.	२.६५	२.६५	२.६५	२.६५	

नोट :

- माथि उल्लेख नभएका ढुवानीको हकमा प्रचलित कानून बमोजिम हुने छ ।
- निर्माण सामाग्रीको ढुवानी सम्बन्धमा नेपाल सरकारले स्वीकृत गरेको नर्मस प्रयोग गरी आवश्यकतानुसार ढुवानी भाडा क्ल्याम गर्न बाधा पर्ने छैन ।

*(Handwritten signatures and marks)*

३. निर्माणमा प्रयोग हुने निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ % ब्याट वाहेक				कीमति
			आ.ब. २०७४/७५	आ.ब. २०७५/७६	आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	
१	इंटा						
क	चिम्नी भट्टाको प्रथम श्रेणीको (ढुवानी सहित)	हजार	१३०००००	१३०००००	१३०००००	१३३००००	
ख	चिम्नी भट्टाको द्वितीय श्रेणीको (ढुवानी सहित)	हजार	९५०००००	९५०००००	९५०००००	९८०००००	
ग	मोशन मड (चाइनिज इन्टा) (ढुवानी सहित)	हजार	१२९०००००	१२९०००००	१२९०००००	१३००००००	
घ	स्थानीय भट्टाको इंटा	हजार	९५०००००	९५०००००	९५०००००	९७०००००	
ङ	राठ इन्टा (ढुवानी सहित)	हजार	८७०००००	८७०००००	८७०००००	९००००००	
च	इन्टाको टुक्रा (ढुवानी सहित)	घ.मी.	२२०००००	२२०००००	२२०००००	२५०००००	
२	ढुंगा					०१००	
क	बालुवा	घ.मी.	२००००००	२००००००	२०५००००	२०५००००	
ख	फोस्फा ढुंगा	घ.मी.	२३०००००	२३०००००	२३५००००	२३५००००	
३	गिट्टी, ग्राभल	घ.मी.				०१००	
क	ग्राभल (लाकल) सडकको लागि (आरवएम)	घ.मी.	१२५५१००	१२५५१००	१२५५१००	१५०००००	
ख	गाला गिट्टी दाउन्ने पुब (१० देखी ४० मी.मी.)	घ.मी.	१४५५१००	१४५५१००	१६०००००	१६०००००	
ग	क्रसरको गिट्टी					०१००	
ग.१	२० देखि ४० मी. मी.	घ.मी.	१८५००००	१८५००००	१८५००००	१८५००००	
ग.२	१२ देखि २० मी. मी.	घ.मी.	१८५५१००	१८५५१००	१८५५१००	१८५५१००	
ग.३	१० देखि १२ मी. मी.	घ.मी.	१६२५१००	१६२५१००	१६२५१००	१६२५१००	
ग.४	१० मी. मी. भन्दा मुनि (जरा)	घ.मी.	१३५००००	१३५००००	१३५००००	१३५००००	
घ	ढुगाका धुला ढुवानी समेत	घ.मी.	१५०००००	१५०००००	१५०००००	१५०००००	
४	बालुवा/माटा					०१००	
क	बालुवा (लाकल खोला)	घ.मी.	११२००००	११२००००	११२००००	११२००००	
ख	घोएको बालुवा (क्रसरको)	घ.मी.	२२०००००	२२०००००	२२०००००	२२०००००	
ग	पुन माटा	घ.मी.	३००००००	३००००००	३००००००	३००००००	
घ	जाडाइको माटा	घ.मी.	३९०००००	३९०००००	३९०००००	३९०००००	
ङ	बिरुवा राप्नका लागि मालला माटा	घ.मी.	४००००००	४००००००	४००००००	४००००००	
५	सिमन्ट					०१००	
क	नेपाली सिमन्ट (N/S OPC) (50 kg)	बारा	७०००००	७२५०००	७२५०००	७२५०००	
ख	सिमन्ट (N/S PPC) (50kg)	बारा	६००००००	६२०००००	६२०००००	६२०००००	
ग	भारतीय सिमन्ट (OPC 50kg)	"	७९०००००	७३०००००	७३०००००	७३०००००	
घ	भारतीय सिमन्ट (PPC 50kg)	"	६५०००००	६७०००००	६७०००००	६७०००००	
ङ	सती सिमन्ट (40 kg)	"	९२५००००	९५०००००	९५०००००	९५०००००	
च	कक्रोट एडमिक्स्चर					०१००	
च१	कक्रोट एडमिक्स्चर	क.जी.	३३०००००	३४०००००	३४०००००	३४०००००	
च२	प्लाष्टिसाइजर	लिटर	३४५००००	३५५००००	३५५००००	३५५००००	
च३	एन्ट टरमाइट	लिटर	८३३०००००	८३८०००००	८३८०००००	८३८०००००	
च४	वाटर रिपलिफ कम्पाउण्ड	लिटर	५६०००००	५७५००००	५७५००००	५७५००००	
च५	क्रयाक रिड्युसर	क.जी.	५७५००००	५९०००००	५९०००००	५९०००००	
च६	वाटर प्रूफिङ कम्पाउण्ड	लिटर	२७५००००	२८०००००	२८०००००	२८०००००	
च७	सिलिका सिमन्ट एडमिक्स्चर	क.जी.	३२०००००	३३०००००	३३०००००	३३०००००	
६	काठ					०१००	
क	सालको काठ (चिरान बाला)	घ.मी.	१५०००००००	१५०००००००	१५०००००००	१५०००००००	
ख	सिसौ काठ (चिरान बाला) आवादी	"	१०८००००००	१०८०००००००	१०८०००००००	१०८०००००००	
ग	अन्य काठ (कुकाठ) चिरान बाला	"	४५३००००००	४५३०००००००	४५३०००००००	४५३०००००००	
घ	दाउरा	क.जी.	११५०	११५०	११५०	११५०	
७	सिमन्ट कंक्रीट (आर.सि.सी.)वाट निर्मित ( भूयाल, ढोका/ भेल्टीलेसनका फेमहर (size 4"x2.75" Concrete mix design- 1:1:1_ proportion & 2 no of 7mmRe-bBar_					०१००	
क	भूयाल, ढोका र भेल्टीलेसनका फेमहर	र.फी.	२९०१००	२९१००	२९१००	२९१००	
ख	भूयाल, ढोका र भेल्टीलेसनका आक फेमहर	र.फी.	३९५१००	४१५१००	४१५१००	४१५१००	
						०१००	
८	छोस्कनी					०१००	

Handwritten signatures and initials at the bottom of the page.

३. निर्माणमा प्रयोग हुने निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ % म्याट बाटिक				कीफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	
८.१	छिस्कनो १०० मि.मि.	गाटा	३११००	३३१००	३३१००	३३१००	
८.२	छिस्कनो १२० मि.मि.	"	३११००	३११००	३११००	३११००	
८.३	छिस्कनो २०० मि.मि.	"	४३१००	४३१००	४३१००	४३१००	
८.४	छिस्कनो २२५ मि.मि.	"	६६१००	६६१००	६६१००	६६१००	
८.५	छिस्कनो ३००	"	९०१००	९०१००	९०१००	९०१००	
९	कच्चा					०१००	
८.१	कच्चा ७५ मि.मि.	गाटा	१११००	१२१००	१२१००	१२१००	
८.२	कच्चा १००मि.मि.	"	२११००	२२१००	२२१००	२२१००	
८.३	कच्चा १५०मि.मि.	"	४६१००	४६१००	४६१००	४६१००	
१०	होण्डल तथा अन्य					०१००	
१०.१	होण्डल फलाम (मुठ) ८"/१६ मि.मि. माटा	गाटा	२११००	२२१००	२२१००	२२१००	
१०.२	होण्डल आलुमानियम ८"/१६ मि.मि. माटा	"	२६१००	२७१००	२७१००	२७१००	
१०.३	होण्डल कुलो १०"/१६ मि.मि. माटा	"	१२५१००	१२५१००	१२५१००	१२५१००	
१०.४	होण्डल सानो ८"/१६ मि.मि. माटा	"	१७५१००	१८५१००	१८५१००	१८५१००	
१०.५	पच (Screw nails)	"	११००	११००	११००	११००	
१०.६	ज हुक	"	२२१००	२३१००	२३१००	२३१००	
१०.७	विटामिन बासर	"	१५०	२१००	२१००	२१००	
१०.८	माटस लक	"	११२०१००	१२०८१००	१२०८१००	१२०८१००	
१०.९	होण्ड फास्ट	"	१६१००	१९१००	१९१००	१९१००	
१०.१०	डार स्त्रीङ फलाम	"	१५१००	१५६१००	१५६१००	१५६१००	
१०.११	डार स्त्रीङ ब्रस	"	२६५१००	२७६१००	२७६१००	२७६१००	
१०.१२	मस्युटा नट (भारतीय, हभी)	व.मि.	२७०१००	२८५१००	२८५१००	२८५१००	
१०.१३	एक्सपन्डिड मटल नट (हभी)	"	१६७१००	१७७१००	१७७१००	१७७१००	
१०.१४	चिकन बायर मस	"	१३२१००	१३९१००	१३९१००	१३९१००	
१०.१५	नट बाल्ट बासर सहित	क.मी.	१६०१००	१६८१००	१६८१००	१६८१००	
११	१* स्क्वायर पाइप रेलिङ बनाई त्यसमा साल वा सिसो काठको हेण्डरेल राखी जडान गर्ने कार्य	व.मी.	२२००१००	२२९०१००	२२९०१००	२२९०१००	
१२	एना पारदर्शक					०१००	
	३ मि.मि.	व.मि.	७८५१००	८२५१००	८२५१००	८२५१००	
	४ मि.मि.	व.मि.	८९०१००	९३५१००	९३५१००	९३५१००	
	५ मि.मि.	व.मि.	१२६०१००	१३२३१००	१३२३१००	१३२३१००	
१३	एना अपारदर्शक					०१००	
	३ मि.मि.	व.मि.	६८०१००	७१५१००	७१५१००	७१५१००	
	४ मि.मि.	व.मि.	१०१५१००	१०६६१००	१०६६१००	१०६६१००	
१३.१	एना कालो					०१००	
	४ मि.मि.	व.मि.	९७५१००	१०२५१००	१०२५१००	१०२५१००	
१४क	प्लाइउड					०१००	
	३ मि.मि.	व.मि.	३००१००	३१५१००	३१५१००	३१५१००	
	४ मि.मि.	व.मि.	३५०१००	३६६१००	३६६१००	३६६१००	
	६ मि.मि.	व.मि.	३७५१००	३९५१००	३९५१००	३९५१००	
	८ मि.मि.	व.मि.	४५०१००	४७३१००	४७३१००	४७३१००	
	१० मि.मि. (शिखर वा सा भन्दा माथो)	व.मि.	९४५१००	९९२१००	९९२१००	९९२१००	
	१२ मि.मि.	व.मि.	१०४५१००	१०९७१००	१०९७१००	१०९७१००	
	१८ मि.मि.	व.मि.	१५००१००	१५७५१००	१५७५१००	१५७५१००	
१४ख	टिक प्लाइ उड					०१००	
	३ मि.मि.	व.मि.	२३०१००	२४२१००	२४२१००	२४२१००	
	४ मि.मि.	व.मि.	३३५१००	३५२१००	३५२१००	३५२१००	
	६ मि.मि.	व.मि.	८६५१००	९०८१००	९०८१००	९०८१००	
	१२ मि.मि.को बाटर प्रूफ (शिखर)	व.मि.	१२४०१००	१३०२१००	१३०२१००	१३०२१००	
	३२ मि.मि.को बाटरप्रूफ (शिखर), खापाको लागि	व.मि.	२६४०१००	२७७२१००	२७७२१००	२७७२१००	
	३२ मि.मि.को बाटरप्रूफ(शिखर) खापाको लागि टिक सहित	व.मि.	२९५०१००	३०९८१००	३०९८१००	३०९८१००	
१५	सिमेन्ट ब्लक					०१००	

Handwritten signatures and marks at the bottom of the page.

## ३. निर्माणमा प्रयोग हुने निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ % भ्याट वाहेक				वैकल्पिक
			आ.ब. २०७४/७५	आ.ब. २०७५/७६	आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	
क	हाला सिमेन्ट ब्लक ८"X८"X१६"	गाटा	४८८२३	४९१००	४९१००	४९१००	
ख	हाला सिमेन्ट ब्लक ४"X८"X१६"	गाटा	३६१२३	३६८००	३६८००	३६८००	
ग	हाला सिमेन्ट ब्लक ६"X८"X१६"	गाटा	४२४२३	४२५००	४२५००	४२५००	
घ	हाला सिमेन्ट ब्लक ४"X८"X१९"	गाटा	२६४८८	२६८००	२६८००	२६८००	
ङ	हाला सिमेन्ट ब्लक ४"X६"X१२"	गाटा	१६१२८	१६४००	१६४००	१६४००	
च	इन्टरलॉकिंग ब्लक/फोरोडको लागि					०१००	
च.१	आकारको सादा (६"X८"X८०मी.मी.)	गाटा	२११००	२१२००	२१२००	२१४००	
च.२	आकारको कलर (६"X८"X८०मी.मी.)	गाटा	२४१००	२४२००	२४२००	२४४००	
च.३	आकारको सादा (६"X८"X६०मी.मी.)	गाटा	१८१००	१९१००	१९१००	२०१००	
च.४	आकारको कलर (६"X८"X६०मी.मी.)	गाटा	२०१००	२११००	२११००	२२१००	
च.५	गोला आकारको सादा (८"X८"X८०मी.मी.)	गाटा	२३१००	२४१००	२४१००	२४१००	
च.६	गोला आकारको कलर (८"X८"X८०मी.मी.)	गाटा	२५१००	२६१००	२६१००	२६१००	
च.७	गोला आकारको सादा (८"X८"X६०मी.मी.)	गाटा	१९१००	२०१००	२०१००	२११००	
च.८	गोला आकारको कलर (८"X८"X६०मी.मी.)	गाटा	२११००	२२१००	२२१००	२३१००	
छ	सिमेन्ट ब्लक ९"X४"X६०मी.मी.	गाटा	१२१००	१३१००	१३१००	१४१००	
ज	सिमेन्ट ब्लक १०"X४"X८०मी.मी.	गाटा	१९१००	२०१००	२०१००	२११००	
झ	सिमेन्टको टायल सादा (फ्लोर) १०"X१०"X२५मी.मी.	गाटा	२५१००	२६१००	२६१००	२७१००	
ञ	सिमेन्टको टायल कलर १०"X१०"X२५मी.मी.	गाटा	२८१००	२९१००	२९१००	३०१००	
१६	सिमेन्ट पिकाल्ट जाली					०१००	
क	२' x २'	गाटा	२६३०३	२७५१००	२७५१००	२७५१००	
ख	२' x १ १/२'	गाटा	१८४१२८	१९३१००	१९३१००	१९३१००	
ग	२' x १'	गाटा	१५८१०३	१६६१००	१६६१००	१६६१००	
घ	१ १/२' x १'	गाटा	१३११०८	१३८१००	१३८१००	१३८१००	
ङ	१' x १'	गाटा	८४४२३	८९१००	८९१००	८९१००	
१७	Readymade teak wood doors (Seasoned and poison treated), (excluding the cost of fitting, transportation and painting)					०१००	
क	Readymade door shutter Recon. Ordinary. (1 side teak)	ब.फि.	२००१००	२००१००	२००१००	२००१००	
ख	Readymade door shutter Recon. Special (1 side teak)	ब.फि.	२७५१००	२७५१००	२७५१००	२७५१००	
१८	If One side waterproof ply fitting					०१००	
क	Readymade door shutter Recon. Ordinary (1 side teak)	ब.फि.	२२५१००	२२५१००	२२५१००	२२५१००	
ख	Readymade door shutter Recon. Special (1 side teak)	ब.फि.	३००१००	३००१००	३००१००	३००१००	
१९	Aluminium Windows/ Door Partaitaion					०१००	
क	Aluminium sliding window without Ventilation with naturally anodized aluminium (section 101.6mm x44mmx1.5mm) with 5mm th. clear glass & steel net including materials, labour, fixing & fittings all complete (size->30sft)	ब.फि.	४९०१००	४९०१००	४९०१००	४९०१००	
ख	Aluminium sliding window with fixed Ventilation with naturally anodized aluminium (section 101.6mm x44mmx1.5mm) with 5mm th. clear glass & steel net including materials, labour, fixing & fittings all complete (size->30sft)	ब.फि.	४३५१००	४३५१००	४३५१००	४३५१००	
ग	Aluminium sliding window with sliding Ventilation with naturally anodized aluminium (section 101.6mm x44mmx1.5mm) with 5mm th. clear glass & steel net including materials, labour, fixing & fittings all complete (size->30sft)	ब.फि.	४३०१००	४३०१००	४३०१००	४३०१००	
घ	Aluminium sliding window without Ventilation with naturally anodized aluminium (section 101.6mm x44mmx1.5mm) with 5mm th. clear glass & steel net including materials, labour, fixing & fittings all complete (size->30sft)	ब.फि.	४८५१००	४८५१००	४८५१००	४८५१००	
ङ	Aluminium sliding window with fixed Ventilation with naturally anodized aluminium (section 101.6mm x44mmx1.5mm) with 5mm th. clear glass & steel net including materials, labour, fixing & fittings all complete (size->30sft)	ब.फि.	४९०१००	४९०१००	४९०१००	४९०१००	
च	Aluminium sliding window with sliding Ventilation with naturally anodized aluminium (section 101.6mm x44mmx1.5mm) with 5mm th. clear glass & steel net including materials, labour, fixing & fittings all complete (size->30sft)	ब.फि.	४८५१००	४८५१००	४८५१००	४८५१००	

## ३. निर्माणमा प्रयोग हुने निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ % म्याट बाँक				कीममत
			आ.ब. २०७४/७५	आ.ब. २०७५/७६	आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	
झ	Aluminium Swing door with naturally anodized aluminium (section 101.6mm x44mmx1.5mm) with 5mm thick clear glass including materials, labour, fixing & fittings all complete (size- >21ft)	व.फि.	५३५१००	५३५१००	५३५१००	५३५१००	
ञ	Aluminium ventilation louver with naturally anodized aluminium (section 101.6mm x44mmx1.5mm) with 5mm thick clear glass including materials, labour, fixing & fittings all complete	व.फि.	६६५१००	६६५१००	६६५१००	६६५१००	
झ	Aluminium Partation aluminium (section 62mm x38mmx1.5mm)with 5mm thick clear glass with water proof sheet including materials, labour, fixing & fittings all complete	व.फि.	३७०१००	३७०१००	३७०१००	३७०१००	
१९	UPVC Door/Window					०१००	
क	UPVC Sliding window frame (80x50mm) sliding window sash (38x62mm) with net all complete inside 1.5mm. Galvanized reinforcement, 5 mm clear glass(white colour) including the cost of material, labor, fixing&fitting all Complete	व.फि.	४५०१००	४५०१००	४५०१००	४५०१००	
ख	UPVC Door frame (80x50mm) door sash (9x100mm)panel, inside 1.5mm galvanized reinforcement, 5 mm clear glass (white colour) including the cost of material, labor, fixing&fitting all Complete	व.फि.	४५०१००	४५०१००	४५०१००	४५०१००	
ग	UPVC fixed ventilation frame (40x60mm), inside 1.5mm galvanized reinforcement, 5 mm clear glass (white colour) including the cost of material, labor, fixing&fitting all Complete	व.फि.	४२५१००	४२५१००	४२५१००	४२५१००	
घ	UPVC Door frame (60x58mm), sash (102x60mm)(special, door panel 18*200mm, inside 1.5mm galvanized reinforcement, 5 mm clear glass (white colour) including the cost of material, labor, fixing&fitting all Complete	व.फि.	५२५१००	५२५१००	५२५१००	५२५१००	
२०	Stainless/Stainless steel railing					०१००	
क	Stainless steel pipe 1"ø	र.फि.	१३५१००	१४९१००	१४९१००	१४९१००	
ख	Stainless steel pipe 1.5"ø	र.फि.	१६०१००	१७६१००	१७६१००	१७६१००	
ग	Stainless steel pipe 2"ø	र.फि.	२१०१००	२३११००	२३११००	२३११००	
घ	Stainless steel railing with 2"ø top, 1.5"ø middle & buttam pipe in 4 rows, 2"ø post @ 1mtr. c/c finish clear height including the cost of materials, labor & fixing & fitting all complete	र.फि.	१२५१००	१३७५१००	१३७५१००	१३७५१००	
ङ	Stainless steel railing with 2"ø top, 1"ø middle & buttam pipe in 4 rows, 2"ø post @ 1mtr. c/c finish clear height including the cost of materials, labor & fixing & fitting all complete	र.फि.	११५०१००	१२६५१००	१२६५१००	१२६५१००	
च	Stainless steel railing with 2"ø top, 1"ø middle & buttam pipe in 3 rows, 2"ø post @ 1mtr. c/c finish clear height including the cost of materials, labor & fixing & fitting all complete	र.फि.	९९०१००	१०६९१००	१०६९१००	१०६९१००	
छ	Stainless steel railing with 1.5"ø top, 1"ø middle & buttam pipe in 3 rows, 1.5"ø post @ 1mtr. c/c finish clear height including the cost of materials, labor & fixing & fitting all complete	र.फि.	८३५१००	९१९१००	९१९१००	९१९१००	
ज	Steel Tube for Railing work	के.बी.	३९०१००	३९९१००	३९९१००	३९९१००	
२१	जिप्सम बोर्ड					०१००	
क	५ मी.मी. जिप्सम बोर्ड (वाटर प्रूफ)	व.फि.	९२९२	९२१००	९२१००	९२१००	
ख	१० मी.मी. जिप्सम बोर्ड (वाटर प्रूफ नभएको)	व.फि.	४६६७	५११००	५११००	५११००	

2

नवलपरासी (बर्दघाट सुस्ता प्राञ्च) जिल्लाको आ.नं.७७/७८ को स्वीकृत जिल्ला दर रेट (१)

४. फलामजन्य निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३% म्याट बाहेक				कैफियत
			आ.नं. २०७४/७५	आ.नं. २०७५/७६	आ.नं. २०७६/७७ को स्वीकृत दर रेट	आ.नं. २०७७/७८ को स्वीकृत दर रेट	
१	फलाम						
१.१	विभिन्न साइजको फलाम इण्डो (Fe 500) (एन.एस.विन्ड ग्रान्त)						
	८, २८ र ३२ मी.मी.	के.जी.	७७५०	७८१००	७८१००	७८१००	
	१० दोस्रो २० मी.मी.	के.जी.	७७१००	७६१००	७६१००	७६१००	
	२५ मी.मी.	के.जी.	७६१००	७७०००	७७०००	७७०००	
	४,७५ दोस्रो ७ मी.मी. Dia (इकोबार)	के.जी.	६५५००	७०१००	७०१००	७०१००	
१.२	वाइरिङ्गड बायर	के.जी.	८३५०	९०१००	९०१००	९०१००	
१.४	काइ तार	के.जी.				०१००	
क	काइ तार १२ गेज (होमि कोटड) NS168	के.जी.	९०१००	९५१००	९५१००	९५१००	
ख	काइ तार १४ गेज (होमि कोटड) NS168	के.जी.	८८१००	९३१००	९३१००	९३१००	
१.५	विभिन्न साइजको किल्ला काटी	के.जी.	१०५१००	११५१००	११५१००	११५१००	
१.६	फलाम शील/गेट/सटर आदि					०१००	
क	कोन्यासिबल गेट (जडान र पन्ट समेत)	के.जी.	१२०१००	१२०१००	१२०१००	१२०१००	
ख	रोलड सटर (जडान र पन्ट समेत)	ब.मि.	३२५०१००	३२५०१००	३२५०१००	३२५०१००	
ग	फलाम गेट (जडान र पन्ट समेत)	के.जी.	१३५१००	१३५१००	१३५१००	१३५१००	
घ	स्क्रापर पाइप गेट/रोलड जडान र पन्ट समेत	के.जी.	१४०१००	१४०१००	१४०१००	१४०१००	
ङ	एमएस व्याक पाइपको तयारी टुयबलर टुस	के.जी.	१३५१००	१३५१००	१३५१००	१३५१००	
च	फलाम गिल जडान समेत पाताको	के.जी.	११०१००	११०१००	११०१००	११०१००	
छ	फलाम गिल जडान समेत स्क्रापर रडको	के.जी.	११४१००	११४१००	११४१००	११४१००	
ज	विभिन्न साइजको एम.एस.एडल, एम.एस.प्यानल बन्डोइससमत	"	१०७०००	१०७०००	१०७०००	१०७०००	
झ	विभिन्न साइजको एम.एस. साट	के.जी.	९५१००	९५१००	९५१००	९५१००	
१.७	जि. आई. बायर (ग्याबियन, विभिन्न गेज ८,१०)					०१००	
क	होमि कोटड	के.जी.	९३१००	९५१००	९०४१००	९०४१००	
ख	मिडियम कोटड	"	८९१००	९२१००	९०११००	९०११००	
ग	कमसियल	"	८५१००	८७१००	९५१००	९५१००	
१.८	जि. आई. बायर (ग्याबियन, १२ गेज)					०१००	
क	होमि कोटड	के.जी.	९४१००	९६१००	१०४१००	१०४१००	
ख	मिडियम कोटड	"	९०१००	९११००	१००१००	१००१००	
ग	कमसियल	"	८६१००	८७१००	९५१००	९५१००	
२	Machinemade Ready Made Gabion Boxes (Factory Price)					०१००	
२.१	एन.एस.१६३/१६९ अनुसारको होमि जिङ्ग कोटड जि.आई. मेल तार ३.० मि.मि., सेलमेज तार ३.९० मि.मि., सेसिङ्ग तार २.४० मि.मि. प्रयोग गरी डबल टिबन्टेड हेक्सागनल मेल साइज १००x१२० मि.मि. को मेलिनबाट बुनेको ग्याबियन बक्स/डबानी बाहेकको एक्स फेक्ट्री मूल्य					०१००	
२.१.१	बक्स साइज १.५x१x०.५	प्रति बक्सा	१४१६१००	१५४७००	१५४२१००	१५४७००	
२.१.२	बक्स साइज २x१x०.५ (एक डायफ्राम समेत)	प्रति बक्सा	१९२६१००	२११८१००	२३२९१००	२११८१००	
२.१.३	बक्स साइज ३x१x०.५ (दुई डायफ्राम समेत)	प्रति बक्सा	२७४९१००	३०२३१००	३३२५१००	३०२३१००	
२.१.४	बक्स साइज ४x१x०.५ (तीन डायफ्राम समेत)	प्रति बक्सा	३४७०१००	३८१६१००	४१९८१००	३८१६१००	
२.१.५	बक्स साइज १.५x१x१	प्रति बक्सा	२०५८१००	२२६३१००	२४८९१००	२२६३१००	
२.१.६	बक्स साइज २x१x१ (एक डायफ्राम समेत)	प्रति बक्सा	२७३२१००	३००८१००	३३०८१००	३००८१००	
२.१.७	बक्स साइज ३x१x१ (दुई डायफ्राम समेत)	प्रति बक्सा	३८८११००	४२६९१००	४६९५१००	४२६९१००	
२.१.८	बक्स साइज ४x१x१ (तीन डायफ्राम समेत)	प्रति बक्सा	४९९८१००	५४९७१००	६०४६१००	५४९७१००	
२.१.९	बक्स साइज ३x२x०.५ (दुई डायफ्राम समेत)	प्रति बक्सा	५११११००	५६२२१००	६१८४१००	५६२२१००	
२.१.१०	बक्स साइज ४x२x०.५ (तीन डायफ्राम समेत)	प्रति बक्सा	६४७५१००	७१२२१००	७८३४१००	७१२२१००	
२.१.११	बक्स साइज ५x२x०.५ (चार डायफ्राम समेत)	प्रति बक्सा	८०१४१००	८८१५१००	९६९६१००	८८१५१००	
२.१.१२	बक्स साइज ३x२x१ (दुई डायफ्राम समेत)	प्रति बक्सा	७०३११००	७७३४१००	८५०७१००	७७३४१००	
२.१.१३	बक्स साइज ४x२x१ (तीन डायफ्राम समेत)	प्रति बक्सा	८८४६१००	९७३०१००	१०७०३१००	९७३०१००	
२.१.१४	बक्स साइज ३x१.५x०.५ (दुई डायफ्राम समेत)	प्रति बक्सा	४०३८१००	४४४११००	४८८५१००	४४४११००	

Handwritten signatures and initials at the bottom of the page.

नवलपरासी (बर्दघाट सुस्ता) जिल्लाको आ.व.०७७/७८ को स्वीकृत जिल्ला दर रेट (२)

४. फलामजन्य निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ % प्याट बाहेक				कीफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	
२.१.१५	बक्स साईज ४X१.५X०.५ (तीन डायफ्राम समेत)	प्रति बक्सा	५१११००	५६२२००	६१८५००	५६२२००	
२.१.१६	बक्स साईज ५X१.५X०.५ (चार डायफ्राम समेत)	प्रति बक्सा	६३३६००	६९६९००	७६६५००	६९६९००	
२.१.१७	बक्स साईज ३X१.५X१ (दुई डायफ्राम समेत)	प्रति बक्सा	५६८६००	६२५५००	६७९८००	६२५५००	
२.१.१८	बक्स साईज ४X१.५X१ (तीन डायफ्राम समेत)	प्रति बक्सा	७६६७००	७८८३००	८६७१००	७८८३००	
२.१.१९	बक्स साईज ५X१.५X१ (चार डायफ्राम समेत)	प्रति बक्सा	८८६१००	९७४७००	१०७९१००	९७४७००	
२.२	एन.एस.१६३/१६९ अनुसारको हेवि जिङ्ग कोटेड जि.आई. मेस तार २.७० मि.मि., सेलभेज तार ३.४० मि.मि., सेसिङ तार २.२० मि.मि. प्रयोग गरी डबल टिबन्टेड हेबसागनल मेस साइज १००X१२० मि.मि. को मेसिनबाट बुनेको ग्याबियन बक्स (दुवानी बाहेकको एकस फेबरी मल्य					०/००	
२.२.१	बक्स साईज १.५X१X०.५	प्रति बक्सा	१२६०००	१३८१००	१५११००	१३८१००	
२.२.२	बक्स साईज २X१X०.५ (एक डायफ्राम समेत)	प्रति बक्सा	१७९६००	१८८३००	२०७१००	१८८३००	
२.२.३	बक्स साईज ३X१X०.५ (दुई डायफ्राम समेत)	प्रति बक्सा	२४५८००	२७०३००	२९७३००	२७०३००	
२.२.४	बक्स साईज ४X१X०.५ (तीन डायफ्राम समेत)	प्रति बक्सा	३१०१००	३४११००	३७५२००	३४११००	
२.२.५	बक्स साईज १.५X१X१	प्रति बक्सा	१८३२००	२००८००	२२०८००	२००८००	
२.२.६	बक्स साईज २X१X१ (एक डायफ्राम समेत)	प्रति बक्सा	२४५८००	२७०३००	२९७३००	२७०३००	
२.२.७	बक्स साईज ३X१X१ (दुई डायफ्राम समेत)	प्रति बक्सा	३४७१००	३८१८००	४१९९००	३८१८००	
२.२.८	बक्स साईज ४X१X१ (तीन डायफ्राम समेत)	प्रति बक्सा	४३७०००	४८०७००	५२८७००	४८०७००	
२.२.९	बक्स साईज ३X२X०.५ (दुई डायफ्राम समेत)	प्रति बक्सा	४५३५००	४९८७००	५४८५००	४९८७००	
२.२.१०	बक्स साईज ४X२X०.५ (तीन डायफ्राम समेत)	प्रति बक्सा	५७२७००	६२७५००	६९०३००	६२७५००	
२.२.११	बक्स साईज ५X२X०.५ (चार डायफ्राम समेत)	प्रति बक्सा	७०६१००	७७८१००	८५२९००	७७८१००	
२.२.१२	बक्स साईज ३X२X१ (दुई डायफ्राम समेत)	प्रति बक्सा	६२३२००	६५६५००	७१७८००	६५६५००	
२.२.१३	बक्स साईज ४X२X१ (तीन डायफ्राम समेत)	प्रति बक्सा	७८४७००	८५३५००	९३८७००	८५३५००	
२.२.१४	बक्स साईज ३X१.५X०.५ (दुई डायफ्राम समेत)	प्रति बक्सा	३५९५००	३७६५००	४१४१००	३७६५००	
२.२.१५	बक्स साईज ४X१.५X०.५ (तीन डायफ्राम समेत)	प्रति बक्सा	४५३५००	४९५७००	५४५२००	४९५७००	
२.२.१६	बक्स साईज ५X१.५X०.५ (चार डायफ्राम समेत)	प्रति बक्सा	५६२२००	६१५०००	६७६५००	६१५०००	
२.२.१७	बक्स साईज ३X१.५X१ (दुई डायफ्राम समेत)	प्रति बक्सा	४०४५००	४२७१००	४७९८००	४२७१००	
२.२.१८	बक्स साईज ४X१.५X१ (तीन डायफ्राम समेत)	प्रति बक्सा	६३४७००	६९०३००	७५९३००	६९०३००	
२.२.१९	बक्स साईज ५X१.५X१ (चार डायफ्राम समेत)	प्रति बक्सा	७८४७००	८५३५००	९३८७००	८५३५००	
२.३	एन.एस.१६३/१६९ अनुसारको हेवि जिङ्ग कोटेड जि.आई. मेस तार २.७०(ID)३.७(OD) मि.मि., सेलभेज तार ३.४०(ID)४.४(OD) मि.मि., सेसिङ तार २.२०(ID)३.२(OD) मि.मि. प्रयोग गरी डबल टिबन्टेड हेबसागनल मेस साइज १००X१२० मि.मि. को मेसिनबाट बुनेको ग्याबियन बक्स (पिभिसी कोटिंग सहित) (दुवानी बाहेकको एकस फेबरी मल्य					०/००	
२.२.१	बक्स साईज १.५X१X०.५	प्रति बक्सा		१६६२००	१८२८००	१६६२००	
२.२.२	बक्स साईज २X१X०.५ (एक डायफ्राम समेत)	प्रति बक्सा		२२६६००	२४९३००	२२६६००	
२.२.३	बक्स साईज ३X१X०.५ (दुई डायफ्राम समेत)	प्रति बक्सा		३३२३००	३६५५००	३३२३००	
२.२.४	बक्स साईज ४X१X०.५ (तीन डायफ्राम समेत)	प्रति बक्सा		४३८०००	४८१८००	४३८०००	
२.२.५	बक्स साईज १.५X१X१	प्रति बक्सा		२४५७००	२६५८००	२४५७००	
२.२.६	बक्स साईज २X१X१ (एक डायफ्राम समेत)	प्रति बक्सा		३३२३००	३६५५००	३३२३००	
२.२.७	बक्स साईज ३X१X१ (दुई डायफ्राम समेत)	प्रति बक्सा		४८३५००	५२९७००	४८३५००	
२.२.८	बक्स साईज ४X१X१ (तीन डायफ्राम समेत)	प्रति बक्सा		६३४७००	६९०३००	६३४७००	
२.२.९	बक्स साईज ३X२X०.५ (दुई डायफ्राम समेत)	प्रति बक्सा		४७४०००	५१५१००	४७४०००	

Handwritten signatures and marks at the bottom of the page.

नवलपरासी (बर्दघाट सुस्ता मण्डल) जिल्लाको आ.व.०७४/७५ को स्वीकृत जिल्ला दर रेट (३)

४. फलामजन्य निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ % भ्याट बाहेक				कैफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	
२.२.१०	बक्स साईज ४X२X०.५ (तीन डायफ्राम समेत)	प्रति बक्सा		७५५३००	८३०८००	७५५३००	
२.२.११	बक्स साईज ५X२X०.५ (चार डायफ्राम समेत)	प्रति बक्सा		९३६५००	१०३०२००	९३६५००	
२.२.१२	बक्स साईज ३X२X१ (दुई डायफ्राम समेत)	प्रति बक्सा		७८५५००	८६४०००	७८५५००	
२.२.१३	बक्स साईज ४X२X१ (तीन डायफ्राम समेत)	प्रति बक्सा		१०२७१००	११२९८००	१०२७१००	
२.२.१४	बक्स साईज ३X१.५X०.५ (दुई डायफ्राम समेत)	प्रति बक्सा		४५३२००	४९८५००	४५३२००	
२.२.१५	बक्स साईज ४X१.५X०.५ (तीन डायफ्राम समेत)	प्रति बक्सा		५९६७००	६५६३००	५९६७००	
२.२.१६	बक्स साईज ५X१.५X०.५ (चार डायफ्राम समेत)	प्रति बक्सा		७४०१००	८१४१००	७४०१००	
२.२.१७	बक्स साईज ३X१.५X१ (दुई डायफ्राम समेत)	प्रति बक्सा		६३४५००	६९७८००	६३४५००	
२.२.१८	बक्स साईज ४X१.५X१ (तीन डायफ्राम समेत)	प्रति बक्सा		८३०८००	९१३८००	८३०८००	
२.२.१९	बक्स साईज ५X१.५X१ (चार डायफ्राम समेत)	प्रति बक्सा		१०२७१००	११२९८००	१०२७१००	
२.४	<b>Sack Gabions/Cylindrical Gabions</b>			१०२७१००	११२९८००	१०२७१००	
२.४.१	एन.एस.१६३/१६९ अनुसारको हेचि जिङ्ग कोटेड जि.आई. मेस तार ३.० मि.मि., सेलभेज तार ३.९० मि.मि., लेसिङ्ग तार २.४० मि.मि. प्रयोग गरी डबल टिबस्टेड हेक्सागनल मेस साइज १००x१२० मि.मि. को मेसिनबाट बुनेको ग्याबियन बक्सा/डुवानी बाहेकको एक्स फेक्ट्री मूल्य						
	1.5m*0.74m (0.74m dia)	प्रति बक्सा		१६३०००	१७९३००	१६३०००	
२.४.२	एन.एस.१६३/१६९ अनुसारको हेचि जिङ्ग कोटेड जि.आई. मेस तार २.७० मि.मि., सेलभेज तार ३.४० मि.मि., लेसिङ्ग तार २.२० मि.मि. प्रयोग गरी डबल टिबस्टेड हेक्सागनल मेस साइज १००x१२० मि.मि. को मेसिनबाट बुनेको ग्याबियन बक्सा/डुवानी बाहेकको एक्स फेक्ट्री मूल्य					०००	
	1.5m*0.74m (0.74m dia)	प्रति बक्सा		१३७५००	१५११००	१३७५००	
२.४.३	एन.एस.१६३/१६९ अनुसारको हेचि जिङ्ग कोटेड जि.आई. मेस तार २.७०(ID)/३.७(OD) मि.मि., सेलभेज तार ३.४०(ID)/४.४(OD) मि.मि., लेसिङ्ग तार २.२०(ID)/३.२(OD) मि.मि. प्रयोग गरी डबल टिबस्टेड हेक्सागनल मेस साइज १००x१२० मि.मि. को मेसिनबाट बुनेको ग्याबियन बक्स (पिभिसी कोटिंग सहित) (डुवानी बाहेकको एक्स फेक्ट्री मूल्य)					०००	
	1.5m*0.74m (0.74m dia)	प्रति बक्सा		१७४०००	१९१५००	१७४०००	
२.३.१३	तारजाली	व.मी	२३९००	२४५००	२४५००	२४५००	
३	सि.जि.ब्राइ.सिट (जस्ता पाटा)					०००	
२२ गज	(0.60 mm thick)	बण्डल	१२२२०००	१२४०३००	१२४०३००	१२४०३००	
२४ गज	( होभि ) (0.52 mm thick)	बण्डल	१०४४०००	१०६००००	१०६००००	१०६००००	
२४ गज	( मिडियम ) (0.50 mm thick)	बण्डल	१०१७०००	१०२५०००	१०२५०००	१०२५०००	
२४ गज	( लाइट ) (0.45 mm thick)	बण्डल	९२००००	९३३८००	९३३८००	९३३८००	
२६ गज	( होभि ) (0.41 mm thick)	बण्डल	८४९०००	८६१७००	८६१७००	८६१७००	
२६ गज	( मिडियम ) (0.37 mm thick)	बण्डल	७७९०००	७८७६००	७८७६००	७८७६००	
२६ गज	( लाइट ) (0.35 mm thick)	बण्डल	७४१०००	७५२१००	७५२१००	७५२१००	
२२ गज	(0.60 mm thick) रंगीन	बण्डल	१४३४०००	१४६२७००	१४६२७००	१४६२७००	
२४ गज	( होभि ) रंगीन	बण्डल	१२४३०००	१२६७९००	१२६७९००	१२६७९००	
२४ गज	( मिडियम ) रंगीन	बण्डल	१२०१०००	१२२४०००	१२२४०००	१२२४०००	
२४ गज	( लाइट ) रंगीन	बण्डल	११०३५००	११२५६००	११२५६००	११२५६००	
२६ गज	( होभि ) रंगीन	बण्डल	१०२९५००	१०५०१००	१०५०१००	१०५०१००	
२६ गज	( मिडियम ) रंगीन	बण्डल	९५००००	९६९०००	९६९०००	९६९०००	
२६ गज	( लाइट ) रंगीन	बण्डल	९०२०००	९२३१००	९२३१००	९२३१००	
२८ गज	( होभि ) (0.31 mm thick)	बण्डल	६७००००	६८३५००	६८३५००	६८३५००	

396 (Handwritten signatures and marks)

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.ब.०७७ को स्वीकृत जिल्ला दर रेट (४)

४. फलामजन्य निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ % प्याट बाहेक				कीफियत
			आ.ब. २०७४/७५	आ.ब. २०७५/७६	आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	
	२८ गज ( मिडियम ) (0.28 mm thick)	बण्डल	६१००।००	६२२२।००	६२२२।००	६२२२।००	
	२८ गज ( लाइट ) (0.26 mm thick)	बण्डल	५७४०।००	५८५५।००	५८५५।००	५८५५।००	
	२८ गज ( हािम रगेन )	बण्डल	८१९५।००	८३१०।००	८३१०।००	८३१०।००	
	२८ गज ( मिडियम रगेन )	बण्डल	७५९०।००	७७०५।००	७७०५।००	७७०५।००	
	२८ गज ( लाइट रगेन )	बण्डल	७१८५।००	७३००।००	७३००।००	७३००।००	
४	छानाछाने स्याण्डविच प्यानल					०।००	
	३० मिमि प्यानल	ब.फि.	१९९।२	१९९।२	१९९।२	१९९।२	
	४० मिमि प्यानल	ब.फि.	१९९।२	१९९।२	१९९।२	१९९।२	
	७५ मिमि प्यानल	ब.फि.	१९९।२	१९९।२	१९९।२	१९९।२	
४.१	स्याण्डविच बालप्यानल					०।००	
	३० मिमि प्यानल	ब.फि.	१६८।४	१६८।४	१६८।४	१६८।४	
	४० मिमि प्यानल	ब.फि.	१६८।४	१६८।४	१६८।४	१६८।४	
	५० मिमि प्यानल	ब.फि.	१६८।४	१६८।४	१६८।४	१६८।४	
	६५ मिमि प्यानल	ब.फि.	१६८।४	१६८।४	१६८।४	१६८।४	
	७५ मिमि प्यानल	ब.फि.	१६८।४	१६८।४	१६८।४	१६८।४	
४.२	PPGI Roofing Sheet ( 0.5mm/kg )	ब.फि.	१२५।६६	१२५।६६	१२५।६६	१२५।६६	
४.३	Ridge Cap ( 0.5mm/kg )	र.फि.	१२५।६६	१२५।६६	१२५।६६	१२५।६६	
४.४	जि. ब्राइ. प्लेनसिट ( मिडियम )					०।००	
	२२ गज	ब.मि.	६०२।००	६११।००	६११।००	६११।००	
	२४ गज	ब.मि.	४९७।००	६०६।००	६०६।००	६०६।००	
	२६ गज	ब.मि.	४५७।००	४६६।००	४६६।००	४६६।००	
	२८ गज	ब.मि.	३६२।००	३६७।००	३६७।००	३६७।००	
५	एम.एस.ब्ल्याक पाइप NS standard	केजी	७१।०	७१।०	७१।०	७१।०	

Handwritten signatures and dates at the bottom of the page, including a date '13/11/2024'.

नवलपरासी (वर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७७ को स्वीकृत जिल्ला दर २०७७/७८

५. सडक निर्माणमा प्रयोग हुने निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ % म्याट बाहेक				कैफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	
१	विट्रिमिन ८०/१०० ग्रेड VG-10 कारखानाको मूल्य अमलेखगंजको	के.जी.	६५/१०	७०/१०	७३/००	७३/००	
२	विट्रिमिन ६०/७० ग्रेड VG-30 कारखानाको मूल्य अमलेखगंजको	के.जी.		७२/१०	७३/००	७३/००	
३	रबर बेस विट्रिमिन (CRMB-DIGO 50) कारखानाको मूल्य	के.जी.		७०/१०	७०/१०	७०/१०	
४	रबर बेस विट्रिमिन (CRMB-DIGO 55) कारखानाको मूल्य	के.जी.	७०/७०	७०/७०	७०/७०	७०/७०	
५	रबर बेस विट्रिमिन (PMB-40) कारखानाको मूल्य	के.जी.		८७/००	८७/००	८७/००	
३.१	विट्रिमिन इमल्सन कारखानाको मूल्य					०/००	
३.१.१	छिटो जम्ने ६० प्रतिशत विट्रिमिन	के.जी.	६०/८०	६३/३०	६३/३०	६३/३०	
३.१.२	छिटो जम्ने ६५ प्रतिशत विट्रिमिन	के.जी.	६४/६०	६२/२०	६२/२०	६२/२०	
३.१.३	छिटो जम्ने ७० प्रतिशत विट्रिमिन	के.जी.	६८/३०	७१/१०	७१/१०	७१/१०	
३.१.४	माध्यम जम्ने ६० प्रतिशत विट्रिमिन	के.जी.	६१/६०	६४/१०	६४/१०	६४/१०	
३.१.५	माध्यम जम्ने ६५ प्रतिशत विट्रिमिन	के.जी.	६६/३०	६८/१०	६८/१०	६८/१०	
३.१.६	ढिलो जम्ने ६० प्रतिशत विट्रिमिन	के.जी.	६२/७०	६५/३०	६५/३०	६५/३०	
३.१.७	सलरो सिल ६० प्रतिशत विट्रिमिन	के.जी.	६९/४०	७०/४०	७०/४०	७०/४०	
३.२	Antistripping Agent (Liquid)					०/००	
३.३.१	Anstrip'	के.जी.	३१/००	३२/००	३२/००	३२/००	
४	अन्य पेट्रोलियम पदार्थ(डिजेल, पेट्रोल, मट्टीतेल)	लि.	नेपाल आयल निगमको दर अनुसार			०/००	
५	हनुम पाइप					०/००	
५.१	15cm ø (NP3 class)	र.मी.	१४१५/००	१४१५/००	१४१५/००	१४१५/००	
५.२	20cm ø (NP3 class)	र.मी.	१८९०/००	१८९०/००	१८९०/००	१८९०/००	
५.३	25cm ø (NP3 class)	र.मी.	२३६५/००	२३६५/००	२३६५/००	२३६५/००	
५.४	30 cm ø (NP3 class)	र.मी.	३४१५/००	३४१५/००	३४१५/००	३४१५/००	
५.५	40 cm ø (NP3 class)	र.मी.	४५७०/००	४५७०/००	४५७०/००	४५७०/००	
५.६	45 cm ø (NP3 class)	र.मी.	४८९५/००	४८९५/००	४८९५/००	४८९५/००	
५.७	50 cm ø (NP3 class)	र.मी.	५४६०/००	५४६०/००	५४६०/००	५४६०/००	
५.८	60 cm ø (NP3 class)	र.मी.	६७५५/००	६७५५/००	६७५५/००	६७५५/००	
५.९	75 cm ø (NP3 class)	र.मी.	९२४०/००	९२४०/००	९२४०/००	९२४०/००	
५.१०	90 cm ø (NP3 class)	र.मी.	१२२४०/००	१२२४०/००	१२२४०/००	१२२४०/००	
५.११	100 cm ø (NP3 class)	र.मी.	१३१६५/००	१३१६५/००	१३१६५/००	१३१६५/००	
५.१२	120 cm ø (NP3 class)	र.मी.	१६१२०/००	१६१२०/००	१६१२०/००	१६१२०/००	
५.१३	150cm ø (NP3 class)	र.मी.	२४७१५/००	२४७१५/००	२४७१५/००	२४७१५/००	
५.१४	15 cm ø (NP2 class)	र.मी.	६५/१०	६५/१०	६५/१०	६५/१०	
५.१५	20 cm ø (NP2 class)	र.मी.	८७/१०	८७/१०	८७/१०	८७/१०	
५.१६	25 cm ø (NP2 class)	र.मी.	१०५/००	१०५/००	१०५/००	१०५/००	
५.१७	30 cm ø (NP2 class)	र.मी.	१२३/१०	१२३/१०	१२३/१०	१२३/१०	
५.१८	40 cm ø (NP2 class)	र.मी.	२०२/१०	२०२/१०	२०२/१०	२०२/१०	
५.१९	45cm ø (NP2 class)	र.मी.	२१२/१०	२१२/१०	२१२/१०	२१२/१०	
६	हनुमपाइपको सकेट (कलर) का मूल्य (पाइपका मूल्यका आधारमा)	प्रतिशत	१/००	१/००	१/००	१/००	
७	जियो टेक्सटाइल(१००० teram)	ब.मी.	९/००	९/१५	९/१५	९/१५	
८	जियो टेक्सटाइल(२००० ,teram)	ब.मी.	९/५०	९/५५	९/५५	९/५५	

Handwritten signatures and dates at the bottom of the page, including a date '३१/७/२०२३'.

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व. २०७४/७५ को स्वीकृत जिल्ला दर रेट (१)

६. रंग रोगन सम्बन्धि सामाग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ % भाट बाहेक				वैकल्पिक
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	
१	रङ्गरोगन						
क	इनामेल पेन्ट	लिट्र	५०८८०	५३४१००	५३४१००	५३४१००	
ख	बारानस	लिट्र	२९६८०	३१२१००	३१२१००	३१२१००	
ग	प्लास्टिक इन्सुलन पेन्ट	"	५०८८०	५३४१००	५३४१००	५३४१००	
घ	एलमिनियम पेन्ट	"	५६९८०	५९०१००	५९०१००	५९०१००	
ङ	फाइनर इनामेल	"	५०८८०	५३४१००	५३४१००	५३४१००	
च	मेटल प्राइमर	"	३२६४८	३४३१००	३४३१००	३४३१००	
छ	उडन प्राइमर	"	३२२३९	३४९१००	३४९१००	३४९१००	
ज	रिन्सल पेन्ट	क.जी.	१८५४०	१९५१००	१९५१००	१९५१००	
झ	लिन्सड आयल	लिट्र	१३९५०	१३९१००	१३९१००	१३९१००	
ञ	स्प्रीट	"	८२७९	८७००	८७००	८७००	
ट	अलकवा पेन्ट	"	१४८४०	१५६१००	१५६१००	१५६१००	
ठ	टारपेन्टाइन आयल	"	१४८४०	१५६१००	१५६१००	१५६१००	
ड	वाटर प्रूफ सिमन्ट पेन्ट (स्लोसम)	क.जी.	६९४८	६५१००	६५१००	६५१००	
ढ	ब्ल्याकवाड पेन्ट	क.जी.	४४४१००	४४५१००	४४५१००	४४५१००	
ण	डिस्टम्पर	क.जी.	१४८४०	१५६१००	१५६१००	१५६१००	
त	डिस्टम्पर (वासबल)	लिट्र	१८३५०	१९५१००	१९५१००	१९५१००	
थ	प्लास्टर अफ पौरस पेन्ट	क.जी.	२१२०	२२१००	२२१००	२२१००	
द	सरस	क.जी.	२७५४०	२८९१००	२८९१००	२८९१००	
ध	वाटर प्रूफ कम्पाउण्ड	क.जी.	७५२६	७९१००	७९१००	७९१००	
न	सफोकेट	लिट्र	१६९६०	१७८१००	१७८१००	१७८१००	
प	चप्परा पालिस	क.जी.	१६४३००	१७२५१००	१७२५१००	१७२५१००	
फ	चुना	"	१९१०८	२०१००	२०१००	२०१००	
ब	गम	"	१३७८०	१४५१००	१४५१००	१४५१००	
भ	प्रांटन	"	५३००	५६१००	५६१००	५६१००	
म	मैनपालिस	"	५०८८०	५३४१००	५३४१००	५३४१००	
य	अब्जालिक एमिड	लिट्र	१५९१००	१६७००	१६७००	१६७००	
र	खाक्सी	गाटा	१५९०	१७००	१७००	१७००	
ल	सिमन्ट प्राइमर	लिट्र	१८५४०	१९५१००	१९५१००	१९५१००	
व	इपिक्सकोट(वाटरप्रूफिड पेन्ट)	लिट्र	५६७९०	५९५१००	५९५१००	५९५१००	

Handwritten signatures and dates at the bottom of the page, including a date '१३/७/२४'.

नवलपरासी (बर्दघाट सुस्ता पूर्वम) जिल्लाको आ.व.०७५/७६ को स्वीकृत जिल्ला दर रेट (१)

७. खानेपानी तथा सरसफाई सम्बन्धि सामाग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ % भ्याट बाहेक				कीफायत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	
१	स्यानिटरी/वाटर सप्लाई						
क	ड्रिङ्ग सि. प्यान फटरस्ट र साइफन समेत						
क.१	१२"X१२"	गाटा	७३१००	७७०१००	७७०१००	७७०१००	
क.२	१२"X१८"	गाटा	११२८७५	११८४१००	११८४१००	११८४१००	
क.३	१२"X२०"	गाटा	१२०७५०	१२६४१००	१२६४१००	१२६४१००	
ख	कमाड प्यान कभर सहित	गाटा	२५२०००	२६४५१००	२६४५१००	२६४५१००	
ग	कमाड कभर	गाटा	६८२५०	७१११००	७१११००	७१११००	
घ	सिस्टन					०१००	
घ.१	लो लेभल पासलोन सिस्टन	गाटा	१२०७५०	१२६४१००	१२६४१००	१२६४१००	
घ.२	हाइ लेभल पासलोन सिस्टन	गाटा	१५५५१००	१६११००	१६११००	१६११००	
घ.३	लो लेभल पलास्टिक सिस्टन	गाटा	९९७५०	१०४४१००	१०४४१००	१०४४१००	
ङ	वास बसिन					०१००	
ङ.१	१२"X१८"	गाटा	७८७५०	८२११००	८२११००	८२११००	
ङ.२	१६"X२०"	गाटा	११५५१००	१२११००	१२११००	१२११००	
ङ.३	१६"X२२"	गाटा	१२६५१००	१३२१००	१३२१००	१३२१००	
च	किचन सिङ्ग स्ट्याण्डर्ड					०१००	
च.१	किचन सिङ्ग जनरल १६"X१८"	गाटा	२४९५१००	२५५१००	२५५१००	२५५१००	
च.२	किचन सिङ्ग जनरल ३७"X१८"	गाटा	४२००१००	४३११००	४३११००	४३११००	
छ	ल्याब सिङ्ग	गाटा	२७३०१००	२८६५१००	२८६५१००	२८६५१००	
ज	सिङ्ग (अस्पतालमा बच्चा सफागन)	गाटा	३२०००१००	३३३००१००	३३३००१००	३३३००१००	
झ	साप कस बक्स	गाटा	२६२५०	२७५१००	२७५१००	२७५१००	
ञ	टावल रड					०१००	
ञ.१	फन्सी टाइप होम	गाटा	५७७५०	६०५१००	६०५१००	६०५१००	
ञ.२	साधारण	गाटा	२७३१००	२८५१००	२८५१००	२८५१००	
ञ	एना					०१००	
ञ.१	१८"X२२"	गाटा	५७७५०	६०५१००	६०५१००	६०५१००	
ञ.२	१६"X२०"	गाटा	४९८७५	५२५१००	५२५१००	५२५१००	
ट	टुथ ब्रस सेट (टगलर सेट)	गाटा	२६२५०	२७५१००	२७५१००	२७५१००	
ठ	१/२" धारा					०१००	
ठ.१	पितल	गाटा	२६२५०	२७५१००	२७५१००	२७५१००	
ठ.२	प्लास्टिक	गाटा	७८७५	८२१००	८२१००	८२१००	
ठ.३	अटोस्टप	गाटा	४७७५०	४९५१००	४९५१००	४९५१००	
ठ.४	सि. पं. फन्सी टाइप (रासा)	गाटा	८९२५०	९३५१००	९३५१००	९३५१००	
ड	सावर					०१००	
ड.१	सावर साधारण	गाटा	६३०१००	६६०१००	६६०१००	६६०१००	
ड.२	सावर टेलिफोनिक	गाटा	९४५१००	९९०१००	९९०१००	९९०१००	
ड	फ्लोट मल्व	गाटा	६३०१००	६६०१००	६६०१००	६६०१००	
ण	पासलिन युरिनल					०१००	
ण.१	लीडिङ	गाटा	१३१२५०	१३८०१००	१३८०१००	१३८०१००	
ण.२	जन्स	गाटा	१३१२५०	१३८०१००	१३८०१००	१३८०१००	
त	पपर होल्डर	गाटा	४२०१००	४४०१००	४४०१००	४४०१००	
थ	रोप हुक	गाटा	२३१००	२४०१००	२४०१००	२४०१००	
द	फ्लोर टयाप साइफन समेत	गाटा	३२५१०	३४०१००	३४०१००	३४०१००	
ध	पि. वि. सि. हुक	गाटा	६५१०	६८१००	६८१००	६८१००	
न	Orisa pan set with cistern and long band	सेट	३५९७५०	३६९०१००	३६९०१००	३६९०१००	
प	Commode with cistern with long band	सेट	४४६२५०	४६६५१००	४६६५१००	४६६५१००	
२	वाटर सप्लाई/सिचाई सम्बन्धी					०१००	
क	डिजल पम्पसेट- 4x4" 5H.P.(water cool) वा सासरह	थान	६७३८३०५	६७३८३०५	६७३८३०५	६७३८३०५	
ख	डिजल-पम्पसेट- 3x3" 5H.P (ISI)	थान	४६७२५१००	४६७२५१००	४६७२५१००	४६७२५१००	
ग	डिजल पम्पसेट- 3x3" 5H.P(air cool) वा सासरह	थान	४४९९२५०	४४९९२५०	४४९९२५०	४४९९२५०	
घ	डिजल पम्पसेट- 3x3" 4H.P(air cool) वा सासरह	थान	४२६८७५०	४२६८७५०	४२६८७५०	४२६८७५०	
ङ	डिजल पम्पसेट- 3x2.5" 5H.P(water cool) वा सासरह	थान	५०८५६१०५	५०८५६१०५	५०८५६१०५	५०८५६१०५	

Handwritten signatures and marks at the bottom of the page.

नवलपरासी (वर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७७/७८ को स्वीकृत जिल्ला दर टेबल (२)

७. खानेपानी तथा सरसफाई सम्बन्धि सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ % भ्याट बाहेक				कैफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर टेबल	आ.व. २०७७/७८ को स्वीकृत दर टेबल	
च	विद्युतीय मोटर पम्पसेट (किलोस्कर वा सो सरह/ 3'x3" 2H.P./ 1phase pump)	थान	२७३००१००	२८६००१००	२८६००१००	२८६००१००	
छ	विद्युतीय मोटर पम्पसेट (किलोस्कर वा सो सरह/ 3'x2.5" 2H.P./ 1phase pump)	थान	२६७७५१००	२८१००१००	२८१००१००	२८१००१००	
ज	विद्युतीय मोटर पम्पसेट (किलोस्कर वा सो सरह/ 2'x2" 2H.P./ 1phase pump)	थान	२३१००१००	२४२००१००	२४२००१००	२४२००१००	
झ	१/२ हप पावर मोटर इन्डियन (ISI)	थान	५२५१००	५२५१००	५२५१००	५२५१००	
ञ	१ हप पावर मोटर इन्डियन (ISI)	थान	९४५१००	९९००१००	९९००१००	९९००१००	
ट	१/२ हप पावर मोटर चाइनिज	थान	२१००१००	२२००१००	२२००१००	२२००१००	
ठ	१ हप पावर मोटर चाइनिज	थान	४२५१००	४५००१००	४५००१००	४५००१००	
३	जि. आई. पाइप व्हेड (लाइट ६ र. मि.)					०१००	
	१/२" e	गोटा	७५९१००	८३५१००	८३५१००	८३५१००	
	३/४" e	गोटा	१०४५१००	११६११००	११६११००	११६११००	
	१" e	गोटा	१४६५१००	१६१२१००	१६१२१००	१६१२१००	
	१ १/४" e	गोटा	१८८०१००	२०६८१००	२०६८१००	२०६८१००	
	१ १/२" e	गोटा	२३१०१००	२५४११००	२५४११००	२५४११००	
	२" e	गोटा	२८८२१००	३१७०१००	३१७०१००	३१७०१००	
	२ १/२" e	गोटा	४०२५१००	४४२८१००	४४२८१००	४४२८१००	
	३" e	गोटा	४७३०१००	५२०३१००	५२०३१००	५२०३१००	
	४" e	गोटा	६७५१००	७४२९१००	७४२९१००	७४२९१००	
	५" e	गोटा	१०४२७००	११५८०००	११५८०००	११५८०००	
	६" e	गोटा	१२२४७००	१३४६७००	१३४६७००	१३४६७००	
	८" e	गोटा	१६७११००	१८३९१००	१८३९१००	१८३९१००	
४	जि. आई. पाइप व्हेड (मिडियम ६ र. मि.)					०१००	
	१/२" e	गोटा	९००१००	९९०१००	९९०१००	९९०१००	
	३/४" e	गोटा	११४५१००	१२६०१००	१२६०१००	१२६०१००	
	१" e	गोटा	१७५१००	१८८७००	१८८७००	१८८७००	
	१ १/४" e	गोटा	२२३५१००	२४४९१००	२४४९१००	२४४९१००	
	१ १/२" e	गोटा	२५६५१००	२८२९००	२८२९००	२८२९००	
	२" e	गोटा	३५००१००	३८५००	३८५००	३८५००	
	२ १/२" e	गोटा	४४७०१००	४९१७००	४९१७००	४९१७००	
	३" e	गोटा	५५४०१००	६०९४००	६०९४००	६०९४००	
	४" e	गोटा	८२२०१००	९०५३००	९०५३००	९०५३००	
	५" e	गोटा	११२२०१००	१२३४३००	१२३४३००	१२३४३००	
	६" e	गोटा	१३३१०१००	१४६४१००	१४६४१००	१४६४१००	
	८" e	गोटा	१८५१३००	२०३६४००	२०३६४००	२०३६४००	
५	जि. आई. पाइप व्हेड (होम ड्युटि ६ र. मि.)					०१००	
	१/२" e	गोटा	१०५६१००	११६२००	११६२००	११६२००	
	३/४" e	गोटा	१३४०१००	१४७४००	१४७४००	१४७४००	
	१" e	गोटा	२०१०१००	२१११००	२१११००	२१११००	
	१ १/४" e	गोटा	२५६५१००	२८२९००	२८२९००	२८२९००	
	१ १/२" e	गोटा	२९६०१००	३२५६००	३२५६००	३२५६००	
	२" e	गोटा	४३१०१००	४७४१००	४७४१००	४७४१००	
	२ १/२" e	गोटा	५३१५१००	५९३५००	५९३५००	५९३५००	
	३" e	गोटा	६३५५१००	६९९१००	६९९१००	६९९१००	
	४" e	गोटा	९८५५१००	१०८४१००	१०८४१००	१०८४१००	
	५" e	गोटा	१२६५००	१३९१५००	१३९१५००	१३९१५००	
	६" e	गोटा	१४५५५००	१६०३३००	१६०३३००	१६०३३००	
	८" e	गोटा	१९६६८००	२१६३५००	२१६३५००	२१६३५००	
६	१/२" जि. आई. पाइप फिटिङ्स					०१००	
	क्रस टि	गोटा	९८३००	१०३००	१०३००	१०३००	
	जाम नट	गोटा	१४००	१४००	१४००	१४००	

Handwritten signatures and dates at the bottom of the page.

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७७-७८ को स्वीकृत जिल्ला दर रेट (३)

७. खानेपानी तथा सरसफाई सम्बन्धि सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१२ % भाट बाहेक				कैफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	
	फ्लोट भन्व ( ब्रास)	गाटा	८६६/२५	९१०/००	९१०/००	९१०/००	
	फ्लोट भन्व (फ्लाम)	गाटा	२८२/२६	२९७/००	२९७/००	२९७/००	
७	स्यालो ट्युबबल (हण्वाड पम्प)						
	४ नं. हेड	गाटा	१२८५/१०	१६५५/००	१६५५/००	१६५५/००	
	६ नं. हेड Lower	गाटा	२५२०/००	२६४५/००	२६४५/००	२६४५/००	
	Medium	गाटा	३१५०/००	३३०५/००	३३०५/००	३३०५/००	
	Heavy	गाटा	४२००/००	४४१०/००	४४१०/००	४४१०/००	
	डिक्ली पम्प	गाटा	१३०२/००	१३६५/००	१३६५/००	१३६५/००	
८	ट्युबबल फिटिङ						
	सकट	गाटा	१३१/२५	१३८/००	१३८/००	१३८/००	
	जाली (५ र. फा.) PVC	गाटा	५२५/००	५५१/००	५५१/००	५५१/००	
	होण्डल	गाटा	१५८/१०	१६७/००	१६७/००	१६७/००	
	रड पलन्जर	गाटा	१३१/२५	१३८/००	१३८/००	१३८/००	
९	वाटर ट्याक						
	स्टील (१००० लि.)	गाटा	१८३७५/००	१९३००/००	१९३००/००	१९३००/००	
	स्टील (५०० लि.)	गाटा	१४३८५/००	१५१००/००	१५१००/००	१५१००/००	
	प्लास्टिक (हमी)	लिट्र	१०/२०	११/००	११/००	११/००	
१०	बि.आइ.पाइपमा चूडिकाटन काम (९ब्रड/पिस)						
	१/२" to ३/४"	गाटा	२८/३५	३०/००	३०/००	३०/००	
	१" to २"	गाटा	२८/३५	३०/००	३०/००	३०/००	
	३" to ५"	गाटा	५७/७५	६१/००	६१/००	६१/००	
	above ५"	गाटा	९४/१०	९९/००	९९/००	९९/००	
११	भन्वको स्पाइडलमा पिलको माल भन्ने ३"भन्वा माथि	गाटा	११५५/००	१२१३/००	१२१३/००	१२१३/००	
१२	मालभन्नेको स्पाइडलमा जुडि काटने र गोठि काटने काम	गाटा	७८/७५	८२/७०	८२/७०	८२/७०	
१३	वास बोसनको बस्ट पाइप	गाटा	३९३/७५	४१३/००	४१३/००	४१३/००	
१४	पि. बि. सि वाटर ट्याप	गाटा	३३६/००	३५३/००	३५३/००	३५३/००	
	सि. पि. बिब कक, स्टपकक, सट बाइड, एगल आदिका						
१५	छुटाछुटे	गाटा	६३०/००	६६२/००	६६२/००	६६२/००	
	सि. पि. बिब कक, स्टपकक, लड बडा, एगल आदिका						
१६	छुटाछुटे	गाटा	९७०/२०	१०१९/००	१०१९/००	१०१९/००	
१७	पि.पि.आर. पाइप						
१७.१	पि.पि.आर. पाइप (S-5.0, PN 10)						
	२० मी.मी.	र.मी.	९४/००	९४/००	९४/००	९४/००	
	२५ मी.मी.	र.मी.	१४४/००	८२/००	८२/००	८२/००	
	३२ मी.मी.	र.मी.	२३०/००	१३१/००	१३१/००	१३१/००	
	४० मी.मी.	र.मी.	३६२/००	२०७/००	२०७/००	२०७/००	
	५० मी.मी.	र.मी.	५६२/००	३२१/००	३२१/००	३२१/००	
	६३ मी.मी.	र.मी.	८९०/००	५०३/००	५०३/००	५०३/००	
	७५ मी.मी.	र.मी.	१२४२/००	७०९/००	७०९/००	७०९/००	
	९० मी.मी.	र.मी.	१७८९/००	१०२१/००	१०२१/००	१०२१/००	
	११० मी.मी.	र.मी.	२६५३/००	१५१४/००	१५१४/००	१५१४/००	
१७.२	पि.पि.आर. पाइप (S-3.2, PN 16)						
	२० मी.मी.	र.मी.	१२७/००	७३/००	७३/००	७३/००	
	२५ मी.मी.	र.मी.	१९८/००	११३/००	११३/००	११३/००	
	३२ मी.मी.	र.मी.	३१५/००	१८०/००	१८०/००	१८०/००	
	४० मी.मी.	र.मी.	५०७/००	२८९/००	२८९/००	२८९/००	
	५० मी.मी.	र.मी.	७९०/००	४५१/००	४५१/००	४५१/००	
	६३ मी.मी.	र.मी.	१२४२/००	७०९/००	७०९/००	७०९/००	
	७५ मी.मी.	र.मी.	१७७१/००	१०१०/००	१०१०/००	१०१०/००	
	९० मी.मी.	र.मी.	२४३०/००	१४४३/००	१४४३/००	१४४३/००	
	११० मी.मी.	र.मी.	३७१/००	२१६/००	२१६/००	२१६/००	
१७.३	पि.पि.आर. पाइप (S-2.5, PN 20)						

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

नवलपरासी (वर्दघाट हुस्ता पश्चिम) जिल्लाको भा.व.०७७/७८ को स्वीकृत जिल्ला दर रेट (४)

७. खानेपानी तथा सरसफाई सम्बन्धि सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ % भाट बाटो				वैक्यत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	
	२० मी.मी.	र.मी.	१५१००	८६१००	८६१००	८६१००	
	२५ मी.मी.	र.मी.	२३४१००	१३४१००	१३४१००	१३४१००	
	३२ मी.मी.	र.मी.	३८२१००	२१८१००	२१८१००	२१८१००	
	४० मी.मी.	र.मी.	४९११००	३३७००	३३७००	३३७००	
	५० मी.मी.	र.मी.	६१६१००	४२३००	४२३००	४२३००	
	६३ मी.मी.	र.मी.	१४५४१००	८३०१००	८३०१००	८३०१००	
	७५ मी.मी.	र.मी.	२०६२१००	११७७००	११७७००	११७७००	
	९० मी.मी.	र.मी.	२९६११००	१६९०१००	१६९०१००	१६९०१००	
	११० मी.मी.	र.मी.	४४१११००	२५११००	२५११००	२५११००	
१८	सी. आइ. पाइप ३" Ø	र.मी.	२४२१०५	२४४१००	२४४१००	२४४१००	
	सी. आइ. पाइप ४" Ø	र.मी.	२७३२०	२९११००	२९११००	२९११००	
	सी. आइ. टा. ३" x ४" Ø	गाटा	२८८१७५	३०३१००	३०३१००	३०३१००	
	सी. आइ. जक्सन ३" Ø	गाटा	३२३४०	३४०१००	३४०१००	३४०१००	
	सी. आइ. जक्सन ४" Ø	गाटा	३९८४८	४१८१००	४१८१००	४१८१००	
	सी. आइ. भन्ट पाइप ३" Ø	गाटा	६९३१००	७२८१००	७२८१००	७२८१००	
	सी. आइ. भन्ट पाइप ४" Ø	गाटा	८२४८३	८६७००	८६७००	८६७००	
१९	एस. डब्लु. पाइप ४" Ø	र.मी.	५७७५	६११००	६११००	६११००	
	एस. डब्लु. पाइप ६" Ø	र.मी.	८०८५	८४१००	८४१००	८४१००	
	एस. डब्लु. टा. ४" Ø	गाटा	१२१२८	१२७००	१२७००	१२७००	
	एस. डब्लु. टा. ६" Ø	गाटा	१६१७०	१७०१००	१७०१००	१७०१००	
	एस. डब्लु. वन्ट ४" Ø	गाटा	१०३१७	१०९१००	१०९१००	१०९१००	
	एस. डब्लु. वन्ट ६" Ø	गाटा	१४०१४	१४८१००	१४८१००	१४८१००	
२०	फ्लोरिड सम्बन्धि					०१००	
२०.१	३ मी. मी. माबल चिन्स (२५ क. जी.)	बाग	२७३००	२८७००	२८७००	२८७००	
२०.२	काबारेन्डम डुगा	गाटा	१७८१२०	१८७००	१८७००	१८७००	
२०.३	पासीलीन ग्लज टाएल					०१००	
२०.३.१	सिता	ब. मी.	४९८१०	६२८१००	६२८१००	६२८१००	
२०.३.२	रंगीन	ब. मी.	६७८३०	७१२००	७१२००	७१२००	
२०.४	Vetrified Tile Floor tile 2x2'	ब. मी.	९४४१००	१००३१००	१००३१००	१००३१००	
२०.५	स्पाटक टाएल	ब. मी.	७९८१००	८३८१००	८३८१००	८३८१००	
२०.६	पोलीथिन सिट	र. मी.	२६२५	२८१००	२८१००	२८१००	
२०.७	वाटर पुफ कम्पाउन्ड	क. जी.	९४४०	९९१००	९९१००	९९१००	
२०.८	टारफ्लन्ट सिट	ब. मी.	१४११७५	१४९१००	१४९१००	१४९१००	
२०.९	क्ल टाएल ४" x ४"	गाटा	१२६०	१३१००	१३१००	१३१००	
२०.१०	माबल टाएल	ब. मी.	१७८११००	१८७४१००	१८७४१००	१८७४१००	
२१	माबल					०१००	
२१.१	सिता	ब. मी.	१९९४१००	२०९४१००	२०९४१००	२०९४१००	
२१.२	होरिया	ब. मी.	१४०१४०	१४७७००	१४७७००	१४७७००	
२१.३	रातो	ब. मी.	११९७००	१२४७००	१२४७००	१२४७००	
२२	Miscellaneous PVC Item					०१००	
क	4" Ø PVC Filter	र.मी.	१२८१३५	१३३३००	१३३३००	१३३३००	
ख	4" Ø PVC Sand trap	र.मी.	१२१४१०	१२७७००	१२७७००	१२७७००	
ग	1 1/2" Ø PVC 3.6 mm	र.मी.	१७७४५	१८६१००	१८६१००	१८६१००	
घ	1 1/2" Ø PVC filter 4 mm	र.मी.	६६२१५	६९६१००	६९६१००	६९६१००	
ङ	1 1/2" Ø PVC sand trap	र.मी.	२७८१५	२९२००	२९२००	२९२००	
च	1 1/2" Ø PVC adoper	र.मी.	९२४०	९७००	९७००	९७००	
२३	PVC bottle trap	No	३२४१०	३४२००	३४२००	३४२००	
२४	Connection pipe	No	१३६१०	१४३००	१४३००	१४३००	
२५	Angle cock	No	८४०१००	८८२००	८८२००	८८२००	
२६	Concealed cock	No	९४४१००	९९२००	९९२००	९९२००	
२७	Sink tap	No	१६२७५०	१७०९१००	१७०९१००	१७०९१००	
२८	Bib cock tap (ISO)	No	७३४१००	७७२००	७७२००	७७२००	
२९	Coplin for basin	No	१३४१०	१२१००	१२१००	१२१००	

Handwritten signatures and dates at the bottom of the page, including a date '13/11/21'.

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७७/७८ को स्वीकृत जिल्ला दर रेट (१)

७. खानेपानी तथा सरसफाई सम्बन्धि सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३ % भाट बाहेक				कैफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	
३०	झनारको लागि आरसीसी रिड 90x30x5 cm	गाटा	५२५/००	५२९/००	५२९/००	५२९/००	
३१	झनारको लागि आरसीसी रिड कभर 90x5 cm	गाटा	२९०/००	२२९/००	२२९/००	२२९/००	
३२	६०० मी.मी.को म्यानहोल कभर फ्रेम कि समेत	गाटा	२८३५/००	२९७७/००	२९७७/००	२९७७/००	
३३	४५X४५ से.मी. वर्गाकार आकारको फलामको म्यानहोल कभर	गाटा	२८३५/००	२९७७/००	२९७७/००	२९७७/००	
३४	सि.आई. म्यानहोल कभर (२४X२४ से.मी.) (२४ के.जी. बेट)	गाटा	५४६०/००	५७३३/००	५७३३/००	५७३३/००	

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७७/७८ को स्वीकृत जिल्ला दर रेट (१)

७.१ एच.डी.पी.पाइप (NS-40)

क्र.सं.	पाइप साइज		इकाई	स्वीकृत जिल्ला दर रेट ०७७/७८ (१३% भ्याट बाहेक)				कैफियत
	मी.मी.	इन्च		2.5 kg/cm <sup>2</sup>	4 kg/cm <sup>2</sup>	6 kg/cm <sup>2</sup>	10 kg/cm <sup>2</sup>	
१	१६	१/४"	प्रति र.मी.	-	-	-	२३.९२	
२	२०	१/२"	प्रति र.मी.	-	-	-	३४.८४	
३	२५	३/४"	प्रति र.मी.	-	-	-	५२.५२	
४	३२	१"	प्रति र.मी.	-	-	५८.७६	८६.८४	
५	४०	१.२५"	प्रति र.मी.	-	६२.७५	८७.५०	१२८.५०	
६	५०	१.५"	प्रति र.मी.	-	९४.५०	१३५.५०	१९९.००	
७	६३	२"	प्रति र.मी.	१००.७५	१४६.२५	२१२.५०	३१७.२५	
८	७५	२.५"	प्रति र.मी.	१३९.२५	२११.५०	२९७.७५	४४५.५०	
९	९०	३"	प्रति र.मी.	१९९.७५	३०५.००	४२९.२५	६४२.००	
१०	११०	४"	प्रति र.मी.	२९६.२५	४२५.७५	६३६.२५	९५०.२५	
११	१२५	४.५"	प्रति र.मी.	३८२.५०	५७२.२५	८२३.२५	१२४०.५०	
१२	१४०	५"	प्रति र.मी.	४७४.२५	७२५.२५	१०३७.५०	१५५२.२५	
१३	१६०	६"	प्रति र.मी.	६१३.२५	९४३.२५	१३३८.७५	२०१९.७५	
१४	१८०	७"	प्रति र.मी.	७८७.००	११९०.५०	१७००.००	२५६४.००	
१५	२००	८"	प्रति र.मी.	९६८.७५	१४७२.५०	२०९७.७५	३१५५.००	
१६	२२५	९"	प्रति र.मी.	१२०५.५०	१८६१.२५	२६३६.००	४००३.५०	
१७	२५०	१०"	प्रति र.मी.	१५०३.००	२२९६.७५	३२६०.२५	४९३९.२५	
१८	२८०	११"	प्रति र.मी.	१८६७.७५	२८६३.७५	४०८१.७५	६१७७.००	
१९	३१५	१२"	प्रति र.मी.	२४४८.४२	३७७२.०८	५३८०.४४	८१०१.६०	
२०	३५५	१४"	प्रति र.मी.	३१०८.८२	४७७९.३२	६८२३.१८	१०३०५.१०	
२१	४००	१६"	प्रति र.मी.	३९७३.०६	६०६८.९२	८६६०.३४	१३०८९.४४	

प्रति के.जी. रु. २६०/-

*(Handwritten signatures and notes at the bottom of the page)*

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व. ०७७/७८ रबी खीकृत जिल्ला दर रेट (१३%)

७.२ यु.पि.भि.सी.पाइप (NS-206/046)

क.स.	पाइप साइज		इकाई	खीकृत जिल्ला दर रेट ०७७/७८ (१३% भ्याट बाहेक)			
	मी.मी.	इन्च		2.5 kg/cm <sup>2</sup>	4 kg/cm <sup>2</sup>	6 kg/cm <sup>2</sup>	10 kg/cm <sup>2</sup>
१	२०	१/२"	प्रति र.मी.	-	-	-	२८.००
२	२५	३/४"	प्रति र.मी.	-	-	-	४४.००
३	३२	१"	प्रति र.मी.	-	-	-	७२.००
४	४०	१.२५"	प्रति र.मी.	-	-	७२.००	१०९.००
५	५०	१.५"	प्रति र.मी.	-	-	११०.००	१५१.००
६	६३	२"	प्रति र.मी.	-	१२३.००	१७६.००	२७२.००
७	७५	२.५"	प्रति र.मी.	-	१७०.००	२४५.००	३८८.००
८	९०	३"	प्रति र.मी.	१५५.००	२४३.००	३५३.००	५५३.००
९	११०	४"	प्रति र.मी.	२३१.००	३३३.००	५११.००	८२०.००
१०	१२५	४.५"	प्रति र.मी.	२९४.००	४५९.००	६८०.००	१०५०.००
११	१४०	५"	प्रति र.मी.	३६३.००	५८३.००	८४७.००	१३२५.००
१२	१६०	६"	प्रति र.मी.	४७४.००	७५४.००	१०८५.००	१७०५.००
१३	१८०	७"	प्रति र.मी.	६०७.००	९६९.००	१३८४.००	२१७३.००
१४	२००	८"	प्रति र.मी.	७४२.००	११७६.००	१६९५.००	२६८७.००

Handwritten signatures and notes at the bottom of the page.

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७७/७८ को स्वीकृत जिल्ला दर रेट (१) *12/12/17*

७.३ पी.पी.आर फिटिङ्स (आ.व.०७७/७८ को स्वीकृत जिल्ला दर रेट १३% भ्याट बाहेक)

Description	20mm	25mm	32mm	40mm	50mm	63mm	75mm	90mm	110mm
Elbow 90°	11.00	22.00	37.00	78.00	130.00	229.00	430.00	726.00	1352.00
Elbow 45°	15.00	24.00	38.00	70.00	118.00	195.00	382.00	645.00	1127.00
Tee	15.00	27.00	46.00	89.00	151.00	275.00	478.00	645.00	1127.00
Coupler (socket)	9.00	11.00	22.00	42.00	70.00	123.00	239.00	353.00	1519.00
End cap	12.00	19.00	29.00	43.00	78.00	146.00	234.00	-	-
Stop valve	336.00	406.00	535.00	573.00	955.00	1435.00	-	-	-
Ball valve (Plastic)	91.00	124.00	215.00	458.00	664.00	1123.00	-	-	-
Low footed pipe clip	6.00	7.00	14.00	19.00	30.00	38.00	-	-	-
High footed pipe clip	12.00	14.00	22.00	24.00	27.00	36.00	-	-	-
"Y" type pipe clip	19.00	22.00	27.00	-	-	-	-	-	-
Union (plastic)	57.00	97.00	157.00	238.00	373.00	445.00	-	-	-
Ball valve (Brass)	329.00	406.00	552.00	912.00	-	-	-	-	-
Short Passover	73.00	105.00	163.00	-	-	-	-	-	-
Long Bypass	84.00	138.00	203.00	-	-	-	-	-	-
Cross tee	25.00	38.00	65.00	-	-	-	-	-	-
End plug	6.00	18.00	23.00	-	-	-	-	-	-
Long End plug	9.00	-	-	-	-	-	-	-	-
End plug with Ring	22.00	-	-	-	-	-	-	-	-
Concealed valve (Nor)	902.00	-	-	-	-	-	-	-	-
Concealed valve (Lux)	1072.00	-	-	-	-	-	-	-	-

Description	25*20mm	32*20mm	32*25mm	-	-	-	-	-	-
Reducing elbow	22.00	39.00	48.00	-	-	-	-	-	-
Reducing coupler	25*20mm	32*20mm	32*25mm	40*20mm	40*25mm	40*32mm	50*20mm	50*25mm	50*32mm
	16.00	20.00	22.00	33.00	34.00	46.00	61.00	59.00	67.00
	50*40mm	63*20mm	63*25mm	63*32mm	63*40mm	63*50mm	75*40mm	75*50mm	75*63mm
	71.00	96.00	119.00	120.00	120.00	120.00	239.00	244.00	246.00
90*50mm	90*63mm	90*75mm	110*75mm	110*90mm	-	-	-	-	
454.00	487.00	573.00	803.00	893.00	-	-	-	-	

Description	25*20*25	32*20*32	32*25*32	40*20*40	40*25*40	40*32*40	50*20*50	50*25*50	50*32*50
Reducing Tee	29.00	43.00	46.00	61.00	69.00	74.00	126.00	129.00	138.00
	50*40*50	63*20*63	63*25*63	63*32*63	63*40*63	63*50*63	75*50*75	75*63*75	90*63*90
	143.00	187.00	208.00	215.00	220.00	227.00	550.00	552.00	907.00
	90*75*90	110*75*110	110*90*110	-	-	-	-	-	-
1003.00	1624.00	1672.00	-	-	-	-	-	-	

*12/12/17*

*[Handwritten signature]*

नवलपरासी (वर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७७/७८ को स्वीकृत जिल्ला दर रेट (२)

*[Handwritten signature]*  
*[Handwritten signature]*

**७.३ पी.पी.आर फिटिङ्स (आ.व.०७७/७८ को स्वीकृत जिल्ला दर रेट १३% ध्यात बाहेक)**

Description	20" 1/2"	20" 3/4"	25" 1/2"	25" 3/4"	32" 1/2"	32" 3/4"	32" 1"	40" 1 1/4"	50" 1 1/2"
Female coupling	105.00	124.00	138.00	140.00	119.00	127.00	300.00	519.00	672.00
	901.00	2675.00							
Male coupling	20" 1/2"	20" 3/4"	25" 1/2"	25" 3/4"	32" 1/2"	32" 3/4"	32" 1"	40" 1 1/4"	50" 1 1/2"
	129.00	136.00	157.00	181.00	163.00	174.00	350.00	591.00	891.00
	63" 2"	75" 2 1/2"							
	1176.00	2923.00							
Female union	20" 1/2"	20" 3/4"	25" 1/2"	25" 3/4"	32" 1/2"	32" 3/4"	32" 1"	40" 1 1/4"	50" 1 1/2"
	281.00			364.00			589.00	812.00	1388.00
	63" 2"	75" 2 1/2"							
	2531.00								
Male union	20" 1/2"	20" 3/4"	25" 1/2"	25" 3/4"	32" 1/2"	32" 3/4"	32" 1"	40" 1 1/4"	50" 1 1/2"
	292.00			419.00			615.00	1108.00	1431.00
	63" 2"	75" 2 1/2"							
	3821.00								
<b>Description</b>	<b>20" 1/2"</b>	<b>20" 3/4"</b>	<b>25" 1/2"</b>	<b>25" 3/4"</b>	<b>32" 1/2"</b>	<b>32" 3/4"</b>	<b>32" 1"</b>	<b>40" 1 1/4"</b>	<b>50" 1 1/2"</b>
Metal Ball Valve double	621.00	910.00	1123.00	3198.00	4394.00	-	-	-	-
Metal Ball Valve Single	573.00	917.00	1266.00						
Female Elbow	109.00		178.00	146.00	195.00	229.00	321.00		
Male Elbow	133.00		146.00	179.00	301.00	239.00	396.00		
Female Tee	112.00	-	146.00	170.00	167.00	219.00	381.00	-	-
Male Tee	138.00	-	146.00	174.00	211.00	219.00	381.00	-	-
Female Base Elbow	148.00	-	182.00	179.00	-	-	-	-	-
Male Base Elbow	151.00	-	186.00	186.00	-	-	-	-	-

*[Handwritten signature]* *[Handwritten signature]* *[Handwritten signature]* *[Handwritten signature]*

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७७/७८ को स्वीकृत जिल्ला दर रेट ११

७.४ U-PVC SWR Fittings (आ.व.०७७/७८ को स्वीकृत दर रेट १३ % भ्याट बाहेक)

S.N.	Description	Unit	Rate				Rem
			50mm	75mm	110mm	160mm	
1	Coupler	Pc	34.00	83.00	141.00	377.00	
2	Bend 87.5°	Pc	51.00	120.00	221.00	500.00	
3	Bend 45°	Pc	49.00	96.00	175.00	530.00	
4	Single Tee	Pc	75.00	162.00	308.00	683.00	
5	Pipe Clip	Pc	16.00	31.00	41.00	79.00	
6	Bend 87.5° with Door	Pc	-	153.00	267.00	774.00	
7	Single Tee with Door	Pc	-	219.00	407.00	1023.00	
8	Double Tee	Pc	-	356.00	563.00	-	
9	Double Tee with Door	Pc	-	473.00	732.00	-	
10	Vent Cowl	Pc	-	58.00	97.00	-	
11	Socket Plug	Pc	-	73.00	119.00	-	
12	Single 'Y'	Pc	-	208.00	401.00	-	
13	Single 'Y' with Door	Pc	-	254.00	484.00	-	
14	Double 'Y'	Pc	-	280.00	552.00	-	
15	Double 'Y' with Door	Pc	-	358.00	578.00	-	
16	Cleaning pipe	Pc	-	163.00	314.00	-	
17	Reducer 160*110mm	Pc	-	-	-	365.00	
18	Reducer 110*75mm	Pc	-	-	145.00	-	
19	Reducer 75*50mm	Pc	-	77.00	-	-	
20	P' Trap 125*110mm	Pc	-	-	596.00	-	
21	P' Trap 110*110mm	Pc	-	-	558.00	-	
22	P' Trap 75*75mm	Pc	-	214.00	-	-	
23	Multi floor Trap 110*75mm	Pc	-	-	310.00	-	
24	Nahani Trap 110*75mm	Pc	-	-	282.00	-	
25	W.C. Connector (Bent type)	Pc	-	-	421.00	-	
26	Square Tile with Jali	Pc	-	-	93.00	-	
27	Round Jali	Pc	-	-	42.00	-	
28	End Cap (50mm)	Pc	27.00	-	-	-	

Handwritten signatures and dates at the bottom of the page.

नवलपरासी (वर्दघाट सुस्ता पूर्व) जिल्लाको आ.व.०७७/७८ को स्वीकृत जिल्ला दर रेट (१)

७.५ खानेपानी सम्बन्धी फिटीङ्स सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३६ म्याट बाहेकको दररेट (रु.)				कैफियत
			आ.व. २०७७/७८	आ.व. २०७८/७९	२०७९/८० को स्वीकृत दर रेट	२०७७/७८ को स्वीकृत दर रेट	
१	पाइप फिटीङ्स एनएस						
	१५ मि.मि. पञ्ज.एम.वास फेरोल	प्रति गोटा	८५०१००	८५०१००	८५०१००	८५०१००	
	२० मि.मि. ब्यास जि.एम.वास फेरोल	प्रति गोटा	२५२०१००	२५२०१००	२५२०१००	२५२०१००	
	२५ मि.मि. ब्यास जि.एम.वास फेरोल	प्रति गोटा	४५००१००	४५००१००	४५००१००	४५००१००	
	१५ मि.मि. जि.एम.स्फो रेगुलेटिङ फेरोल	प्रति गोटा	१०५०१००	१०५०१००	१०५०१००	१०५०१००	
	१५ मि.मि. पित्तलको धारा ४०० गोमको	प्रति गोटा	५५५१००	५५५१००	५५५१००	५५५१००	
२	जि.आई. सकेट NS Mark (ISI Heavy)						
	१५ मि.मि. ब्यास	प्रति गोटा	४११००	४११००	४११००	४११००	
	२० मि.मि. ब्यास	प्रति गोटा	६५१००	६५१००	६५१००	६५१००	
	२५ मि.मि. ब्यास	प्रति गोटा	८२१००	८२१००	८२१००	८२१००	
	३२ मि.मि. ब्यास	प्रति गोटा	१२९१००	१२९१००	१२९१००	१२९१००	
	४० मि.मि. ब्यास	प्रति गोटा	१७३१००	१७३१००	१७३१००	१७३१००	
	५० मि.मि. ब्यास	प्रति गोटा	२६८१००	२६८१००	२६८१००	२६८१००	
	६५ मि.मि. ब्यास	प्रति गोटा	३७५१००	३७५१००	३७५१००	३७५१००	
	८० मि.मि. ब्यास	प्रति गोटा	६००१००	६००१००	६००१००	६००१००	
	१०० मि.मि. ब्यास	प्रति गोटा	९५०१००	९५०१००	९५०१००	९५०१००	
३	जि.आई. एलबी NS Mark (ISI Heavy)						
	१५ मि.मि. ब्यास	प्रति गोटा	४५१००	४५१००	४५१००	४५१००	
	२० मि.मि. ब्यास	प्रति गोटा	७११००	७११००	७११००	७११००	
	२५ मि.मि. ब्यास	प्रति गोटा	११३१००	११३१००	११३१००	११३१००	
	३२ मि.मि. ब्यास	प्रति गोटा	१७६१००	१७६१००	१७६१००	१७६१००	
	४० मि.मि. ब्यास	प्रति गोटा	२४२१००	२४२१००	२४२१००	२४२१००	
	५० मि.मि. ब्यास	प्रति गोटा	३६८१००	३६८१००	३६८१००	३६८१००	
	६५ मि.मि. ब्यास	प्रति गोटा	६८५१००	६८५१००	६८५१००	६८५१००	
	८० मि.मि. ब्यास	प्रति गोटा	९७८१००	९७८१००	९७८१००	९७८१००	
	१०० मि.मि. ब्यास	प्रति गोटा	१४५३१००	१४५३१००	१४५३१००	१४५३१००	
४	जि.आई.टी (एन.एस.३८३)						
	१५ मि.मि. ब्यास	प्रति गोटा	७०१००	७०१००	७०१००	७०१००	
	२० मि.मि. ब्यास	प्रति गोटा	११०१००	११०१००	११०१००	११०१००	
	२५ मि.मि. ब्यास	प्रति गोटा	१५०१००	१५०१००	१५०१००	१५०१००	
	३२ मि.मि. ब्यास	प्रति गोटा	२४०१००	२४०१००	२४०१००	२४०१००	
	४० मि.मि. ब्यास	प्रति गोटा	२९५१००	२९५१००	२९५१००	२९५१००	
	५० मि.मि. ब्यास	प्रति गोटा	४६०१००	४६०१००	४६०१००	४६०१००	
	६५ मि.मि. ब्यास	प्रति गोटा	९०५१००	९०५१००	९०५१००	९०५१००	
	८० मि.मि. ब्यास	प्रति गोटा	१२०५१००	१२०५१००	१२०५१००	१२०५१००	
	१०० मि.मि. ब्यास	प्रति गोटा	२०५३१००	२०५३१००	२०५३१००	२०५३१००	
५	जि.आई. युनियन						
	१५ मि.मि. ब्यास	प्रति गोटा	१२५१००	१२५१००	१२५१००	१२५१००	
	२० मि.मि. ब्यास	प्रति गोटा	१७३१००	१७३१००	१७३१००	१७३१००	
	२५ मि.मि. ब्यास	प्रति गोटा	२३०१००	२३०१००	२३०१००	२३०१००	
	३२ मि.मि. ब्यास	प्रति गोटा	३४५१००	३४५१००	३४५१००	३४५१००	
	४० मि.मि. ब्यास	प्रति गोटा	४५५१००	४५५१००	४५५१००	४५५१००	
	५० मि.मि. ब्यास	प्रति गोटा	६३०१००	६३०१००	६३०१००	६३०१००	
	६५ मि.मि. ब्यास	प्रति गोटा	१२३०१००	१२३०१००	१२३०१००	१२३०१००	
	८० मि.मि. ब्यास	प्रति गोटा	१६८०१००	१६८०१००	१६८०१००	१६८०१००	
	१०० मि.मि. ब्यास	प्रति गोटा	२३०८१००	२३०८१००	२३०८१००	२३०८१००	
६	जि.आई. इण्डन्थाप						
	१५ मि.मि. ब्यास	प्रति गोटा	२५१००	२५१००	२५१००	२५१००	
	२० मि.मि. ब्यास	प्रति गोटा	४०१००	४०१००	४०१००	४०१००	
	२५ मि.मि. ब्यास	प्रति गोटा	६५१००	६५१००	६५१००	६५१००	
	३२ मि.मि. ब्यास	प्रति गोटा	८०१००	८०१००	८०१००	८०१००	
	४० मि.मि. ब्यास	प्रति गोटा	१७५१००	१७५१००	१७५१००	१७५१००	

Handwritten signatures and dates at the bottom of the page, including a date '13/11/21'.

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.ब.०५२/७८ को स्वीकृत जिल्ला दर रेट (र)

७.५ खानेपानी सम्बन्धी फिटीङ्स सामाग्री

क्र.सं.	मिमाण सामग्रीको विवरण	इकाई	१३% ब्याट माहेको दररट (र.)				कैफियत
			आ.ब. २०७४/७५	आ.ब. २०७५/७६	आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	
	५० मि.मि. ब्यास	प्रति गोटा	२१०१००	२१०१००	२१०१००	२१०१००	
७	बि.आई. रेडुसर टी					०१००	
	२० मि.मि. ब्यास	प्रति गोटा	१२०१००	१२०१००	१२०१००	१२०१००	
	२५ मि.मि. ब्यास	प्रति गोटा	१६२१००	१६२१००	१६२१००	१६२१००	
	३२ मि.मि. ब्यास	प्रति गोटा	१४८१००	१४८१००	१४८१००	१४८१००	
	४० मि.मि. ब्यास	प्रति गोटा	३२५१००	३२५१००	३२५१००	३२५१००	
	५० मि.मि. ब्यास	प्रति गोटा	४१७००	४१७००	४१७००	४१७००	
	६५ मि.मि. ब्यास	प्रति गोटा	९१८१००	९१८१००	९१८१००	९१८१००	
	८० मि.मि. ब्यास	प्रति गोटा	१४५०१००	१४५०१००	१४५०१००	१४५०१००	
	१०० मि.मि. ब्यास	प्रति गोटा	२७५०१००	२७५०१००	२७५०१००	२७५०१००	
८	बि.आई. रेडुसर सकेट					०१००	
	२० मि.मि. ब्यास	प्रति गोटा	६४१००	६४१००	६४१००	६४१००	
	२५ मि.मि. ब्यास	प्रति गोटा	८७००	८७००	८७००	८७००	
	३२ मि.मि. ब्यास	प्रति गोटा	१३४१००	१३४१००	१३४१००	१३४१००	
	४० मि.मि. ब्यास	प्रति गोटा	१६८१००	१६८१००	१६८१००	१६८१००	
	५० मि.मि. ब्यास	प्रति गोटा	२८०१००	२८०१००	२८०१००	२८०१००	
	६५ मि.मि. ब्यास	प्रति गोटा	४३०१००	४३०१००	४३०१००	४३०१००	
	८० मि.मि. ब्यास	प्रति गोटा	६७५१००	६७५१००	६७५१००	६७५१००	
	१०० मि.मि. ब्यास	प्रति गोटा	१०२०१००	१०२०१००	१०२०१००	१०२०१००	
९	बि.आई. रेडुसर एल्बो					०१००	
	२० मि.मि. ब्यास	प्रति गोटा	७७००	७७००	७७००	७७००	
	२५ मि.मि. ब्यास	प्रति गोटा	१२०१००	१२०१००	१२०१००	१२०१००	
	३२ मि.मि. ब्यास	प्रति गोटा	१९०१००	१९०१००	१९०१००	१९०१००	
	४० मि.मि. ब्यास	प्रति गोटा	२५५१००	२५५१००	२५५१००	२५५१००	
	५० मि.मि. ब्यास	प्रति गोटा	३९८१००	३९८१००	३९८१००	३९८१००	
	६५ मि.मि. ब्यास	प्रति गोटा	७०५१००	७०५१००	७०५१००	७०५१००	
	८० मि.मि. ब्यास	प्रति गोटा	१००५१००	१००५१००	१००५१००	१००५१००	
	१०० मि.मि. ब्यास	प्रति गोटा	१८५०१००	१८५०१००	१८५०१००	१८५०१००	
१०	बि.आई.सर्ट ब्रेण्ड					०१००	
	१५ मि.मि. ब्यास	प्रति गोटा	१३०१००	१३०१००	१३०१००	१३०१००	
	२० मि.मि. ब्यास	प्रति गोटा	१५०१००	१५०१००	१५०१००	१५०१००	
	२५ मि.मि. ब्यास	प्रति गोटा	१९०१००	१९०१००	१९०१००	१९०१००	
	३२ मि.मि. ब्यास	प्रति गोटा	२९०१००	२९०१००	२९०१००	२९०१००	
	४० मि.मि. ब्यास	प्रति गोटा	४००१००	४००१००	४००१००	४००१००	
	५० मि.मि. ब्यास	प्रति गोटा	५९०१००	५९०१००	५९०१००	५९०१००	
११	बि.आई. निप्पल २ इन्च लामो					०१००	
	१५ मि.मि. ब्यास	प्रति गोटा	२२००	२२००	२२००	२२००	
	२० मि.मि. ब्यास	प्रति गोटा	३४००	३४००	३४००	३४००	
	२५ मि.मि. ब्यास	प्रति गोटा	४४००	४४००	४४००	४४००	
	३२ मि.मि. ब्यास	प्रति गोटा	५६५०	५६५०	५६५०	५६५०	
	४० मि.मि. ब्यास	प्रति गोटा	७०५०	७०५०	७०५०	७०५०	
१२	बि.आई. निप्पल ३ इन्च लामो					०१००	
	१५ मि.मि. ब्यास	प्रति गोटा	३४००	३४००	३४००	३४००	
	२० मि.मि. ब्यास	प्रति गोटा	४७२५	४७२५	४७२५	४७२५	
	२५ मि.मि. ब्यास	प्रति गोटा	६६२०	६६२०	६६२०	६६२०	
	३२ मि.मि. ब्यास	प्रति गोटा	८५१०	८५१०	८५१०	८५१०	
	४० मि.मि. ब्यास	प्रति गोटा	१०६१००	१०६१००	१०६१००	१०६१००	
	५० मि.मि. ब्यास	प्रति गोटा	१३४१००	१३४१००	१३४१००	१३४१००	
	६५ मि.मि. ब्यास	प्रति गोटा	१८६१००	१८६१००	१८६१००	१८६१००	
	८० मि.मि. ब्यास	प्रति गोटा	२२०१००	२२०१००	२२०१००	२२०१००	
१३	बि.आई. निप्पल ४ इन्च लामो					०१००	
	१५ मि.मि. ब्यास	प्रति गोटा	४५००	४५००	४५००	४५००	
	२० मि.मि. ब्यास	प्रति गोटा	६३००	६३००	६३००	६३००	

Handwritten signatures and dates at the bottom of the page, including a date '१२/१२/२१'.

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.ब.०७७/७८ को स्वीकृत जिल्ला दर रेट (३)

७.५ खानेपानी सम्बन्धी फिटीङ्स सामाग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१२७७ म्याट बाटोको दररेट (रु.)				कीफियत
			आ.ब. २०७४/७५	आ.ब. २०७५/७६	आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	
	२५ मि.मि. ब्यास	प्रति गोटा	८८३०	८८३०	८८३०	८८३०	
	३२ मि.मि. ब्यास	प्रति गोटा	११३००	११३००	११३००	११३००	
	४० मि.मि. ब्यास	प्रति गोटा	१४१५०	१४१५०	१४१५०	१४१५०	
	५० मि.मि. ब्यास	प्रति गोटा	१७९१००	१७९१००	१७९१००	१७९१००	
	६५ मि.मि. ब्यास	प्रति गोटा	२४८१००	२४८१००	२४८१००	२४८१००	
	८० मि.मि. ब्यास	प्रति गोटा	२०४१००	२०४१००	२०४१००	२०४१००	
	१०० मि.मि. ब्यास	प्रति गोटा	४२२००	४२२००	४२२००	४२२००	
	१२५ मि.मि. ब्यास	प्रति गोटा	६४३५०	६४३५०	६४३५०	६४३५०	
	१५० मि.मि. ब्यास	प्रति गोटा	७६३००	७६३००	७६३००	७६३००	
१४	जि.आई. निप्ल ६ इन्च लामो					०१००	
	१५ मि.मि. ब्यास	प्रति गोटा	६८२५	६८२५	६८२५	६८२५	
	२० मि.मि. ब्यास	प्रति गोटा	९४१०	९४१०	९४१०	९४१०	
	२५ मि.मि. ब्यास	प्रति गोटा	१३२३५	१३२३५	१३२३५	१३२३५	
	३२ मि.मि. ब्यास	प्रति गोटा	१६९८०	१६९८०	१६९८०	१६९८०	
	४० मि.मि. ब्यास	प्रति गोटा	१९९५०	१९९५०	१९९५०	१९९५०	
	५० मि.मि. ब्यास	प्रति गोटा	२६८५०	२६८५०	२६८५०	२६८५०	
	६५ मि.मि. ब्यास	प्रति गोटा	३७३२०	३७३२०	३७३२०	३७३२०	
	८० मि.मि. ब्यास	प्रति गोटा	४३३५०	४३३५०	४३३५०	४३३५०	
	१०० मि.मि. ब्यास	प्रति गोटा	६३२८०	६३२८०	६३२८०	६३२८०	
	१२५ मि.मि. ब्यास	प्रति गोटा	९६५४०	९६५४०	९६५४०	९६५४०	
	१५० मि.मि. ब्यास	प्रति गोटा	११४३१५	११४३१५	११४३१५	११४३१५	
१५	जि.आई. निप्ल ९ इन्च लामो					०१००	
	१५ मि.मि. ब्यास	प्रति गोटा	१०२३०	१०२३०	१०२३०	१०२३०	
	२० मि.मि. ब्यास	प्रति गोटा	१४११०	१४११०	१४११०	१४११०	
	२५ मि.मि. ब्यास	प्रति गोटा	१९८६०	१९८६०	१९८६०	१९८६०	
	३२ मि.मि. ब्यास	प्रति गोटा	२५४१०	२५४१०	२५४१०	२५४१०	
	४० मि.मि. ब्यास	प्रति गोटा	३१८६५	३१८६५	३१८६५	३१८६५	
	५० मि.मि. ब्यास	प्रति गोटा	४०२१५	४०२१५	४०२१५	४०२१५	
	६५ मि.मि. ब्यास	प्रति गोटा	५२९८०	५२९८०	५२९८०	५२९८०	
	८० मि.मि. ब्यास	प्रति गोटा	६५७८०	६५७८०	६५७८०	६५७८०	
	१०० मि.मि. ब्यास	प्रति गोटा	९४९२०	९४९२०	९४९२०	९४९२०	
	१२५ मि.मि. ब्यास	प्रति गोटा	१४४८१०	१४४८१०	१४४८१०	१४४८१०	
	१५० मि.मि. ब्यास	प्रति गोटा	१७८८५०	१७८८५०	१७८८५०	१७८८५०	
१६	जि.आई. निप्ल १२ इन्च लामो					०१००	
	१५ मि.मि. ब्यास	प्रति गोटा	१३६३०	१३६३०	१३६३०	१३६३०	
	२० मि.मि. ब्यास	प्रति गोटा	१८८८५	१८८८५	१८८८५	१८८८५	
	२५ मि.मि. ब्यास	प्रति गोटा	२६४१५	२६४१५	२६४१५	२६४१५	
	३२ मि.मि. ब्यास	प्रति गोटा	३३९६०	३३९६०	३३९६०	३३९६०	
	४० मि.मि. ब्यास	प्रति गोटा	४२४८०	४२४८०	४२४८०	४२४८०	
	५० मि.मि. ब्यास	प्रति गोटा	५३७००	५३७००	५३७००	५३७००	
	६५ मि.मि. ब्यास	प्रति गोटा	७४६३५	७४६३५	७४६३५	७४६३५	
	८० मि.मि. ब्यास	प्रति गोटा	८७७१०	८७७१०	८७७१०	८७७१०	
	१०० मि.मि. ब्यास	प्रति गोटा	१२६५५०	१२६५५०	१२६५५०	१२६५५०	
	१२५ मि.मि. ब्यास	प्रति गोटा	१९३०१०	१९३०१०	१९३०१०	१९३०१०	
	१५० मि.मि. ब्यास	प्रति गोटा	२२९१४०	२२९१४०	२२९१४०	२२९१४०	
१७	जि.आई. प्लग					०१००	
	१५ मि.मि. ब्यास	प्रति गोटा	१५१००	१५१००	१५१००	१५१००	
	२० मि.मि. ब्यास	प्रति गोटा	२४१००	२४१००	२४१००	२४१००	
	२५ मि.मि. ब्यास	प्रति गोटा	३५१००	३५१००	३५१००	३५१००	
	३२ मि.मि. ब्यास	प्रति गोटा	४०१००	४०१००	४०१००	४०१००	
	४० मि.मि. ब्यास	प्रति गोटा	५५१००	५५१००	५५१००	५५१००	
	५० मि.मि. ब्यास	प्रति गोटा	१२०१००	१२०१००	१२०१००	१२०१००	
	६५ मि.मि. ब्यास	प्रति गोटा	१५०१००	१५०१००	१५०१००	१५०१००	

Handwritten signatures and marks at the bottom of the page.

नवलपरासी (बर्दघाट सुस्ता पश्चिम) विन्लाको आ.व. २०७३/७४ को स्वीकृत जिल्ला दर रेट (४)

७.५ खानेपानी सम्बन्धी फिटीङ्स सामाग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३% न्याट बाहेकको दररेट (रु.)				कीफायत
			आ.व. २०७३/७४	आ.व. २०७४/७५	आ.व. २०७५/७६ को स्वीकृत दर रेट	आ.व. २०७६/७७ को स्वीकृत दर रेट	
	८० मि.मि. ब्यास	प्रति गोटा	२२०।००	२२०।००	२२०।००	२२०।००	
	१०० मि.मि. ब्यास	प्रति गोटा	४३०।००	४३०।००	४३०।००	४३०।००	
१८	गन मेटल गेटभल्व					०।००	
	१५ मि.मि. ब्यास	प्रति गोटा	९००।००	९००।००	९००।००	९००।००	
	२० मि.मि. ब्यास	प्रति गोटा	१२७५।००	१२७५।००	१२७५।००	१२७५।००	
	२५ मि.मि. ब्यास	प्रति गोटा	१८५०।००	१८५०।००	१८५०।००	१८५०।००	
	३२ मि.मि. ब्यास	प्रति गोटा	२५५०।००	२५५०।००	२५५०।००	२५५०।००	
	४० मि.मि. ब्यास	प्रति गोटा	४२५०।००	४२५०।००	४२५०।००	४२५०।००	
	५० मि.मि. ब्यास	प्रति गोटा	६३००।००	६३००।००	६३००।००	६३००।००	
	६५ मि.मि. ब्यास	प्रति गोटा	१३२२०।००	१३२२०।००	१३२२०।००	१३२२०।००	
	८० मि.मि. ब्यास	प्रति गोटा	२०६१५।००	२०६१५।००	२०६१५।००	२०६१५।००	
१९	गन मेटल ग्लोब भल्व					०।००	
	१५ मि.मि. ब्यास	प्रति गोटा	८५०।००	८५०।००	८५०।००	८५०।००	
	२० मि.मि. ब्यास	प्रति गोटा	१२००।००	१२००।००	१२००।००	१२००।००	
	२५ मि.मि. ब्यास	प्रति गोटा	१८५०।००	१८५०।००	१८५०।००	१८५०।००	
	१०० मि.मि. ब्यास	प्रति गोटा	२५५००।००	२५५००।००	२५५००।००	२५५००।००	
२०	गन मेटल लफोट भल्व					०।००	
	१५ मि.मि. ब्यास	प्रति गोटा	८००।००	८००।००	८००।००	८००।००	
	२० मि.मि. ब्यास	प्रति गोटा	१५५०।००	१५५०।००	१५५०।००	१५५०।००	
	२५ मि.मि. ब्यास	प्रति गोटा	२५५०।००	२५५०।००	२५५०।००	२५५०।००	
२१	वि.आई.एयर भल्व					०।००	
	१५ मि.मि. ब्यास	प्रति गोटा	३८५०।००	३८५०।००	३८५०।००	३८५०।००	
	२० मि.मि. ब्यास	प्रति गोटा	४२५०।००	४२५०।००	४२५०।००	४२५०।००	
२२	गन मेटल चैक भल्व Horizontal Flow					०।००	
	१५ मि.मि. ब्यास	प्रति गोटा	५७५।००	५७५।००	५७५।००	५७५।००	
	२० मि.मि. ब्यास	प्रति गोटा	९००।००	९००।००	९००।००	९००।००	
	२५ मि.मि. ब्यास	प्रति गोटा	१५५०।००	१५५०।००	१५५०।००	१५५०।००	
२३	गन मेटल चैक भल्व Vertical Flow					०।००	
	१५ मि.मि. ब्यास	प्रति गोटा	३५०।००	३५०।००	३५०।००	३५०।००	
	२० मि.मि. ब्यास	प्रति गोटा	४५०।००	४५०।००	४५०।००	४५०।००	
	२५ मि.मि. ब्यास	प्रति गोटा	५००।००	५००।००	५००।००	५००।००	
२४	वि.आई./वि.आई.स्केन्ज					०।००	
	३२ मि.मि. ब्यास	प्रति गोटा	६६०।००	६६०।००	६६०।००	६६०।००	
	४० मि.मि. ब्यास	प्रति गोटा	८८०।००	८८०।००	८८०।००	८८०।००	
	५० मि.मि. ब्यास	प्रति गोटा	१३७५।००	१३७५।००	१३७५।००	१३७५।००	
	६५ मि.मि. ब्यास	प्रति गोटा	१७७५।००	१७७५।००	१७७५।००	१७७५।००	
	८० मि.मि. ब्यास	प्रति गोटा	२३५०।००	२३५०।००	२३५०।००	२३५०।००	
	१०० मि.मि. ब्यास	प्रति गोटा	२७२०।००	२७२०।००	२७२०।००	२७२०।००	
२५	वि.आई./एच.डी.पी.स्केन्ज					०।००	
	५० मि.मि. ब्यास		१२८०।००	१२८०।००	१२८०।००	१२८०।००	
	६५ मि.मि. ब्यास	प्रति गोटा	१९८०।००	१९८०।००	१९८०।००	१९८०।००	
	८० मि.मि. ब्यास	प्रति गोटा	२४२०।००	२४२०।००	२४२०।००	२४२०।००	
	१०० मि.मि. ब्यास	प्रति गोटा	२७७५।००	२७७५।००	२७७५।००	२७७५।००	
२६	एच.डी.पी./एच.डी.पी.स्केन्ज					०।००	
	४० मि.मि. ब्यास	प्रति गोटा	१५४०।००	१५४०।००	१५४०।००	१५४०।००	
	५० मि.मि. ब्यास	प्रति गोटा	१६५०।००	१६५०।००	१६५०।००	१६५०।००	
	६३ मि.मि. ब्यास	प्रति गोटा	१७६०	१७६०।००	१७६०।००	१७६०।००	
	७५ मि.मि. ब्यास	प्रति गोटा	२४७५	२४७५।००	२४७५।००	२४७५।००	
	८० मि.मि. ब्यास	प्रति गोटा				०।००	
	११० मि.मि. ब्यास	प्रति गोटा	२७२८	२७२८।००	२७२८।००	२७२८।००	
२७	बास यन्त्रियन एडेप्टर समेत					०।००	
	१५ मि.मि. ब्यास	प्रति गोटा	३००	३००।००	३००।००	३००।००	
	२० मि.मि. ब्यास	प्रति गोटा	४५०	४५०।००	४५०।००	४५०।००	

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

नवलपरासी (वर्दघाट सुस्ता पश्चिम) जिल्लाको आ.स.स.को स्वीकृत जिल्ला दर रेट (१)

७.५ खानेपानी सम्बन्धी फिटीङ्स सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३६ म्याट बाहिरीको दररेट (रु.)				कैफियत
			बा.न. २०७४/७५	बा.न. २०७५/७६	बा.न. २०७६/७७ को स्वीकृत दर रेट	बा.न. २०७७/७८ को स्वीकृत दर रेट	
	२५ मि.मि. व्यास	प्रति गोटा	७५०	७५०००	७५०००	७५०००	
	३२ मि.मि. व्यास	प्रति गोटा	१२५०	१२५०००	१२५०००	१२५०००	
	४० मि.मि. व्यास	प्रति गोटा	१७५०	१७५०००	१७५०००	१७५०००	
	५० मि.मि. व्यास	प्रति गोटा	२३५०	२३५०००	२३५०००	२३५०००	
	६५ मि.मि. व्यास	प्रति गोटा	४५००	४५००००	४५००००	४५००००	
२८	स्याङल फेरोल					०१००	
	४०मिमि. स्याङल फेरोल 1 <sup>1/2</sup> * PVC	प्रति गोटा	२५०	२५०००	२५०००	२५०००	
	५०मिमि. स्याङल फेरोल २x1/2* PVC	प्रति गोटा	२५०	२५०००	२५०००	२५०००	
	६५०मिमि. स्याङल फेरोल २ <sup>1/2</sup> * PVC	प्रति गोटा	२७५	२७५००	२७५००	२७५००	
	८०मिमि. स्याङल फेरोल 3x1/2* PVC	प्रति गोटा	३५०	३५०००	३५०००	३५०००	
	१००मिमि. स्याङल फेरोल 4x1/2* PVC	प्रति गोटा	४००	४००००	४००००	४००००	
२९	बि.बाई. स्याङल					०१००	
	50mmx32mm	प्रति गोटा	९३६	९३६००	९३६००	९३६००	
	50mmx40mm	प्रति गोटा	११२०	११२०००	११२०००	११२०००	
	63mmx32mm	प्रति गोटा	९८४	९८४००	९८४००	९८४००	
	63mmx40mm	प्रति गोटा	११७०	११७०००	११७०००	११७०००	
	63mmx50mm	प्रति गोटा	१३००	१३००००	१३००००	१३००००	
	75mmx32mm	प्रति गोटा	१०१२	१०१२००	१०१२००	१०१२००	
	75mmx40mm	प्रति गोटा	११९६	११९६००	११९६००	११९६००	
	75mmx50mm	प्रति गोटा	१३२८	१३२८००	१३२८००	१३२८००	
	75mmx63mm	प्रति गोटा	१५०८	१५०८००	१५०८००	१५०८००	
	90mmx32mm	प्रति गोटा	१३४४	१३४४००	१३४४००	१३४४००	
	90mmx40mm	प्रति गोटा	१५२८	१५२८००	१५२८००	१५२८००	
	90mmx50mm	प्रति गोटा	१६६०	१६६०००	१६६०००	१६६०००	
	90mmx63mm	प्रति गोटा	१८४०	१८४०००	१८४०००	१८४०००	
	90mmx75mm	प्रति गोटा	२२०८	२२०८००	२२०८००	२२०८००	
	110mmx32mm	प्रति गोटा	१४५६	१४५६००	१४५६००	१४५६००	
	110mmx40mm	प्रति गोटा	१६४०	१६४०००	१६४०००	१६४०००	
	140mmx50mm	प्रति गोटा	१७७२	१७७२००	१७७२००	१७७२००	
	110mmx63mm	प्रति गोटा	१९९२	१९९२००	१९९२००	१९९२००	
	110mmx75mm	प्रति गोटा	२३२०	२३२०००	२३२०००	२३२०००	
	110mmx90mm	प्रति गोटा	२४६२	२४६२००	२४६२००	२४६२००	
	125mmx32mm	प्रति गोटा	१५४०	१५४०००	१५४०००	१५४०००	
	125mmx40mm	प्रति गोटा	१७२४	१७२४००	१७२४००	१७२४००	
	125mmx50mm	प्रति गोटा	१८५६	१८५६००	१८५६००	१८५६००	
	125mmx63mm	प्रति गोटा	२०३६	२०३६००	२०३६००	२०३६००	
	125mmx75mm	प्रति गोटा	२४०४	२४०४००	२४०४००	२४०४००	
	125mmx90mm	प्रति गोटा	२६५६	२६५६००	२६५६००	२६५६००	
	125mmx110mm	प्रति गोटा	३३०४	३३०४००	३३०४००	३३०४००	
	140mmx32mm	प्रति गोटा	१६४४	१६४४००	१६४४००	१६४४००	
	140mmx40mm	प्रति गोटा	१८२८	१८२८००	१८२८००	१८२८००	
	140mmx50mm	प्रति गोटा	१९६०	१९६०००	१९६०००	१९६०००	
	140mmx63mm	प्रति गोटा	२१४०	२१४०००	२१४०००	२१४०००	
	140mmx75mm	प्रति गोटा	२५०८	२५०८००	२५०८००	२५०८००	
	140mmx90mm	प्रति गोटा	२७६०	२७६०००	२७६०००	२७६०००	
	140mmx110mm	प्रति गोटा	३४०८	३४०८००	३४०८००	३४०८००	
	160mmx32mm	प्रति गोटा	१७४८	१७४८००	१७४८००	१७४८००	
	160mmx40mm	प्रति गोटा	१९३२	१९३२००	१९३२००	१९३२००	
	160mmx50mm	प्रति गोटा	२०६४	२०६४००	२०६४००	२०६४००	
	160mmx63mm	प्रति गोटा	२२४४	२२४४००	२२४४००	२२४४००	
	160mmx75mm	प्रति गोटा	२६१२	२६१२००	२६१२००	२६१२००	
	160mmx90mm	प्रति गोटा	२८६४	२८६४००	२८६४००	२८६४००	
	160mmx110mm	प्रति गोटा	३५१२	३५१२००	३५१२००	३५१२००	

Handwritten signatures and dates at the bottom of the page.

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७७/७८ को स्वीकृत जिल्ला दर रेट (२०१५/१५)

७.५ खानेपानी सम्बन्धी फिटीङ्स सामाग्री

क्र.स.	निर्माण सामग्रीको विवरण	इकाई	१९७० न्याट बाहेकको दर रेट (रु.)				वैकल्पिक
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	
	180mmx32mm	प्रति गोटा	१८८४	१८८४१००	१८८४१००	१८८४१००	
	180mmx40mm	प्रति गोटा	२०६८	२०६८१००	२०६८१००	२०६८१००	
	180mmx50mm	प्रति गोटा	२२००	२२००१००	२२००१००	२२००१००	
	180mmx63mm	प्रति गोटा	२३८०	२३८०१००	२३८०१००	२३८०१००	
	180mmx75mm	प्रति गोटा	२७४८	२७४८१००	२७४८१००	२७४८१००	
	180mmx90mm	प्रति गोटा	३०००	३०००१००	३०००१००	३०००१००	
	180mmx110mm	प्रति गोटा	३६४८	३६४८१००	३६४८१००	३६४८१००	
	200mmx32mm	प्रति गोटा	१९६४	१९६४१००	१९६४१००	१९६४१००	
	200mmx40mm	प्रति गोटा	२१६८	२१६८१००	२१६८१००	२१६८१००	
	200mmx50mm	प्रति गोटा	२३००	२३००१००	२३००१००	२३००१००	
	200mmx63mm	प्रति गोटा	२४००	२४००१००	२४००१००	२४००१००	
	200mmx75mm	प्रति गोटा	२८४८	२८४८१००	२८४८१००	२८४८१००	
	200mmx90mm	प्रति गोटा	३१००	३१००१००	३१००१००	३१००१००	
	200mmx110mm	प्रति गोटा	३७४८	३७४८१००	३७४८१००	३७४८१००	
	225mmx32mm	प्रति गोटा	२१२८	२१२८१००	२१२८१००	२१२८१००	
	225mmx40mm	प्रति गोटा	२३१०	२३१०१००	२३१०१००	२३१०१००	
	225mmx50mm	प्रति गोटा	२४४४	२४४४१००	२४४४१००	२४४४१००	
	225mmx63mm	प्रति गोटा	२६२४	२६२४१००	२६२४१००	२६२४१००	
	225mmx75mm	प्रति गोटा	२९९२	२९९२१००	२९९२१००	२९९२१००	
	225mmx90mm	प्रति गोटा	३२४०	३२४०१००	३२४०१००	३२४०१००	
	225mmx110mm	प्रति गोटा	३८९२	३८९२१००	३८९२१००	३८९२१००	
३०	टिकिको निप्पल					०१००	
	१५मि.मि ब्यास	प्रति गोटा	११२	११२००	११२००	११२००	
	२०मि.मि ब्यास	प्रति गोटा	१८०	१८०१००	१८०१००	१८०१००	
	२५मि.मि ब्यास	प्रति गोटा	२७५	२७५१००	२७५१००	२७५१००	
	३२मि.मि ब्यास	प्रति गोटा	३७३	३७३१००	३७३१००	३७३१००	
	४०मि.मि ब्यास	प्रति गोटा	४७५	४७५१००	४७५१००	४७५१००	
	५० मि.मि ब्यास	प्रति गोटा	८२०	८२०१००	८२०१००	८२०१००	
३१	सि.ब्राई.स्लुईस भल्भ					०१००	
	६५मि.मि ब्यास	प्रति गोटा	१४०००	१४०००१००	१४०००१००	१४०००१००	
	८०मि.मि ब्यास	प्रति गोटा	१९५००	१९५००१००	१९५००१००	१९५००१००	
	१००मि.मि ब्यास	प्रति गोटा	२७५००	२७५००१००	२७५००१००	२७५००१००	
	१२५मि.मि ब्यास	प्रति गोटा	३३५००	३३५००१००	३३५००१००	३३५००१००	
	१५०मि.मि ब्यास	प्रति गोटा	४१२५०	४१२५०१००	४१२५०१००	४१२५०१००	
३२	गन मेटल नन रिटर्न भल्भ					०१००	
	६५मि.मि ब्यास	प्रति गोटा	१५०००	१५०००१००	१५०००१००	१५०००१००	
	८०मि.मि ब्यास	प्रति गोटा	२१७५०	२१७५०१००	२१७५०१००	२१७५०१००	
	१००मि.मि ब्यास	प्रति गोटा	२६३००	२६३००१००	२६३००१००	२६३००१००	
	१२५मि.मि ब्यास	प्रति गोटा	३३३७५	३३३७५१००	३३३७५१००	३३३७५१००	
	१५०मि.मि ब्यास	प्रति गोटा	३७५००	३७५००१००	३७५००१००	३७५००१००	
३३	वि.पि.टि.को ब्रासको फ्लोट भल्भ					०१००	
	१५मि.मि ब्यास	प्रति गोटा	२७५०	२७५०१००	२७५०१००	२७५०१००	
	२०मि.मि ब्यास	प्रति गोटा	३७५०	३७५०१००	३७५०१००	३७५०१००	
	२५मि.मि ब्यास	प्रति गोटा	४५००	४५००१००	४५००१००	४५००१००	
	३२मि.मि ब्यास	प्रति गोटा	६५००	६५००१००	६५००१००	६५००१००	
	४०मि.मि ब्यास	प्रति गोटा	१३३७५	१३३७५१००	१३३७५१००	१३३७५१००	
	५० मि.मि ब्यास	प्रति गोटा	२०५७५	२०५७५१००	२०५७५१००	२०५७५१००	
३४	फ्लामको सेडल सकेट समेत					०१००	
	२५मि.मि ब्यास	प्रति गोटा	३००	३००१००	३००१००	३००१००	
	३२मि.मि ब्यास	प्रति गोटा	४००	४००१००	४००१००	४००१००	
	४०मि.मि ब्यास	प्रति गोटा	५००	५००१००	५००१००	५००१००	
	५०मि.मि ब्यास	प्रति गोटा	६५०	६५०१००	६५०१००	६५०१००	
	६५मि.मि ब्यास	प्रति गोटा	७००	७००१००	७००१००	७००१००	

Handwritten signatures and dates at the bottom of the page, including 'Email' and '12/1/17'.

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७७८ को स्वीकृत जिल्ला दर रेट (७)

७.५ खानेपानी सम्बन्धी फिटीङ्स सामग्री

क्र.स.	निर्माण सामग्रीको विवरण	इकाई	१३% न्याट बाहेकको दररेट (र.)				वैकिकृत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	
	८०मि.मि व्यास	प्रति गोटा	७५०	७५०।००	७५०।००	७५०।००	
३५	<b>Stainless Steel Easy Clamp</b>						०।००
	90mm	प्रति गोटा	४०००	४०००।००	४०००।००	४०००।००	
	110mm	प्रति गोटा	४४००	४४००।००	४४००।००	४४००।००	
	125mm	प्रति गोटा	४८००	४८००।००	४८००।००	४८००।००	
	140mm	प्रति गोटा	५२००	५२००।००	५२००।००	५२००।००	
	160mm	प्रति गोटा	६४००	६४००।००	६४००।००	६४००।००	
	180mm	प्रति गोटा	६८००	६८००।००	६८००।००	६८००।००	
	200mm	प्रति गोटा	९२००	९२००।००	९२००।००	९२००।००	
	225mm	प्रति गोटा	१०४००	१०४००।००	१०४००।००	१०४००।००	
	250mm	प्रति गोटा	१४४००	१४४००।००	१४४००।००	१४४००।००	
	315mm	प्रति गोटा	१९०००	१९०००।००	१९०००।००	१९०००।००	
	365mm	प्रति गोटा	२२६००	२२६००।००	२२६००।००	२२६००।००	
३६	<b>HDPE Reducer Socket (6kgf/cm<sup>2</sup>)</b>						०।००
	50mmx20mm	प्रति गोटा	६०	६०।००	६०।००	६०।००	
	50mmx25mm	प्रति गोटा	६६	६६।००	६६।००	६६।००	
	50mmx32mm	प्रति गोटा	९०	९०।००	९०।००	९०।००	
	50mmx40mm	प्रति गोटा	१००	१००।००	१००।००	१००।००	
	63mmx20mm	प्रति गोटा	९०	९०।००	९०।००	९०।००	
	63mmx25mm	प्रति गोटा	११०	११०।००	११०।००	११०।००	
	63mmx32mm	प्रति गोटा	१३०	१३०।००	१३०।००	१३०।००	
	63mmx40mm	प्रति गोटा	१३०	१३०।००	१३०।००	१३०।००	
	63mmx50mm	प्रति गोटा	१४०	१४०।००	१४०।००	१४०।००	
	75mmx32mm	प्रति गोटा	२२	२२।००	२२।००	२२।००	
	75mmx40mm	प्रति गोटा	१३०	१३०।००	१३०।००	१३०।००	
	75mmx50mm	प्रति गोटा	१२०	१२०।००	१२०।००	१२०।००	
	75mmx63mm	प्रति गोटा	१४०	१४०।००	१४०।००	१४०।००	
	90mmx32mm	प्रति गोटा	१७०	१७०।००	१७०।००	१७०।००	
	90mmx40mm	प्रति गोटा	१९०	१९०।००	१९०।००	१९०।००	
	90mmx50mm	प्रति गोटा	२३०	२३०।००	२३०।००	२३०।००	
	90mmx63mm	प्रति गोटा	२४०	२४०।००	२४०।००	२४०।००	
	90mmx75mm	प्रति गोटा					०।००
	110mmx63mm	प्रति गोटा	३१०	३१०।००	३१०।००	३१०।००	
	110mmx75mm	प्रति गोटा	३४०	३४०।००	३४०।००	३४०।००	
	110mmx90mm	प्रति गोटा	४४०	४४०।००	४४०।००	४४०।००	
	125mmx75mm	प्रति गोटा	४३०	४३०।००	४३०।००	४३०।००	
	125mmx90mm	प्रति गोटा	६१०	६१०।००	६१०।००	६१०।००	
	125mmx110mm	प्रति गोटा	७२०	७२०।००	७२०।००	७२०।००	
	140mmx63mm	प्रति गोटा	६१०	६१०।००	६१०।००	६१०।००	
	140mmx75mm	प्रति गोटा	६९०	६९०।००	६९०।००	६९०।००	
	140mmx90mm	प्रति गोटा	७३०	७३०।००	७३०।००	७३०।००	
	140mmx110mm	प्रति गोटा	८३०	८३०।००	८३०।००	८३०।००	
	140mmx125mm	प्रति गोटा	८७०	८७०।००	८७०।००	८७०।००	
	160mmx75mm	प्रति गोटा	७९०	७९०।००	७९०।००	७९०।००	
	160mmx90mm	प्रति गोटा	८४०	८४०।००	८४०।००	८४०।००	
	160mmx110mm	प्रति गोटा	९६५	९६५।००	९६५।००	९६५।००	
	160mmx125mm	प्रति गोटा	११२०	११२०।००	११२०।००	११२०।००	
	160mmx140mm	प्रति गोटा	११७०	११७०।००	११७०।००	११७०।००	
	180mmx90mm	प्रति गोटा	१०००	१०००।००	१०००।००	१०००।००	
	180mmx110mm	प्रति गोटा	११९०	११९०।००	११९०।००	११९०।००	
	180mmx125mm	प्रति गोटा	१२९०	१२९०।००	१२९०।००	१२९०।००	
	180mmx140mm	प्रति गोटा	१३२०	१३२०।००	१३२०।००	१३२०।००	
	180mmx160mm	प्रति गोटा	१४४०	१४४०।००	१४४०।००	१४४०।००	

Handwritten signatures and marks at the bottom of the page.

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको मा.सं.०७७/७८ को स्वीकृत जिल्ला दर रेट (८)

७.५ खानेपानी सम्बन्धी फिटीङ्स सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३७ भाट बाहेकको दर (रु.)				कैफियत
			मा.सं. २०७४/७५	मा.सं. २०७५/७६	मा.सं. २०७६/७७ को स्वीकृत दर रेट	मा.सं. २०७७/७८ को स्वीकृत दर रेट	
	200mmx90mm	प्रति गोटा	१७४०	१७४०/००	१७४०/००	१७४०/००	
	200mmx110mm	प्रति गोटा	२०९०	२०९०/००	२०९०/००	२०९०/००	
	200mmx125mm	प्रति गोटा	२१३०	२१३०/००	२१३०/००	२१३०/००	
	200mmx140mm	प्रति गोटा	२१५०	२१५०/००	२१५०/००	२१५०/००	
	200mmx160mm	प्रति गोटा	२२५०	२२५०/००	२२५०/००	२२५०/००	
	200mmx180mm	प्रति गोटा	२२३०	२२३०/००	२२३०/००	२२३०/००	
	225mmx110mm	प्रति गोटा	२११०	२११०/००	२११०/००	२११०/००	
	225mmx125mm	प्रति गोटा	२२६०	२२६०/००	२२६०/००	२२६०/००	
	225mmx140mm	प्रति गोटा	२३७०	२३७०/००	२३७०/००	२३७०/००	
	225mmx160mm	प्रति गोटा	२४९०	२४९०/००	२४९०/००	२४९०/००	
	225mmx180mm	प्रति गोटा	२६७०	२६७०/००	२६७०/००	२६७०/००	
	225mmx200mm	प्रति गोटा	२८३०	२८३०/००	२८३०/००	२८३०/००	
२७	HDPE Reducer Tee (8kg/cm <sup>2</sup> )					०/००	
	40mmx32mm	प्रति गोटा	२१६	२१६/००	२१६/००	२१६/००	
	50mmx32mm	प्रति गोटा	२७०	२७०/००	२७०/००	२७०/००	
	50mmx40mm	प्रति गोटा	२७०	२७०/००	२७०/००	२७०/००	
	60mmx32mm	प्रति गोटा	४५०	४५०/००	४५०/००	४५०/००	
	63mmx40mm	प्रति गोटा	४७०	४७०/००	४७०/००	४७०/००	
	63mmx50mm	प्रति गोटा	४७०	४७०/००	४७०/००	४७०/००	
	75mmx32mm	प्रति गोटा	६७०	६७०/००	६७०/००	६७०/००	
	75mmx40mm	प्रति गोटा	६९०	६९०/००	६९०/००	६९०/००	
	75mmx50mm	प्रति गोटा	७१०	७१०/००	७१०/००	७१०/००	
	75mmx63mm	प्रति गोटा	७१०	७१०/००	७१०/००	७१०/००	
	90mmx32mm	प्रति गोटा	८९०	८९०/००	८९०/००	८९०/००	
	90mmx40mm	प्रति गोटा	९१०	९१०/००	९१०/००	९१०/००	
	90mmx50mm	प्रति गोटा	९५०	९५०/००	९५०/००	९५०/००	
	90mmx63mm	प्रति गोटा	९७०	९७०/००	९७०/००	९७०/००	
	90mmx75mm	प्रति गोटा	९९०	९९०/००	९९०/००	९९०/००	
	110mmx50mm	प्रति गोटा	१४५०	१४५०/००	१४५०/००	१४५०/००	
	110mmx63mm	प्रति गोटा	१४९०	१४९०/००	१४९०/००	१४९०/००	
	110mmx75mm	प्रति गोटा	१५३०	१५३०/००	१५३०/००	१५३०/००	
	110mmx90mm	प्रति गोटा	१६३०	१६३०/००	१६३०/००	१६३०/००	
	125mmx63mm	प्रति गोटा	१८००	१८००/००	१८००/००	१८००/००	
	125mmx75mm	प्रति गोटा	१९२०	१९२०/००	१९२०/००	१९२०/००	
	125mmx90mm	प्रति गोटा	२०००	२०००/००	२०००/००	२०००/००	
	125mmx110mm	प्रति गोटा	२११०	२११०/००	२११०/००	२११०/००	
	140mmx63mm	प्रति गोटा	२५८०	२५८०/००	२५८०/००	२५८०/००	
	140mmx75mm	प्रति गोटा	२५६०	२५६०/००	२५६०/००	२५६०/००	
	140mmx90mm	प्रति गोटा	२७००	२७००/००	२७००/००	२७००/००	
	140mmx110mm	प्रति गोटा	२८००	२८००/००	२८००/००	२८००/००	
	140mmx125mm	प्रति गोटा	२८४०	२८४०/००	२८४०/००	२८४०/००	
	160mmx75mm	प्रति गोटा	३३४०	३३४०/००	३३४०/००	३३४०/००	
	160mmx90mm	प्रति गोटा	३३९०	३३९०/००	३३९०/००	३३९०/००	
	160mmx110mm	प्रति गोटा	३६८०	३६८०/००	३६८०/००	३६८०/००	
	160mmx125mm	प्रति गोटा	३७००	३७००/००	३७००/००	३७००/००	
	160mmx140mm	प्रति गोटा	३७२०	३७२०/००	३७२०/००	३७२०/००	
	180mmx90mm	प्रति गोटा	४५७०	४५७०/००	४५७०/००	४५७०/००	
	180mmx110mm	प्रति गोटा	४७२०	४७२०/००	४७२०/००	४७२०/००	
	180mmx125mm	प्रति गोटा	४८२०	४८२०/००	४८२०/००	४८२०/००	
	180mmx140mm	प्रति गोटा	४८५०	४८५०/००	४८५०/००	४८५०/००	
	180mmx160mm	प्रति गोटा	४९८०	४९८०/००	४९८०/००	४९८०/००	
	200mmx75mm	प्रति गोटा	५७७०	५७७०/००	५७७०/००	५७७०/००	
	200mmx90mm	प्रति गोटा	६२६०	६२६०/००	६२६०/००	६२६०/००	

Handwritten signatures and dates at the bottom of the page.

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.सं. ७७६/७८ को स्वीकृत जिल्ला दर रेट (९)

७.५ खानेपानी सम्बन्धी फिटीङ्स सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१९९६ म्याट पारिष्कार दररेट (रु.)				कैफियत
			आ.सं. २०७४/७५	आ.सं. २०७५/७६	आ.सं. २०७६/७७ को स्वीकृत दर रेट	आ.सं. २०७७/७८ को स्वीकृत दर रेट	
	200mmx110mm	प्रति गोटा	६६१०	६६१०००	६६१०००	६६१०००	
	200mmx125mm	प्रति गोटा	६६५०	६६५०००	६६५०००	६६५०००	
	200mmx140mm	प्रति गोटा	६६७०	६६७०००	६६७०००	६६७०००	
	200mmx160mm	प्रति गोटा	६७३०	६७३०००	६७३०००	६७३०००	
	200mmx180mm	प्रति गोटा	७०५०	७०५०००	७०५०००	७०५०००	
३८	HDPE Equal Tee (6kgf/cm <sup>2</sup> )					०१००	
	50mm	प्रति गोटा	१८०	१८०००	१८०००	१८०००	
	63mm	प्रति गोटा	३६०	३६०००	३६०००	३६०००	
	75mm	प्रति गोटा	५६०	५६०००	५६०००	५६०००	
	90mm	प्रति गोटा	७२०	७२०००	७२०००	७२०००	
	110mm	प्रति गोटा	११८०	११८०००	११८०००	११८०००	
	125mm	प्रति गोटा	१३९०	१३९०००	१३९०००	१३९०००	
	140mm	प्रति गोटा	१९७०	१९७०००	१९७०००	१९७०००	
	160mm	प्रति गोटा	२५५०	२५५०००	२५५०००	२५५०००	
	180mm	प्रति गोटा	३५३०	३५३०००	३५३०००	३५३०००	
	200mm	प्रति गोटा	४५२०	४५२०००	४५२०००	४५२०००	
	225mm	प्रति गोटा	५६७०	५६७०००	५६७०००	५६७०००	
	250mm	प्रति गोटा	७३८०	७३८०००	७३८०००	७३८०००	
	280mm	प्रति गोटा	१११३०	१११३०००	१११३०००	१११३०००	
	315mm	प्रति गोटा	१५१००	१५१००००	१५१००००	१५१००००	
३९	HDPE Bend 90 (6kgf/cm <sup>2</sup> )					०१००	
	50mm	प्रति गोटा	१७०	१७०००	१७०००	१७०००	
	63mm	प्रति गोटा	२३०	२३०००	२३०००	२३०००	
	75mm	प्रति गोटा	५७०	५७०००	५७०००	५७०००	
	90mm	प्रति गोटा	७५०	७५०००	७५०००	७५०००	
	110mm	प्रति गोटा	१०५०	१०५०००	१०५०००	१०५०००	
	125mm	प्रति गोटा	१३९०	१३९०००	१३९०००	१३९०००	
	140mm	प्रति गोटा	१९००	१९००००	१९००००	१९००००	
	160mm	प्रति गोटा	२६५०	२६५०००	२६५०००	२६५०००	
	180mm	प्रति गोटा	३५००	३५००००	३५००००	३५००००	
	200mm	प्रति गोटा	४२६२	४२६२००	४२६२००	४२६२००	
	225mm	प्रति गोटा	६३५०	६३५०००	६३५०००	६३५०००	
	250mm	प्रति गोटा	८५००	८५००००	८५००००	८५००००	
	280mm	प्रति गोटा	११६७०	११६७०००	११६७०००	११६७०००	
४०	Readymade Washer					०१००	
	40mm	प्रति गोटा	९०	९०००	९०००	९०००	
	50mm	प्रति गोटा	९०	९०००	९०००	९०००	
	65mm	प्रति गोटा	१००	१००००	१००००	१००००	
	80mm	प्रति गोटा	१२०	१२०००	१२०००	१२०००	
	100mm	प्रति गोटा	१४०	१४०००	१४०००	१४०००	
	140mm	प्रति गोटा	२१०	२१०००	२१०००	२१०००	
	160mm	प्रति गोटा	२४०	२४०००	२४०००	२४०००	
	200mm	प्रति गोटा	३४०	३४०००	३४०००	३४०००	
	250mm	प्रति गोटा	६७०	६७०००	६७०००	६७०००	

Handwritten signatures and notes at the bottom of the page, including a large signature and the number '121717'.

नवलपरासी (बर्दघाट सुस्ता) क्षेत्रिय मन्त्रालयको कार्यालय, २०७३/७८ को स्वीकृत जिल्ला दर रेट (१)

७.६ ईनार तथा ट्यूबवेल सम्बन्धी

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३% भ्याट बाहेकको दररेट(१)				कैफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	
	<b>DEEP Tube Well</b>						
१	Pea Gravel	No	२४००१००	२५२०१००	२५२०१००	२५२०१००	
२	Gasket	KG	४४१००	४६१००	४६१००	४६१००	
३	Bentonite	KG	२५१००	२६१००	२६१००	२६१००	
४	Barite	KG	२६१००	२७१००	२७१००	२७१००	
५	MS Casing pipe 10"	KG	९५१००	१००१००	१००१००	१००१००	
६	MS Casing pipe 8"	KG	८६१००	९०१००	९०१००	९०१००	
७	MS Casing pipe 6"	KG	८५१००	८९१००	८९१००	८९१००	
८	Reducer 8/6"	No	२०००१००	२१००१००	२१००१००	२१००१००	
	Flange-Set 8 "	No	३५००१००	३६५५१००	३६५५१००	३६५५१००	
	<b>Shallow Tube Well</b>						
१०	MS Pipe Treaded- 4"Ø	KG	११०१००	११६१००	११६१००	११६१००	
११	Bottle T(Well Head-T)	No	२५००१००	२६२५१००	२६२५१००	२६२५१००	
१२	Nipple 4"Ø 4" length	No	२३५१००	२४७३००	२४७३००	२४७३००	
१३	Heavy Socket 4"Ø	No	९५०१००	९९८१००	९९८१००	९९८१००	
१४	Nipple 1.5"Ø 9" long	No	२२२१००	२३३३००	२३३३००	२३३३००	
१५	Non-return Valve 4"Ø	No	४५००१००	४७२५१००	४७२५१००	४७२५१००	
१६	CI Cap 4"Ø	No	३००१००	३१५१००	३१५१००	३१५१००	
१७	CI Cap 1.5"Ø	No	९२१००	९५००	९५००	९५००	
१८	PVC Screen Making Charge	RM	६५०१००	६८३३००	६८३३००	६८३३००	
१९	MS Screen Making Charge	RM	२२००१००	२३१०१००	२३१०१००	२३१०१००	
२०	Noke Making Charge	No	३२००१००	३३६०१००	३३६०१००	३३६०१००	
२१	Nylon Net	Mtr	११०१००	११६१००	११६१००	११६१००	
२२	Shallow Tubewell Drilling Charge(Manual)					०१००	
२३	Sludge Method	RM	१३३३००	१४०४१००	१४०४१००	१४०४१००	
२४	HammeringMethod	RM	१९५३००	२०५११००	२०५११००	२०५११००	
२५	Cost of Summercible PumpsTube Well					०१००	
२६	5HP Motor pump (4" Boring,Economic Head Upto 50m)	No	७५००१००	७८७५०१००	७८७५०१००	७८७५०१००	
२७	6HP Motor pump (4" Boring,Economic Head Upto 75m)	No	८५००१००	८९२५०१००	८९२५०१००	८९२५०१००	
२८	7.5HP Motor pump (6" Boring,Economic Head Upto 100m)	No	१०५००१००	११०२५०१००	११०२५०१००	११०२५०१००	
२९	10HP Motor pump (6" Boring,Economic Head Upto 150m)	No	१५५००१००	१६२५५०१००	१६२५५०१००	१६२५५०१००	
३०	15HP Motor pump (8" Boring,Economic Head Upto 150m)	No	२३०००१००	२४१५००१००	२४१५००१००	२४१५००१००	
३१	20HP Motor pump (10" Boring,Economic Head Upto 150m)	No	२४५००१००	२५७२५०१००	२५७२५०१००	२५७२५०१००	
३२	25-30HP Motor pump (>10" Boring,Economic Head Upto )	No	२६५००१००	२७८२५०१००	२७८२५०१००	२७८२५०१००	
३३	Flexible submerssible copper flat cable					०१००	
३३.१	4 sq.mm.	Mtr	६४०१००	६७२१००	६७२१००	६७२१००	
३३.२	6 sq.mm.	Mtr	७२०१००	७६७१००	७६७१००	७६७१००	

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व. २०७४/७५ को स्वीकृत जिल्ला दर रेट (१)

७.७ खानेपानी सम्बन्धी साधारण हार्ने औजारहरु

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१९७० म्याट बाहेकको दररेट(रु.)				कैफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	
१	अनुमतिपत्र गागो (२० लिटर)	गोटा	११००	११००	११००	११००	
२	स्थानीय बन्धरो	गोटा	५५५०	६०४०	६०४०	६०४०	
३	बेल्वा (मिटलको मिड भएको) टाटा वा सो सरह	गोटा	५५००	५७००	५७००	५७००	
४	कोदानो (१.५० किलो) टाटा वा सो सरह	गोटा	६०००	६३००	६३००	६३००	
५	गैली (२.७० किलो) टाटा, नुधरा वा सो सरह	गोटा	५५००	५७००	५७००	५७००	
६	गैली (२.२० किलो) टाटा, नुधरा वा सो सरह	गोटा	४५००	४७३०	४७३०	४७३०	
७	कम्पल (१.२५ इन्चको ५फिट) टाटा वा सो सरह	गोटा	२२००	२३१०	२३१०	२३१०	
८	छिलो (६ इन्च लामो ३२ एमएम)	गोटा	२७५०	२८९०	२८९०	२८९०	
९	छिलो (९ इन्च लामो ३२ एमएम)	गोटा	६५००	६८३०	६८३०	६८३०	
१०	किंग पिपन छिलो टाटा, नुधरा वा सो सरह	गोटा	६०००	६३००	६३००	६३००	
११	कालामको घन (५ किलो) टाटा, नुधरा वा सो सरह	गोटा	१२००	१२६०	१२६०	१२६०	
१२	कालामको घन (२.५ किलो) टाटा, नुधरा वा सो सरह	गोटा	७०००	७३५०	७३५०	७३५०	
१३	कालामको घन (१ किलो) टाटा, नुधरा वा सो सरह	गोटा	२७५०	२८९०	२८९०	२८९०	
१४	तारपीलिन सित १८ बाइरर फिट	गोटा	२५५०	२७००	२७००	२७००	
१५	कनि मिस्त्रीको दुलो	गोटा	१७००	१८५०	१८५०	१८५०	
१६	कनि मिस्त्रीको सानो	गोटा	१२५०	१३१०	१३१०	१३१०	
१७	जम्ब / घन्टी फलामको	गोटा	१५५०	१८५०	१८५०	१८५०	
१८	मिस्त्रीको धागो ३मि.मि.को	स्वामल	७५०	७९०	७९०	७९०	
१९	लेभर पारदर्श / पानीपाइप	मिटर	१५०	१५०	१५०	१५०	
२०	पन्जा (छालाको)	गोटा	४६५०	४८००	४८००	४८००	
२१	किल थ्यारी (टापर र फलामको हेमडल भएको)	गोटा	९०००	९४५०	९४५०	९४५०	
२२	पम्प (हालबा सुटोले चलाउने)	गोटा	११२५०	११८१०	११८१०	११८१०	
२३	सुरवा हेल्मेट (प्लास्टिक)	गोटा	३७५०	३९५०	३९५०	३९५०	
२४	मेसन हेड प्यान फलामको १८ इन्च लोकल	गोटा	२६५०	२७००	२७००	२७००	
२५	हेक्सा फेम	गोटा	२७५०	२८९०	२८९०	२८९०	
२६	हेक्सा जेड विंगल	गोटा	१०००	१११०	१११०	१११०	
२७	हेक्सा जेड डबल	गोटा	१८००	१९१०	१९१०	१९१०	
२८	काठ पिने धारा १८ इन्च	गोटा	१८५०	१९५०	१९५०	१९५०	
२९	१० इन्चको चोटो रेली	गोटा	४६५०	४८००	४८००	४८००	
३०	१० इन्चको आडा गोलाकार रेली	गोटा	५५५०	५८३०	५८३०	५८३०	
३१	कुकुपु ड्राइभर २३० मिमिको	गोटा	१८५०	१९५०	१९५०	१९५०	
३२	डाइ सेट साधारण ०.५ देखि २ इन्च सम्म	सेट	६९५०	७२९०	७२९०	७२९०	
३३	डाइ सेट अटोमेटिक ०.५ देखि २ इन्च सम्म	सेट	१९१५०	२०११०	२०११०	२०११०	
३४	डाइ सेट रिचेट १५ देखि २५ मि.मि. सम्म	सेट	४६००	४८३०	४८३०	४८३०	
३५	डाइ सेट रिचेट ४० देखि ५० मि.मि. सम्म	सेट	१२६२५०	१३२५०	१३२५०	१३२५०	
३६	डाइ सेट रिचेट ६५ देखि ८० मि.मि. सम्म	सेट	२३५००	२४६५०	२४६५०	२४६५०	
३७	डाइ सेट टिप १५ मि.मि.	प्रति सेट	६७५०	७०९०	७०९०	७०९०	
३८	डाइ सेट टिप २० मि.मि.	प्रति सेट	६६५०	६९०	६९०	६९०	
३९	डाइ सेट टिप २५ मि.मि.	प्रति सेट	६६५०	६९०	६९०	६९०	
४०	डाइ सेट टिप ३२ मि.मि.	प्रति सेट	८४५०	८८७०	८८७०	८८७०	
४१	डाइ सेट टिप ४० मि.मि.	प्रति सेट	१७५०	१८५०	१८५०	१८५०	
४२	डाइ सेट टिप ५० मि.मि.	प्रति सेट	१८००	१८९०	१८९०	१८९०	
४३	डाइ सेट टिप ६५ मि.मि.	प्रति सेट	२०५०	२१६५०	२१६५०	२१६५०	
४४	डाइ सेट टिप ८० मि.मि.	प्रति सेट	२७५०	२९१०	२९१०	२९१०	
४५	पाइप भाइस २ इन्च सम्म	प्रति सेट	२२००	२३१०	२३१०	२३१०	
४६	पाइप भाइस ३" सम्म	प्रति	२९२५०	३०५०	३०५०	३०५०	
४७	पाइप भाइस ४" सम्म	प्रति	५६००	५८०	५८०	५८०	

Handwritten signatures and notes at the bottom of the page, including a large signature on the right and some scribbles on the left.

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.ब.०७७ को स्वीकृत जिल्ला दर रेट (र)

७.७ खानेपानी सम्बन्धी साधारण हाते औजारहरु

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३% भाटा चाहेको दररेट(र.)				कैफियत
			आ.ब. २०७४/७५	आ.ब. २०७५/७६	आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	
४८	पाइप रेञ्च १२ इन्च	प्रति	७५१००	७५१००	७५१००	७५१००	
४९	पाइप रेञ्च १४ इन्च	प्रति	८२५००	८६६००	८६६००	८६६००	
५०	पाइप रेञ्च १८ इन्च	प्रति	१६००००	१६८०००	१६८०००	१६८०००	
५१	पाइप रेञ्च २४ इन्च	प्रति	२८५०००	२९९३००	२९९३००	२९९३००	
५२	एडजस्टेबल रेञ्च १० इन्च	प्रति	४३५००	४५७००	४५७००	४५७००	
५३	एडजस्टेबल रेञ्च १२ इन्च	प्रति	६७५००	७०९००	७०९००	७०९००	
५४	एडजस्टेबल रेञ्च १८ इन्च	प्रति	१९००००	१९९५००	१९९५००	१९९५००	
५५	३६ इन्च वेन रेञ्च	प्रति	२७५०००	२७७५००	२७७५००	२७७५००	
५६	४८ इन्च वेन रेञ्च	प्रति	५४००००	५६७०००	५६७०००	५६७०००	
५७	३ मिटरको मिटल टप	प्रति	१०००००	१०५०००	१०५०००	१०५०००	
५८	५ मिटरको मिटल टप	प्रति	१८५०००	१९४०००	१९४०००	१९४०००	
५९	३० मिटरको फाइबर ग्लास टप	प्रति	१२८०००	१६५९००	१६५९००	१६५९००	
६०	५० मिटरको फाइबर ग्लास टप	प्रति	२२६५००	२३७८००	२३७८००	२३७८००	
६१	हिटिङ प्लेट ३ इन्च ब्यासको कमी	प्रति	९६५००	१०१३००	१०१३००	१०१३००	
६२	हिटिङ प्लेट ४ इन्च ब्यासको	प्रति	१२७८००	१३४२००	१३४२००	१३४२००	
६३	हिटिङ प्लेट ६ इन्च ब्यासको	प्रति	१५७५००	१६५४००	१६५४००	१६५४००	
६४	हिटिङ प्लेट ८ इन्च ब्यासको	प्रति	२०६५००	२१६८००	२१६८००	२१६८००	
६५	थर्मोकाम चेक	प्रति	८०००००	८४००००	८४००००	८४००००	
६६	टेफलन कभर ६"X६"	प्रति	५१५००	५४१००	५४१००	५४१००	
६७	आवश्यक औषधि समेतको प्राथमिक	प्रति	२७५०००	२८८८००	२८८८००	२८८८००	
६८	खानेपानी मर्मतको टूल बक्स	प्रति गोटा	२७००००	२८३५००	२८३५००	२८३५००	
६९	आवश्यक औजार सहितको भोलुंगेपुल मर्मतको टूल बक्स	प्रति गोटा	३२७५००	३४३९००	३४३९००	३४३९००	
७०	१२ इन्च ३२ सी.मि. को छिनो	प्रति	८०००००	८४००००	८४००००	८४००००	
७१	चन्मा	प्रति	१२००००	१२८०००	१२८०००	१२८०००	
७२	सेफ्टी वेल्ड	गोटा	१६००००	१६८०००	१६८०००	१६८०००	
७३	अतिसाधारण भोला	गोटा	१२५०००	१३१०००	१३१०००	१३१०००	

*(Handwritten signatures and dates)*

### द. विद्युत सम्बन्धि सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१२% भ्याट काटेकको दररेट				वैकल्पिक
			आ.ब. २०७४/७५	आ.ब. २०७५/७६	आ.ब. २०७६/७७ को संशोधित दर रेट	आ.ब. २०७७/७८ को संशोधित दर रेट	
१	विद्युत सम्बन्धि						
१.१	पि. मि. सि. इन्सुलेटेड कभर वायर (९०मी को)						
१.१.१	७/२२ तार	क्वाड्रल	२६००/००	२६००/००	२६००/००	२६००/००	
१.१.२	७/२०	क्वाड्रल	४२००/००	४२००/००	४२००/००	४२००/००	
१.१.३	३/२२	क्वाड्रल	११००/००	११००/००	११००/००	११००/००	
१.१.४	३/२०	क्वाड्रल	१६४०/००	१६४०/००	१६४०/००	१६४०/००	
१.१.५	१/१८	क्वाड्रल	९६०/००	९६०/००	९६०/००	९६०/००	
१.२	पि. मि. सि. च्यानल बिट					०/००	
१.२.१	१/२"	र मी	१८१७	१८१७	१८१७	१८१७	
१.२.२	३/४"	र मी	१८१७	१८१७	१८१७	१८१७	
१.२.३	१"	र मी	२३१०	२३१०	२३१०	२३१०	
१.२.४	१ १/४"	र मी	३४२३	३४२३	३४२३	३४२३	
१.२.५	१ १/२"	र मी	४९५६	४९५६	४९५६	४९५६	
१.२.६	२"	र मी	६८२४	६८२४	६८२४	६८२४	
१.३	पि. मि. सि. पाइप (वायरोडको लागि)					०/००	
१.३.१	१/२"	र मी	१०५०	१०५०	१०५०	१०५०	
१.३.२	१"	र मी	२१००	२१००	२१००	२१००	
१.४	पि. मि. सि. बोर्ड (प्लास्टीक)					०/००	
१.४.१	४" x ४"	गाटा	१४१००	१४१००	१४१००	१४१००	
१.४.२	४" x ६"	गाटा	१९१४४	१९१४४	१९१४४	१९१४४	
१.४.३	६" x ८"	गाटा	३४१००	३४१००	३४१००	३४१००	
१.४.४	८" x १०"	गाटा	३६१५४	३६१५४	३६१५४	३६१५४	
१.४.५	८" x १२"	गाटा	६६१४४	६६१४४	६६१४४	६६१४४	
१.५	फाइबर प्लेट					०/००	
१.५.१	४" x ४"	गाटा	१६१८०	१६१८०	१६१८०	१६१८०	
१.५.२	४" x ६"	गाटा	३२१४४	३२१४४	३२१४४	३२१४४	
१.५.३	६" x ८"	गाटा	४४१६८	४४१६८	४४१६८	४४१६८	
१.५.४	८" x १०"	गाटा	६९१७२	६९१७२	६९१७२	६९१७२	
१.५.५	८" x १२"	गाटा				०/००	
२	मिटर बक्स पि मी सो	गाटा	१३९१४	१३९१४	१३९१४	१३९१४	
३	सरफेस स्विच	गाटा	३११४०	३११४०	३११४०	३११४०	
४	सरफेस बलपुस	गाटा	३३१६०	३३१६०	३३१६०	३३१६०	
५	एगल होल्डर	गाटा	३२१४४	३२१४४	३२१४४	३२१४४	
६	सिलिङ्ग राज	गाटा	३०१४४	३०१४४	३०१४४	३०१४४	
७	पखाको रगुलटर	गाटा	२४२०००	२४२०००	२४२०००	२४२०००	
८	पावर प्लग (१५ एम्पयर)	गाटा	१९९४०	१९९४०	१९९४०	१९९४०	
९	बि पिन प्लग (५ एम्पयर)	गाटा	४२०००	४२०००	४२०००	४२०००	
१०	टु पिन प्लग (५ एम्पयर)	गाटा	२१०००	२१०००	२१०००	२१०००	
११	टयुबलाइट सेट ४फिट (४० वाट)	गाटा	३२४४०	३२४४०	३२४४०	३२४४०	
१२	टयुबलाइट सेट २फिट (२० वाट)	गाटा	३२४४०	३२४४०	३२४४०	३२४४०	
१३	टयुबलाइट ४ फिट (४० वाट)	गाटा	७८१५४	७८१५४	७८१५४	७८१५४	
१४	टयुबलाइट २ फिट (२० वाट)	गाटा	७८१५४	७८१५४	७८१५४	७८१५४	
१५	ब्याक लाइट सेट ४ फि. (४० वाट)	गाटा	१२६१००	१२६१००	१२६१००	१२६१००	
१६	ब्याक लाइट सेट ४ फि. (२० वाट)	गाटा	१२६१००	१२६१००	१२६१००	१२६१००	
१७	स्टाटर	गाटा	२११००	२११००	२११००	२११००	
१८	एम. सि. बी.					०/००	
१८.१	१० एम्पयर	गाटा	१८९१००	१८९१००	१८९१००	१८९१००	
१८.२	२० एम्पयर	गाटा	२९०१००	२९०१००	२९०१००	२९०१००	
१८.३	३० एम्पयर	गाटा	२६२१००	२६२१००	२६२१००	२६२१००	
१८.४	४५ एम्पयर	गाटा	७३२१००	७३२१००	७३२१००	७३२१००	
१८.५	६३ एम्पयर	गाटा	७८७१००	७८७१००	७८७१००	७८७१००	
१८.६	६ एम्पयर	गाटा	१९९१००	१९९१००	१९९१००	१९९१००	
१८.७	१६ एम्पयर	गाटा	२९०१००	२९०१००	२९०१००	२९०१००	
१९	स्याङल	गाटा	४१२४	४१२४	४१२४	४१२४	

८. विद्युत सम्बन्धि सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३% भाट बाहेकको दररेट				कैफियत
			आ.ब. २०७४/७५	आ.ब. २०७५/७६	आ.ब. २०७६/७७ को स्वीकृत दर रेट	आ.ब. २०७७/७८ को स्वीकृत दर रेट	
२०	बण्ड	गाटा	४२०	४२०	४२०	४२०	
२१	सकट	गाटा	४२५	४२५	४२५	४२५	
२२	जक्सन	गाटा	१०५०	१०५०	१०५०	१०५०	
२३	टप पि. मि. सी.	गाटा	२१००	२१००	२१००	२१००	
२४	ग्रिप्स	गाटा	१०५	१०५	१०५	१०५	
२५	मन स्वीच ३० एम्पयर	गाटा	२३६२५	२३६२५	२३६२५	२३६२५	
२६	चिम (बल्ब)	गाटा	२६२५	२६२५	२६२५	२६२५	
२७	इन्डिकटर	गाटा	३५८०	३५८०	३५८०	३५८०	
२८	फ्युज	गाटा	४५५५	४५५५	४५५५	४५५५	
२९	ए. सी. पाइप ४" Dia.	गाटा	८९२५	८९२५	८९२५	८९२५	
३०	ए. सी. कबल ३" Dia.	गाटा	४२५०	४२५०	४२५०	४२५०	
३१	ए. सी. कबल ४" Dia.	गाटा	४५५५	४५५५	४५५५	४५५५	
३२	ए. सी. टि. ३" Dia.	गाटा	७८५५	७८५५	७८५५	७८५५	
३३	ए. सी. टि. ४" Dia.	गाटा	९९५५	९९५५	९९५५	९९५५	
३४	ए. सी. जक्सन ३" Dia.	गाटा	८९२५	८९२५	८९२५	८९२५	
३५	ए. सी. जक्सन ४" Dia.	गाटा	९९५५	९९५५	९९५५	९९५५	
३६	पखा ४८" रगुलटर समत (IS/NS Standard)	सेट	२६२५००	२६२५००	२६२५००	२६२५००	
३७	एकवस्त फ्यान १४" दोख १२" सम्म	गाटा	१६८०००	१६८०००	१६८०००	१६८०००	
३८	डाम लाइट ४० वाट	गाटा	३४३१२	३४३१२	३४३१२	३४३१२	
३९	बल्ब हड सम्म	गाटा	२६२५०	२६२५०	२६२५०	२६२५०	
४०	म्याजकल बेल	गाटा	३१५००	३१५००	३१५००	३१५००	
४१	साइकल बेल	गाटा	१५५५०	१५५५०	१५५५०	१५५५०	
४२	सब मिटर	गाटा	७३५००	७३५००	७३५००	७३५००	
४३	डि. वि. मन स्वीच ३० एम्पयर	गाटा	२४५२५	२४५२५	२४५२५	२४५२५	
४४	१/२" काठका लिस्टी	र. मी.	१०५०	१०५०	१०५०	१०५०	
४५	१/६एमएम, ७ फिट रड भाएको स्ट सेट (४म.मि.)	सेट	११२५००	११२५००	११२५००	११२५००	
४६	७/१२ एस.डब्ल्यू.जी. स्ट्रायर	कजी	१४५००	१४५००	१४५००	१४५००	
४७	ACSR Conductor (wire)					०००	
४७.१	0.03sq inch ACSR Conductor (wire)	कि.मि.	३००००००	३००००००	३००००००	३००००००	
४७.२	0.05sq inch ACSR Conductor (wire)	कि.मि.	४५०००००	४५०००००	४५०००००	४५०००००	
४७.३	0.1sq inch ACSR Conductor (wire)	कि.मि.	८९०००००	८९०००००	८९०००००	८९०००००	
४८	D - iron set with shakle insulator	सेट	१४१५५	१४१५५	१४१५५	१४१५५	
४९	Stay-Insulator	गाटा	९४५०	९४५०	९४५०	९४५०	
५०	Binding wire (aluminium)	कजी	७४२५०	७४२५०	७४२५०	७४२५०	
५१	ज्याला: Erection of PSC pole (8m,9m)	गाटा	२६००००	२६००००	२६००००	२६००००	
५२	Stringing of Conductor(0.03sq inchWire)	कि.मि.	४५०००००	४५०००००	४५०००००	४५०००००	
५३	Installation of Stay set	सेट	१२००००	१२००००	१२००००	१२००००	
५४	विद्युतका लाइनसंगका हागाबगा काटन	प्र. हं.	१०५०००	१०५०००	१०५०००	१०५०००	
५५	विद्युत जडान लिस्टी, क्लिप, क्लिप, स्वीच होल्डर आदि प्रयोग गरि भित्ता सिलिगमा प्वाल पार्ने सहित तार जाल्ने र सम्बन्धित स्वीच बक्स आदि जडान गर्ने					०००	
५५.१	सामान बाहेक कान्सल बायोरग गनकायका ज्याला	प्वाइन्ट	४५२५	४५२५	४५२५	४५२५	
५५.२	सामान बाहेक कान्सल बायोरग गनकायका ज्याला	प्वाइन्ट	३६५५	३६५५	३६५५	३६५५	
५५.३	सामान सहित कान्सल बायोरग गनकायका ज्याला	प्वाइन्ट	४८८००	४८८००	४८८००	४८८००	
५५.४	सामान सहित कान्सल बायोरग गनकायका ज्याला	प्वाइन्ट	४०४००	४०४००	४०४००	४०४००	
५५.५	मन साभसलाइन कबल ६मि.मि.(कान्सल्टक कबल)	र. मी.	२६२५	२६२५	२६२५	२६२५	
५६	PSC Pole					०००	
५६.१	8m	No	६६४१२५	७०००००	७०००००	७०००००	
५६.२	9m	No	७३५६२५	७७००००	७७००००	७७००००	
५६.३	11m	No	१४६४५२०	१४०००००	१४०००००	१४०००००	
५७	Transformer					०००	
५७.१	Copper wound distribution Transformer with first filling of Oil					०००	
५७.१.१	11/4kv,25KVA 3 Phase, 50Hz ONAN (low loss)	सेट	२६१४००००	२६१४००००	२६१४००००	२६१४००००	

द. विद्युत सम्बन्धि सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३% भाट माहेको दररेट				वैफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	
५७.१.२	11/4kv,50KVA 3 Phase, 50Hz ONAN (low loss)	सेट	३३२०००।००	३३२०००।००	३३२०००।००	३३२०००।००	
५७.१.३	11/4kv,100KVA 3 Phase, 50Hz ONAN (low loss)	सेट	५९०६००।००	५९०६००।००	५९०६००।००	५९०६००।००	
५७.१.४	11/4kv,150KVA 3 Phase, 50Hz ONAN (low loss)	सेट	८०००००।००	८०००००।००	८०००००।००	८०००००।००	
५७.१.५	11/4kv,200KVA 3 Phase, 50Hz ONAN (low loss)	सेट	१०२३९००।००	१०२३९००।००	१०२३९००।००	१०२३९००।००	

नवलपरासी (बर्दघाट सुस्ता परिषद) जिल्लाको आ.व.०७७/७८ को स्वीकृत जिल्ला दर रेट (१)

९. लघु जल-विद्युत सम्बन्धि सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३७७ मु.अ.कर बातिको दररेट (र.)				कीफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	
	<b>Electro mechanical component for micro hydro</b>						
	<b>क. Mechanical Components</b>						
	१ Intake Accessories						
१.१	Coarse Trash rack (0.6m x 0.5)	व.मी.	१७७००१००	१७७००१००	१७७००१००	१७७००१००	
१.२	Sluice Gate (1.6 height 0.5x0.5 m opening )	सेट	१०१००१००	१०१००१००	१०१००१००	१०१००१००	
	<b>२ Pipe Accessories</b>						
२.१	Penstock Pipe MS 225 mm ID, 3.5 mm thickness	र.मी.	३३५०१००	३३५०१००	३३५०१००	३३५०१००	
	<b>३ Turbine</b>						
३.१	Crossflow turbine (T15) Runner Diameter 300 mm, Runner Length 75 mm, 540 RPM, Shaft power 10 kw	सेट	३०००००१००	३०००००१००	३०००००१००	३०००००१००	
	<b>ख. Electrical Components</b>						
	<b>१ Generator</b>						
१.१	Synchronous, 15 KVA, 400 V, 1500 RPM	सेट	१५०००१००	१५०००१००	१५०००१००	१५०००१००	
	<b>२ Protection System</b>						
२.१	MCCBs						
	MCCB on the generator side (32A)	गोटा	७१००१००	७१००१००	७१००१००	७१००१००	
	MCCB after ELC (20 A)	गोटा	५९००१००	५९००१००	५९००१००	५९००१००	
	MCB for House Holds	गोटा	३००१००	३००१००	३००१००	३००१००	
२.२	Earthing Set (600 x 600 x 3) mm including 8 SWG copper wire	सेट	१०६००१००	१०६००१००	१०६००१००	१०६००१००	
	<b>३ Conductor</b>						
३.१	ACSR Conductor (weasel)	र.मी.	३११००	३११००	३११००	३११००	
३.२	ACSR Conductor (Squirrel)	र.मी.	२४१००	२४१००	२४१००	२४१००	
३.३	ACSR Conductor (Rabbit)	र.मी.	४७००	४७००	४७००	४७००	
३.४	Concentric Cable 6 sq.m	र.मी.	२६१००	२६१००	२६१००	२६१००	

Handwritten signatures and stamps at the bottom of the page, including a circular stamp and several signatures.

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.न.०७७/७८ को स्वीकृत जिल्ला दर रेट (१)

१०. विविध निर्माण सामग्री

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३७७ मु.अ.कर बाहेकको दररेट (रु.)				कीफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	
१	बासको कोटङ्ग ५ फिट लम्बाई	कोटङ्ग	३१४०	३३००	३३००	३३००	
२	डारी नरीबल	क. जो.	११०२५	११६१००	११६१००	११६१००	
३	डारी बनकस	क. जो.	६८२५	७२१००	७२१००	७२१००	
४	डारी जुटको	क. जो.	११०२५	११६१००	११६१००	११६१००	
५	चटाइ	ब. मी.	७८१७५	८३१००	८३१००	८३१००	
६	आर.सि.सि.पाल (काइतारवार/अन्यका लागि)		५२२५	६१००	६१००	६१००	
	४"X४"X५ फिट लामो (७ एमएम मोटा ठाडो ४ बटा र ४।७५ एमएम मोटो रीड १५सेमी दूरीमा फलामे क डण्डी प्रयोग गरि निर्माण गरिएको)	गोटा	९८७००	१०३६१००	१०३६१००	१०३६१००	
	४"X४"X७ फिट लामो फिट लामो (७ एमएम मोटो ठाडो ४बटा र ४।७५ एमएम मोटो रीड १५सेमी दूरीमा फलामे डण्डी प्रयोग गरि निर्माण गरिएको)	गोटा	१११३१००	११६९१००	११६९१००	११६९१००	
७	खाला बारा (२०क.जो. क्षमता भएका जुटको)	गाटा	४४१००	४४१००	४४१००	४४१००	
क	खाला बारा (२०क.जो.क्षमता भएका प्लास्टिकको)	गाटा	२११००	२२१००	२२१००	२२१००	
ख	खाला बारा (१००क.जो. क्षमता भएका जुटको)	गाटा	८९२५	९४१००	९४१००	९४१००	
८	तार ब्रुस सामान्य	गाटा	४२१००	४४१००	४४१००	४४१००	
९	रंग लगाउने ब्रुस	इन्च	७०३५	७४१००	७४१००	७४१००	
१०	धुन्स/डाको	गाटा	२१५२५	२२६१००	२२६१००	२२६१००	
११	बासको टाकरी	गाटा	२१५२५	२२६१००	२२६१००	२२६१००	
१२	बतको टाकरी	गाटा	३४६२०	३६४१००	३६४१००	३६४१००	
१३	कुचा (आभिसाको)	गाटा	५७७५	६११००	६११००	६११००	
क	कुचा (बाबियाको)	गाटा	४२१००	४४१००	४४१००	४४१००	
ख	नरीबलको भाडु	गाटा	५७७५	६११००	६११००	६११००	

Handwritten signatures and dates at the bottom of the page.

नवलपरासी (वर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व. २०७४/७५ को स्वीकृत जिल्ला दर रेट

११.सरकारी कार्यालयमा आवश्यक हुने अन्य माल/सामान सम्बन्धी दर

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३५० मु.व.कार बाहेकको दररेट (रु.)				कीफायत
			आ.व. ०७४/७५	आ.व. २०७५/७६	२०७५/७७ को स्वीकृत दर रेट	२०७७/७८ को स्वीकृत दर रेट	
क.	टिम्बर कपेरिशनसंग सम्बन्धित						
	काठ बाउरा कटान मुखान सम्बन्धी						
१.	काठको गोलिया काठ कटान मुखान						
	क) गोलिया तथा बल्लाबल्ली कटान, मुखान	प्रति घ.फि.	२३००	२३००	२४१००	२४१००	
	ख) गोलिया तथा बल्लाबल्ली योडिङ	" "	२१००	२१००	२२००	२२००	
	ग) गोलिया तथा बल्लाबल्ली लोडिङ	" "	१९१००	१९१००	२०१००	२०१००	
	घ) गोलिया तथा बल्लाबल्ली अनलोडिङ	" "	५१००	५१००	६१००	६१००	
	ङ) गोलिया तथा बल्लाबल्ली थोका फिकने र रिङ काटने	" "	३१००	३१००	३५०	३५०	
	च) गोलिया काठ पायलीङ	" "	७००	७००	७५०	७५०	
	छ) गोलिया काठ गेडिङ	" "	७००	७००	७५०	७५०	
२.	बल्लाबाट गोलिया काठ घाटगद्दीसम्म डुवानी तर्फ						
	क) ० कि. मी. देखि ५ कि.मी. सम्म	प्रति घ.फि.	३५१००	३५१००	३६१००	३६१००	
	ख) ५ कि. मी. देखि १० कि.मी. सम्म	" "	४०१००	४०१००	४११००	४११००	
	ग) १० कि. मी. देखि १५ कि.मी. सम्म	" "	४२१००	४२१००	४३१००	४३१००	
	घ) १५ कि. मी. देखि २० कि.मी. सम्म	" "	४४१००	४४१००	४५१००	४५१००	
	ङ) २० कि. मी. देखि २५ कि.मी. सम्म	" "	४६१००	४६१००	४७१००	४७१००	
	च) २५ देखि माथि	" "	४८१००	४८१००	४९१००	४९१००	
३.	बाउरा कटान, मुखान तर्फ						
	क) २०x२x२ फिट साइजको बाउरा कटान, मुखान	प्रति चट्टा	३२९२००	३२९२००	३३००१००	३३००१००	
	ख) २०x२x२ फिट साइजको बाउरा योडिङ	" "	१७०४१००	१७०४१००	१७००१००	१७००१००	
	ग) २०x२x२ फिट साइजको बाउरा लोडिङ	" "	१५५९१००	१५५९१००	१५६०१००	१५६०१००	
	घ) २०x२x२ फिट साइजको बाउरा अनलोडिङ	" "	३६४१००	३६४१००	३६५१००	३६५१००	
	ङ) २०x२x२ फिट साइजको बाउरा बट्टा निर्माण	" "	१०६८१००	१०६८१००	१०७०१००	१०७०१००	
४.	बाउरा डुवानी तर्फ						
	क) ० कि. मी. देखि ५ कि.मी. सम्म	प्रति चट्टा	३४०७००	३४०७००	३४१०१००	३४१०१००	
	ख) ५ कि. मी. देखि १० कि.मी. सम्म	" "	३५८११००	३५८११००	३५९०१००	३५९०१००	
	ग) १० कि. मी. देखि १५ कि.मी. सम्म	" "	३७२५१००	३७२५१००	३७३०१००	३७३०१००	
	घ) १५ कि. मी. देखि २० कि.मी. सम्म	" "	३८२९१००	३८२९१००	३८३०१००	३८३०१००	
	ङ) २० र सो भन्दा माथि	" "	३९८५१००	३९८५१००	३९८५१००	३९८५१००	
५.	छपान खर्च	प्रति स्ख	२११००	२११००	२११००	२११००	
६.	घाटगद्दीबाट मिलमा गोलिया सिपमेन्ट:						
	चिरान तर्फ :						
	क. चिरान उत्पादन, बाकल, कटापिस, भुस फाल्ने आदि	प्रति घ.फि.	७१५०	७१५०	७२१००	७२१००	
	ख. अनसाइज उत्पादन	प्रति क्वी.	९९१००	९९१००	१००१००	१००१००	
	ग. चिरान लोड	प्रति घ.फि.	१९१५१	१९१५०	१९१५०	१९१५०	
	घ. चिरान अनलोड	प्रति घ.फि.	७५६	७५६	७८०	७८०	
	ङ. बाकल अनसाइज लोड	प्रति क्वी.	२६४०	२६४०	२६५०	२६५०	
	च. बाकल अनसाइज अनलोड	प्रति क्वी.	९१३५	९१३५	९१५०	९१५०	
	छ. चिरान पाइलिङ	प्रति घ.फि.	६६०	६६०	६६०	६६०	
	१०० मी. भन्दा टाढाबाट मिलछेउसम्म गोलिया						
	ज. बोक्ने कार्य	प्रति घ.फि.	७५६	७५६	७८०	७८०	
	झ. मिलमा गोलिया सिपमेन्ट (घाटगद्दीबाट लोडिङ)	प्रति घ.फि.	३३१००	३३१००	३३१००	३३१००	
	ञ. मिलमा गोलिया सिपमेन्ट (घाटगद्दीबाट अनलोडिङ)	प्रति घ.फि.	७५६	७५६	८८०	८८०	
	ट. चिरान काठ डुवानी						
	क) ० कि. मी. देखि ५ कि.मी. सम्म	प्रति क्वी.	२०१००	२०१००	२०१००	२०१००	
	ख) ५ कि. मी. देखि १० कि.मी. सम्म	प्रति क्वी.	२३१००	२३१००	२३१००	२३१००	
	ग) १० कि. मी. भन्दा माथि	प्रति क्वी.	२६१००	२६१००	२६१००	२६१००	
	ठ. मिलमा गोलिया डुवानी घाटगद्दीबाट						
	क) ० कि. मी. देखि ५ कि.मी. सम्म	प्रति घ.फि.	२७००	२७००	२७००	२७००	
	ख) ५ कि. मी. देखि १० कि.मी. सम्म	प्रति घ.फि.	३०१००	३०१००	३०१००	३०१००	

Handwritten signatures and initials at the bottom of the page, including names like 'S. P. S.', 'S. P. S.', 'S. P. S.', and 'S. P. S.'.

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.ब.०७७/७८ को स्वीकृत जिल्ला दर रेट (रु.)

११.सरकारी कार्यालयमा आवश्यक हुने अन्य माल/सामान सम्बन्धी दर

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१३१० मु.ब.अ.अ. बाहेकको दररेट (रु.)				कोटिगत
			आ.ब.०७४/७५	आ.ब.२०७५/७६	२०७६/७७ को स्वीकृत दर रेट	२०७७/७८ को स्वीकृत दर रेट	
ग।	१० कि. मी. दीघ १५ कि.मी. सम्म	प्रति घ.फि.	३३१००	३३१००	३३१००	३३१००	
घ।	१५ कि. मी. दीघ २० कि.मी. सम्म	प्रति घ.फि.	३६१००	३६१००	३६१००	३६१००	
ङ।	२० र सो भन्दा माथि	प्रति घ.फि.	३८१००	३८१००	३८१००	३८१००	
<b>ख. भूसंरक्षण कार्यालयसँग सम्बन्धित बोट विरुवा र अन्य सामग्री:</b>							
१	वास (घना)	गोटा	२९१/४५	२९१/४५	२२०/००	२२०/००	
४	भुई, कटहरको राइजम	गोटा	१/७९	१/७९	१/८०	१/८०	
५	अम्लसो राइजम समेत	गोटा	४/१०	४/१०	४/१०	४/१०	
६	कास जरा समेत	गोटा	०/६३	०/६३	०/६५	०/६५	
७	बासको विरुवा कोटह (२ देखि ३ वर्ष)	गोटा	१/७३/२५	१/७३/२५	१/७५/१००	१/७५/१००	
८	NB-21,सेटस	सेट	२/९/४	२/९/४	२/९/४	२/९/४	
९	विभिन्न जातका घास	सेट	१/७९	१/७९	१/७९	१/७९	
१०	आप अन्नपाली,मल्लोका आदि २,३ वर्ष कलमी	गोटा	१/७३/२५	१/७३/२५	१/७३/१०	१/७३/१०	
११	आप मालवह,दसहरी आदि २,३ वर्ष कलमी	गोटा	१/१५/१०	१/१५/१०	१/१६/१०	१/१६/१०	
१२	लिची	गोटा	८०/८५	८०/८५	८१/१००	८१/१००	
१३	कटहर	गोटा	३४/६५	३४/६५	३४/७०	३४/७०	
१४	अनार	गोटा	१/३८/६०	१/३८/६०	१/३९/१००	१/३९/१००	
१५	कागती कलमी	गोटा	५/७५/५	५/७५/५	५/७८/०	५/७८/०	
१६	नासपाती	गोटा	४६/२०	४६/२०	४६/३०	४६/३०	
१७	केरा	गोटा	३४/६५	३४/६५	३४/७०	३४/७०	
<b>ग. पशु सेवा कार्यालयसँग सम्बन्धित</b>							
१	जे घासको बिउ	प्रति के.जि.	६३१००	६३१००	६३१००	६३१००	
२	बापिम घासको बिउ	प्रति के.जि.	३३६१००	३३६१००	३३६१००	३३६१००	
३	भेच	प्रति के.जि.	६३१००	६३१००	६३१००	६३१००	
४	टियोसन्टी (घासको बिउ)	प्रति के.जि.	१२६१००	१२६१००	१२६१००	१२६१००	
५	स्टाइलो कुकाघासको बिउ	प्रति के.जि.	६८२/१०	६८२/१०	६८२/१०	६८२/१०	
६	डाले घासको बनी	गोटा	२१/१०	२१/१०	२१/१०	२१/१०	
७	सुडान घासको बिउ	प्रति के.जि.	१०५/१००	१०५/१००	१०५/१००	१०५/१००	
८	बाजरा घासको बिउ	प्रति के.जि.	१०५/१००	१०५/१००	१०५/१००	१०५/१००	
९	नापियर सेट	सेट	२/१०	२/१०	२/१०	२/१०	
१०	खन्यू	प्रति बोट	१५/१५	१५/१५	१५/१५	१५/१५	
११	इपिलइपिल	प्रति बोट	५/२५	५/२५	५/२५	५/२५	
१२	किम्बु	प्रति बोट	५/२५	५/२५	५/२५	५/२५	
१३	बोका प्रजननको लागि (विभिन्न उन्नत जातको)	प्रति गोटा	१३१२५/१००	१३१२५/१००	१३१२५/१००	१३१२५/१००	
१४	नाखा प्रजनन योम्य (उन्नत जातको)	प्रति गोटा	५२५/०/१००	५२५/०/१००	५२५/०/१००	५२५/०/१००	
१५	बंगुर को बच्चा (उन्नत जातको ४५ दिन माथिको स्थानीय जात)	प्रति गोटा	३१५/०/१००	३१५/०/१००	३१५/०/१००	३१५/०/१००	
१६	बंगुर को बच्चा (उन्नत जातको ४५ दिन माथिको उन्नत जात)	प्रति गोटा	४७२५/१००	४७२५/१००	४७२५/१००	४७२५/१००	
<b>घ. वन कार्यालयसँग सम्बन्धित</b>							
<b>क. बोटविरुवाहरू</b>							
१	बिस	गोटा	२१/१००	२१/१००	२१/१००	२१/१००	
२	बासको राइजम (घना काटी जरा समेत)	गोटा	१५५/१००	१५५/१००	१५६/१००	१५६/१००	
७	वन विरुवा (नसरीमा उमाने) नसरी नाइके बाहेक	गोटा	१०/५०	१०/५०	१०/६०	१०/६०	
८	वन विरुवा (नसरीमा उमाने) नसरी नाइके विरुवा	गोटा	२१/०/१००	२१/०/१००	२१/०/१००	२१/०/१००	
९	खर (१६ मुडा)	बण्डल	२६/२/१०	२६/२/१०	२६/२/१०	२६/२/१०	
१०	मसला	गोटा	१/२/६०	१/२/६०	१/२/६०	१/२/६०	
११	कदम	गोटा	१/२/६०	१/२/६०	१/२/६०	१/२/६०	
१२	टिक	गोटा	३१/५०	३१/५०	३१/५०	३१/५०	
१३	सिरिस	गोटा	१०/५०	१०/५०	१०/५०	१०/५०	

3 फर 2078

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७७/७८ को स्वीकृत जिल्ला दर रेट (रु.)

११.सरकारी कार्यालयमा आवश्यक हुने अन्य माल/सामान सम्बन्धी दर

क्र.सं.	निर्माण सामग्रीको विवरण	इकाई	१२७ मु.म.कर बाहेकको दररेट (रु.)				कैफियत
			आ.व. २०७४/७५		आ.व. २०७५/७६		
			आ.व. २०७४/७५	आ.व. २०७५/७६	२०७५/७७ को स्वीकृत दर रेट	२०७७/७८ को स्वीकृत दर रेट	
१४	सिसो	गोटा	८१४०	८१४०	८१४०	८१४०	
१५	बकाइलो	गोटा	८१४०	८१४०	८१४०	८१४०	
१६	जामुन	गोटा	१५१७५	१५१७५	१५१७५	१५१७५	
१७	क्यामिया	गोटा	१०१५०	१०१५०	१०१५०	१०१५०	
१८	जेटोफा	गोटा	१०१५०	१०१५०	१०१५०	१०१५०	
१९	बडहर	गोटा	१५१७५	१५१७५	१५१७५	१५१७५	
२०	अमला	गोटा	१५१७५	१५१७५	१५१७५	१५१७५	
२१	सर्पसन्धा	गोटा	२११००	२११००	२११००	२११००	
२२	ईमली	गोटा	१०१५०	१०१५०	१०१५०	१०१५०	
२३	निम	गोटा	१७८५	१७८५	१७८५	१७८५	
२४	रक्तचन्दन	गोटा	५२१५०	५२१५०	५२१५०	५२१५०	
२५	एकेसिया	गोटा	२११००	२११००	२११००	२११००	
२६	कुरिलो	गोटा	८१४०	८१४०	८१४०	८१४०	
२७	तेजपात	गोटा	२११००	२११००	२११००	२११००	
२८	अर्जुन	गोटा	१०१५०	१०१५०	१०१५०	१०१५०	
२९	खयर	गोटा	१२१६०	१२१६०	१२१६०	१२१६०	
३०	बोत्तल ब्रस	गोटा	१२१६०	१२१६०	१२१६०	१२१६०	
३१	बबुल	गोटा	१०१५०	१०१५०	१०१५०	१०१५०	
३२	चाप	गोटा	१७८५	१७८५	१७८५	१७८५	
३३	अशोका	गोटा	५२१५०	५२१५०	५२१५०	५२१५०	
३४	शितलचिनी	गोटा	५७७५	५७७५	५७७५	५७७५	
३५	मूलमोहर	गोटा	१५१७५	१५१७५	१५१७५	१५१७५	
३६	बिरेन्द्र फूल	गोटा	१५१७५	१५१७५	१५१७५	१५१७५	
३७	काईसो	गोटा	१५१७५	१५१७५	१५१७५	१५१७५	
३८	सतीसाल	गोटा	२११००	२११००	२११००	२११००	
३९	बिजयसाल	गोटा	२११००	२११००	२११००	२११००	
४०	श्रीखण्ड	गोटा	२६१२५	२६१२५	२६१२५	२६१२५	
४१	खद्राश	गोटा	४२१००	४२१००	४२१००	४२१००	
४२	धुपी	गोटा	२११००	२११००	२११००	२११००	
४३	लहरापिपल काँटेइ	गोटा	५२१५०	५२१५०	५२१५०	५२१५०	
४४	कपुर	गोटा	३११५०	३११५०	३११५०	३११५०	
४५	बांस (बिउबाट)	गोटा	१५१७५	१५१७५	१५१७५	१५१७५	
४६	पोलिथिन ट्युब (३"/७") २०० गज	केजी	२७३१००	२७३१००	२७३१००	२७३१००	
४७	पोलिथिन ट्युब (४"/७") २०० गज	केजी	२७३१००	२७३१००	२७३१००	२७३१००	
४८	पोलिथिन ट्युब (६"/९") २०० गज	केजी	२७३१००	२७३१००	२७३१००	२७३१००	

Handwritten signatures and dates at the bottom of the page, including a date '१२/१२/२१'.

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७७/७८ को स्वीकृत जिल्ला दर रेट

१२. मेशिन, औजार तथा उपकरणको भाडा दर सम्बन्धी

				आ.व. २०७७/०७८ को स्वीकृत दर रेट	
Equipment Name	Equipment Identification	Capacity Category	DoR Code	Hire Rate in NRs.	
				Per Hour	Per Shift
1	2	3	4	5	6 = 7*(5)
Asphalt Plant*	Universal Spot Mix : Wylie	Up to 10 Ton	001 -	400	2800
Asphalt Plant*	Bram Millar	Up to 10 Ton	001 -	500	3500
Ashalt Paver	Blow Knox BK 165		002 -	1400	9800
Ashalt Mixer	Bel Mix		003 -	1000	7000
Broom Road	Towed		009 -	260	1820
Boring Rig	TONE		011 -	1200	8400
Air Compressor	Kirloskar , WR 250, SC 0707C,	150 To 275cfm	017 -	250	1750
Air Compressor	Holman, D250CFM, 175 MK 11		017 -	250	1750
Air Compressor	Maruma ES3		017 -	250	1750
Crane Mobile	Tadano TS 100L	5+ To 10 Ton	021 -	3100	21700
Crane Mobile	Tadano TS 150L	10+ To 15 Ton	021 -	3500	24500
Cutter Concrete	Weber SM 182R		024 -	250	1750
Cutter Concrete	Mikasa MCD 218 DX		024 -	250	1750
Dozer Wheel	Hanomag D66C, D66D	181 To 230 HP	030 -	2100	14700
Dozer Wheel	CAT 814	181 To 230 HP	030 -	2100	14700
Dozer Track	Komatsu D85ESS	181 To 230 HP	031 -	3000	21000
Dozer Track	CAT D7G	181 To 230 HP	031 -	3000	21000
Dozer Track	Shangdong TY 220	181 To 230 HP	031 -	3000	21000
Dozer Track	Hanomag D700C, D700D	181 To 230 HP	031 -	2000	14000
Dozer Track	Komatsu D85	181 To 230 HP	031 -	2000	14000
Dozer Track	Yishan TY 160	126 To 180 HP	031 -	1800	12600
Dozer Track	BEML D65E8	126 To 180 HP	031 -	1800	12600
Dozer Track	CAT D6H	126 To 180 HP	031 -	1800	12600
Dozer Track	Komatsu D53A-17; D50A	80 To 125 HP	031 -	1800	12600
Dozer Track	Komatsu D 50A - 17	80 To 125 HP	031 -	1800	12600
Dozer Track	CAT D3B	0 To 79 HP	031 -	1000	7000
Bitumin Distributor	Bedford TJ 1090	4 To 6 KL	032 -	1300	9100
Bitumin Distributor	ETNYRE/4700; ETNTYRE/M414	4 To 6 KL	032 -	1300	9100
Bitumin Distributor	Isuzu/Hanta; Hanta/Hino FF173 K	4 To 6 KL	032 -	1300	9100
Rock Drill(Pneum)			034 -	130	910
Mini Dumper	Pengyuan FC 15	1 To 4 Cu. M.	035 -	250	1750
Mini Dumper	Changai FC 1	1 To 4 Cu. M.	035 -	250	1750
Mini Dumper	Jiangsu F 15	1 To 4 Cu. M.	035 -	250	1750
Mini Dumper	Stott & Pitt SD 011	1 To 4 Cu. M.	035 -	250	1750
Mini Dumper	Thawaties	1 To 4 Cu. M.	035 -	550	3850
Excavator Track	Daewoo Solar 130LC - V	1 To 110 HP	042 -	1200	8400
Excavator Track	Kobelco SK 115 SR-1E	1 To 110 HP	042 -	1200	8400

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७७/७८ को लिखित जिल्ला दर रेट (२)

१२. मेशिन, औजार तथा उपकरणको भाडा दर सम्बन्धी

				आ.व. २०७७/०७८ को लिखित दर रेट	
Equipment Name	Equipment Identification	Capacity Category	DoR Code	Hire Rate in NRs.	
				Per Hour	Per Shift
1	2	3	4	5	6 = 7*(5)
Excavator Track	Daewoo SL 220	111 To 150 HP	042 -	1800	12600
Excavator Track	Komatsu PC 150-5A	111 To 150 HP	042 -	1800	12600
Excavator Track	Hitachi EX 200 - 3	111 To 150 HP	042 -	1800	12600
Excavator Track	JCB - 820 Super; JCB - 820	111 To 150 HP	042 -	1800	12600
Excavator+ Breaker	Daewoo SL220 With SOOSAN 20	111 To 150 HP	042 -	2100	14700
Forklift Truck	Mitsubishi	< 2.5 Ton	049 -	400	2800
Generator*	Kubota ASK-R 350	Up to 10 KVA	054 -	150	1050
Generator*	Denyo DBF-3Y; DBF 7.5Y	Up to 10 KVA	054 -	150	1050
Generator*	Robin	Up to 10 KVA	054 -	150	1050
Generator*	Caterpillar	Up to 10 KVA	054 -	150	1050
Generator*	Kirloskar RB 33	Up to 10 KVA	054 -	150	1050
Generator*	Osaka/Seimeitsu SAS - 130Y	10 To 30 KVA	054 -	150	1050
Generator*	Kirloskar	30+ To 50 KVA	054 -	350	2450
Grader Motor	Komatsu GD 511R - 1	135 HP	055 -	1600	11200
Grader Motor	Chapion 710 ; 710R	135 HP	055 -	1600	11200
Grader Motor	CAT 120G	125 HP	055 -	1600	11200
Grader Motor	Mitubishi MG 350R	135 HP	055 -	1600	11200
Grader Motor	BEML BG605 - 6216	145 HP	055 -	1600	11200
Grader Motor	Aveling Barford ASG 12G; TG 01	135 HP	055 -	1200	8400
Grader Motor	Niigata N530 PSA	135 HP	055 -	1200	8400
Grader Motor	Komatsu 405A - 1	90 HP	055 -	1200	8400
Chips Spreader	Phoenix/Tail Gate Mounted		057 -	300	2100
Bitumin Heater	Span Eng.	Up to 2 KL	062 -	180	1260
Loader Wheel	JCB 425	1.75 Cu M	068 -	1000	7000
Loader Wheel	Aveling Barford	1.75 Cu M	068 -	1000	7000
Loader Wheel	EJCB - 430	1.7 Cu M	068 -	1000	7000
Loader Wheel	Komatsu WA 100 - 1	1.2 Cu M	068 -	1000	7000
Loader Wheel	Komatsu WA 180 - 3	1.8 Cu M	068 -	1200	8400
Loader Wheel	Furukawa FL 200; FL 230 - 1	1.9 - 2.3 Cu M	068 -	1200	8400
Loader Wheel	Furukawa FL 200 - I	1.9 - 2.3 Cu M	068 -	1200	8400
Loader Wheel	Kawasaki KSS 70; KLD 70	1.9 - 2.2 Cu M	068 -	1200	8400
Loader Wheel	CAT 950	> 1.8 Cu M	068 -	1200	8400
Loader Wheel	Michigan Clark 75 - IIIA	> 1.8 Cu M	068 -	1200	8400
Loader Wheel	Hyuandai HL 757 - 7	2.5 Cu M	068 -	1500	10500
Loader Wheel	Kawasaki 70ZIV - 2	2.2 Cu M	068 -	1500	10500
Loader Wheel	Kawasaki 70ZIV; WL03 - 70Z	2.2 Cu M	068 -	1500	10500
Loader Wheel	Kawasaki 70Z - IV Hino	2.2 Cu M	068 -	1500	10500

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७७/७८ को स्वीकृत जिल्ला दर रेट

१२. मेशिन, औजार तथा उपकरणको भाडा दर सम्बन्धी

				वा.स. २०७७/०७८ को स्वीकृत दर रेट	
Equipment Name	Equipment Identification	Capacity Category	DoR Code	Hire Rate in NRs.	
				Per Hour	Per Shift
1	2	3	4	5	6 = 7*(5)
Back Hoe Loader	JCB 3CX - 4	< 90 HP	070 -	1000	7000
Water Pump (Engine)	Sykes Univac	Up To 4"	085 -	150	1050
Water Pump (Engine)	Yanmar/ YKS - 3DW	Up To 4"	085 -	150	1050
Water Pump (Engine)	Sykes Univac	4 To 6 "	085 -	200	1400
Water Pump (Engine)	Yanmar/ YKS - 6DFA	4 To 6"	085 -	200	1400
Water Pump (Elect.)		5 HP	085 -	150	1050
Water Pump (Elect.)		7.5 HP	085 -	150	1050
Pile Driver*		10 Ton	086 -	3000	21000
Roller 3 Wheel	Aveling Barford DC 011	Up to 12 Ton	094 -	500	3500
Roller 3 Wheel	Johs Moller Rambo	Up to 12 Ton	094 -	500	3500
Roller 3 Wheel	Speedcraft DRR 10 - S	Up to 12 Ton	094 -	500	3500
Roller 3 Wheel	Luoyang 3Y8 / 10	Up to 12 Ton	094 -	500	3500
Roller 3 Wheel	Aveling Barford DC 012	Up to 12 Ton	094 -	500	3500
Roller 3 Wheel	Albaret TR - 10	Up to 12 Ton	094 -	500	3500
Roller 3 Wheel	Kawasaki KMRH - 12	Up to 12 Ton	094 -	500	3500
Roller 3 Wheel	Sakai 7608	Up to 12 Ton	094 -	500	3500
Roller Pneumatic	Dynapac CP 15	Up to 20 Ton	096 -	1200	8400
Roller Pneumatic	Hamm GRW - 10	Up to 20 Ton	096 -	1200	8400
Roller Pneumatic	Stavostroj VP 200	Up to 20 Ton	096 -	1200	8400
Roller Pneumatic	Dynapac CP 20	Up to 20 Ton	096 -	1200	8400
Roller Pneumatic	Sakai TS7409	Up to 20 Ton	096 -	1000	7000
Roller Vib. Pedestrian	Bomag BW 71E - 2	Up to 0.5 Ton	098 -	400	2800
Roller Vib. Pedestrian	Bomag BW 71E	Up to 0.5 Ton	098 -	400	2800
Roller Vib. Pedestrian	Benford 1 - 71L / 2 - 75B	Up to 0.5 Ton	098 -	300	2100
Roller Vib. Pedestrian	Holman / Com CS 71	Up to 0.5 Ton	098 -	300	2100
Roller Vib. Pedestrian	Mortimor CPM/71	Up to 0.5 Ton	098 -	300	2100
Roller Vib. Pedestrian	Bomag BW 55E	Up to 0.5 Ton	098 -	300	2100
Roller Vib. Pedestrian	Benford 1 - 71EEP/ 1 - 71 B	Up to 0.5 Ton	098 -	300	2100
Roller Vib. Pedestrian	Benford	Up to 0.5 Ton	098 -	300	2100
Roller Vib. Pedestrian	Benford 1 - 71BPL	Up to 0.5 Ton	098 -	300	2100
Roller Vib. Sheepfoot	Tampo	Up to 10 Ton	099 -	700	4900
Roller Vib. Self Prop.	Johs Moller VT 13 / VT 21	Up to 3 Ton	101 -	550	3850
Roller Vib. Self Prop.	Sakai SG 500	3 + Upto 6 Ton	101 -	800	5600
Roller Vib. Self Prop.	Larsen & Turbo W1104	3 + Upto 6 Ton	101 -	800	5600
Roller Vib. Self Prop.	Bomag BG 605	3 + Upto 6 Ton	101 -	800	5600
Roller Vib. Self Prop.	Bomag BW 172D - 2	6.3 Ton	101 -	900	6300
Roller Vib. Self Prop.	Bomag	6.3 Ton	101 -	900	6300

नवलपरासी (बदघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७७/७८ को विभक्त जिल्ला दर रेट

१२. मेशिन, औजार तथा उपकरणको भाडा दर सम्बन्धी

				आ.व. २०७७/०७८ को विभक्त दर रेट	
Equipment Name	Equipment Identification	Capacity Category	DoR Code	Hire Rate in NRs.	
				Per Hour	Per Shift
1	2	3	4	5	6=7*(5)
Roller Vib. Self Prop.	Kawasaki KVR 7	6 Ton	101 -	700	4900
Spreader Chip S/P	Phoenix MK 4		109 -	1500	10500
Spayer Emulsion	Hotta ESC - 10 E	Up to 1 KL	112 -	260	1820
Truck Flatbed/Crane	Dong Feng/AEDLUS	Up to 7 Ton	114 -	800	5600
Truck Flatbed/Crane	Tata SE 1210/42	Up to 7 Ton	114 -	800	5600
Truck Flatbed/Crane	Tata Usha 1210B/42	Up to 7 Ton	114 -	800	5600
Truck Flatbed/Crane	Isuzu HTR	Up to 7 Ton	114 -	800	5600
Truck Flatbed	Ashok Leyland CS 42	Up to 150 HP	115 -	450	3150
Truck Flatbed	Hino FF 173KA	Up to 150 HP	115 -	450	3150
Truck Flatbed	Isuzu HTR 114-03	Up to 150 HP	115 -	450	3150
Truck Flatbed	Isuzu TXD 50	Up to 150 HP	115 -	450	3150
Truck Tipper	Tata SK 1210/36	Up to 150 HP	116 -	450	3150
Truck Tipper	A/Leyland Commet 3/15;	Up to 150 HP	116 -	450	3150
Truck Tipper	Tata SE 1210 /36	Up to 150 HP	116 -	450	3150
Truck Tipper	A/ Leyland Commet 3/21	Up to 150 HP	116 -	450	3150
Truck Tipper	A/ Leyland Commet	Up to 150 HP	116 -	450	3150
Truck Tipper	A/Leyland Commet	Up to 150 HP	116 -	450	3150
Truck Tipper	Isuzu HTR 113-03	Up to 150 HP	116 -	450	3150
Truck Tipper	Hino KR 120 E	Up to 150 HP	116 -	450	3150
Truck Tipper	Isuzu SBR 322; TXD 40	Up to 150 HP	116 -	450	3150
Truck Tipper	Nissan CPC 14E	From 150+ HP	116 -	1100	7700
Truck Tipper	Isuzu TDJ	From 150+ HP	116 -	1100	7700
Truck Tipper	Nissan CKB 450EDN	From 150+ HP	116 -	1100	7700
Mini Truck	Mah & Mah Cab 576		117 -	300	2100
Mini Truck	Tata 407		117 -	300	2100
Mini Truck	Mah. Nis. Allw. Cab 576		117 -	300	2100
Mini Truck	Mits. Can. Eich./ FE444		117 -	300	2100
Mini Truck	Mitsu. Eicher EE 44EXR		117 -	300	2100
Trailer Tractor	Isuzu CXZ81Q	10 + to 25 Ton	118 -	2200	15400
Trailer Tractor	Foden 5106T	10 + to 25 Ton	118 -	2200	15400
Trailer Tractor	Hino HE 335	10 + to 25 Ton	118 -	2200	15400
Trailer Tractor	Hino HE 335	10 + to 25 Ton	118 -	2200	15400
Trailer Tractor	Mitsubishi FV 515 HRR	10 + to 25 Ton	118 -	2200	15400
Trailer Tractor	Nissan CW - 50 GTN	10 + to 25 Ton	118 -	2200	15400
Trailer Tractor	Mitsubishi FV 515 HRR	From 25 +Ton	118 -	2700	18900
Water Tanker	AL/ Commet; ALCO- 3/15	Up to 8 KL	119 -	550	3850
Water Tanker	Tata/SE 1210/48	Up to 8 KL	119 -	550	3850

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७७/७८ को स्वीकृत जिल्ला दर रेट (५)

१२. मेशिन, औजार तथा उपकरणको भाडा दर सम्बन्धी

				आ.व. २०७७,०७८ को स्वीकृत दर रेट	
Equipment Name	Equipment Identification	Capacity Category	DoR Code	Hire Rate in NRs.	
				Per Hour	Per Shift
1	2	3	4	5	6 = 7*(5)
Water Tanker	A/ Leyland Commet CS 42	Up to 8 KL	119 -	550	3850
Water Tanker	Hino	Up to 8 KL	119 -	550	3850
Water Tanker	Isuzu HTR	Up to 8 KL	119 -	550	3850
Water Tanker	Isuzu SBR 312; TXD 50	Up to 8 KL	119 -	550	3850
Trailer	MAECO / Nepal		122 -	140	980
Tractor	HMT 4511	Up to 85 HP	123 -	300	2100
Tractor	International Sona. DI 745 III	Up to 85 HP	123 -	300	2100
Tractor	Tractor & Farm MF 245 DI-J	Up to 85 HP	123 -	300	2100
Tractor	Hindustan G 453 - DI	Up to 85 HP	123 -	300	2100
Tractor	Escort E 355 N	Up to 85 HP	123 -	300	2100
Tractor	Mahendra 545	Up to 85 HP	123 -	300	2100
Tractor	Ford 3610	Up to 85 HP	123 -	300	2100
Tractor	Kubota	Up to 85 HP	123 -	300	2100
Tractor	Ford New Holland	Up to 85 HP	123 -	300	2100
Tractor with trailer	Ford 6610	Up to 85 HP	123 -	440	3080
Tractor with trailer	Massey Ferguson MF 20B	Up to 85 HP	123 -	440	3080
Vibrator Engine	Mikasa; Mikasa MV1-GE		136 -	120	840
Vibrator Needle	BP 25; BP 35		136 -	100	700
Vibrator Needle	V 635; V 654		136 -	100	700
Compactor H/Towed	Jaypee	Up to 450 KG	138 -	130	910
Compactor H/Towed	MIKASA MVC -110D	Up to 450 KG	138 -	130	910
Welding Arc		30 + KVA	143 -	1150	8050
Bridge inspection Equipment	Brain Italy AB 9s with Truck			7650	53550

\*EXCLUDING COST OF ERECTION/ COMMISSIONING/ DISMANTLING AND MECHANICAL CREW.

*(Handwritten signatures and dates)*

नवलपरासी (बर्दघाट सुस्ता) जिल्लाको आ.ब.०७७/७८ को स्वीकृत जिल्ला दर रेट

१३. ग्लास फाइबर सम्बन्धी स्वीकृत दर रेट ( १३% भ्याट बाहेक)

S. N.	Description	Unit	Rate 074/75	Rate 075/76	Rate 076/77	Rate 077/78	Remarks
<b>A. Corrugated Sheet width of 32"(1.2 mmthick)</b>							
1	3.00 Ft long	pc	675.00	675.00	675.00	675.00	
2	4.00 Ft long	pc	901.00	901.00	901.00	901.00	
3	5.00 Ft long	pc	1125.00	1125.00	1125.00	1125.00	
4	6.00 Ft long	pc	1351.00	1351.00	1351.00	1351.00	
5	7.00 Ft long	pc	1576.00	1576.00	1576.00	1576.00	
6	8.00 Ft long	pc	1801.00	1801.00	1801.00	1801.00	
7	9.00 Ft long	pc	2026.00	2026.00	2026.00	2026.00	
8	10.00 Ft long	pc	2252.00	2252.00	2252.00	2252.00	
9	12.00 Ft long	pc	2702.00	2702.00	2702.00	2702.00	
<b>B Corrugated Sheet width of 32"(0.6 mmthick)</b>							
1	3.00 Ft long	pc	427.00	427.00	427.00	427.00	
2	4.00 Ft long	pc	569.00	569.00	569.00	569.00	
3	5.00 Ft long	pc	711.00	711.00	711.00	711.00	
4	6.00 Ft long	pc	854.00	854.00	854.00	854.00	
5	7.00 Ft long	pc	996.00	996.00	996.00	996.00	
6	8.00 Ft long	pc	1139.00	1139.00	1139.00	1139.00	
7	9.00 Ft long	pc	1281.00	1281.00	1281.00	1281.00	
8	10.00 Ft long	pc	1424.00	1424.00	1424.00	1424.00	
9	12.00 Ft long	pc	1708.00	1708.00	1708.00	1708.00	
<b>C Plain Sheet</b>							
	1.2mm thick	Sq. ft.	90.00	90.00	90.00	90.00	
1	2.00mm thick	Sq. ft.	133.00	133.00	133.00	133.00	
2	3.00mm thick	Sq. ft.	193.00	193.00	193.00	193.00	
3	4.00mm thick	Sq. ft.	250.00	250.00	250.00	250.00	
	5.00mm thick		285.00	285.00	285.00	285.00	
<b>D Corrugated Advestor Sheet</b>							
	0.8mm thick	Sq. ft.	75.00	75.00	75.00	75.00	
	1.20mm thick	Sq. ft.	96.00	96.00	96.00	96.00	
	2.00mm thick	Sq. ft.	150.00	150.00	150.00	150.00	

नवलपरासी (बर्दघाट सुस्ता पूर्व) जिल्लाको आ.व.०७७/७८ को स्वीकृत जिल्ला दर रेट (१)

१३. ग्लास फाइबर सम्बन्धी स्वीकृत दर रेट ( १३% भ्याट बाहेक)

S. N.	Description	Unit	Rate 074/75	Rate 075/76	Rate 076/77	Rate 077/78	Remarks
<b>A. Corrugated Sheet width of 32"(1.2 mmthick)</b>							
1	3.00 Ft long	pc	675.00	675.00	675.00	675.00	
2	4.00 Ft long	pc	901.00	901.00	901.00	901.00	
3	5.00 Ft long	pc	1125.00	1125.00	1125.00	1125.00	
4	6.00 Ft long	pc	1351.00	1351.00	1351.00	1351.00	
5	7.00 Ft long	pc	1576.00	1576.00	1576.00	1576.00	
6	8.00 Ft long	pc	1801.00	1801.00	1801.00	1801.00	
7	9.00 Ft long	pc	2026.00	2026.00	2026.00	2026.00	
8	10.00 Ft long	pc	2252.00	2252.00	2252.00	2252.00	
9	12.00 Ft long	pc	2702.00	2702.00	2702.00	2702.00	
<b>B Corrugated Sheet width of 32"(0.6 mmthick)</b>							
1	3.00 Ft long	pc	427.00	427.00	427.00	427.00	
2	4.00 Ft long	pc	569.00	569.00	569.00	569.00	
3	5.00 Ft long	pc	711.00	711.00	711.00	711.00	
4	6.00 Ft long	pc	854.00	854.00	854.00	854.00	
5	7.00 Ft long	pc	996.00	996.00	996.00	996.00	
6	8.00 Ft long	pc	1139.00	1139.00	1139.00	1139.00	
7	9.00 Ft long	pc	1281.00	1281.00	1281.00	1281.00	
8	10.00 Ft long	pc	1424.00	1424.00	1424.00	1424.00	
9	12.00 Ft long	pc	1708.00	1708.00	1708.00	1708.00	
<b>C Plain Sheet</b>							
	1.2mm thick	Sq. ft.	90.00	90.00	90.00	90.00	
1	2.00mm thick	Sq. ft.	133.00	133.00	133.00	133.00	
2	3.00mm thick	Sq. ft.	193.00	193.00	193.00	193.00	
3	4.00mm thick	Sq. ft.	250.00	250.00	250.00	250.00	
	5.00mm thick		285.00	285.00	285.00	285.00	
<b>D Corrugated Advestor Sheet</b>							
	0.8mm thick	Sq. ft.	75.00	75.00	75.00	75.00	
	1.20mm thick	Sq. ft.	96.00	96.00	96.00	96.00	
	2.00mm thick	Sq. ft.	150.00	150.00	150.00	150.00	

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७७/७८ को स्वीकृत जिल्ला दर रेट (१)

१४. मेसिन उपकरणबाट गरीने कार्यको दररेट आ.व.०७३/७४

क्र.सं.	कामको विवरण	इकाई	१३७ नु.न.कर बाहेकको दररेट (र.)				कैफियत
			आ.व. २०७४/७५	आ.व. २०७५/७६	आ.व. २०७६/७७ को स्वीकृत दर रेट	आ.व. २०७७/७८ को स्वीकृत दर रेट	
क	डोजर/एक्साभेटर प्रयोग गरी माटो खन्ने काम ( मोविलाईजेसन, डिमोवीलाइजेसन, इन्धन र अप्रेटर खर्च समेत)						
१	साधारण माटो	घमी	५८१००	५८१००	५८१००	५८१००	
२	गाभेल/बोल्डर मिसिएको माटो	घमी	८५१००	८५१००	८५१००	८५१००	
३	नरम प्रकारको चट्टान	घमी	१७५१००	१७५१००	१७५१००	१७५१००	
४	मध्यम प्रकारको चट्टान	घमी	४००१००	४००१००	४००१००	४००१००	
५	कडा प्रकारको चट्टान	घमी	१०७०१००	१०७०१००	१०७०१००	१०७०१००	
ख	पेहो हटाउन/सफा गर्ने काम	घमी	५०१००	५०१००	५०१००	५०१००	

*(Handwritten signatures and initials)*

नेवलपरासी (वर्दघाट समूह) जिल्लाको आ.व.०७७/७८ को स्वीकृत जिल्ला दर रेट (१)

१५. विद्युतिय सोलार सम्बन्धी सामाग्रीहरुको दररेट (१३% भ्याट बाहेक)

क्रस	सामाग्रीको नाम	क्षमता	ईकाइ	आ.व. ०७४/७५	आ.व. ०७५/७६	आ.व. ०७६/७७	आ.व. ०७७/७८	कैफियत
<b>A</b>	<b>Solar Modulars(Vikram,Andromeda or euivalent )</b>							
	Solar Modulars	10wp/12	गोटा	१७२०।०	८५०।०	८५०।०	८५०।०	
	Solar Modulars	20wp/13	गोटा	२६९०।०	१३००।०	१३००।०	१३००।०	
	Solar Modulars	40wp/14	गोटा	५३८०।०	३२००।०	३२००।०	३२००।०	
	Solar Modulars	50wp/15	गोटा	६७२०।०	३५००।०	३५००।०	३५००।०	
	Solar Modulars	75wp/16	गोटा	१००९०।०	६०००।०	६०००।०	६०००।०	
	Solar Modulars	100wp/17	गोटा	१२४५०।०	६५००।०	६५००।०	६५००।०	
	Solar Modulars	150wp/18	गोटा	१८८८०।०	९७५०।०	९७५०।०	९७५०।०	
	Solar Modulars	210wp/19	गोटा	२६४३०।०	१२६००।०	१२६००।०	१२६००।०	
<b>B</b>	<b>Battery Exide or equivelant</b>							
	12v/ 20 AH SOLAR TUB BATTERY	12V20AH@C10	गोटा	६९९९।०	४६५०।०	४६५०।०	४६५०।०	
	12v/ 20 AH SOLAR TUB BATTERY	12V40AH@C11	गोटा	१०६९९।०	७८००।०	७८००।०	७८००।०	
	12v/ 20 AH SOLAR TUB BATTERY	12V40AH@C12	गोटा	१२२९९।०	८५००।०	८५००।०	८५००।०	
	12v/ 20 AH SOLAR TUB BATTERY	12V60AH@C13	गोटा	१५९९९।०	११५००।०	११५००।०	११५००।०	
	12v/ 20 AH SOLAR TUB BATTERY	12V75AH@C14	गोटा	१९२९९।०	१४५००।०	१४५००।०	१४५००।०	
	12v/ 20 AH SOLAR TUB BATTERY	12V100AH@C15	गोटा	२५६९९।०	१६५००।०	१६५००।०	१६५००।०	
	12v/ 20 AH SOLAR TUB-BATTERY	12V150AH@C16	गोटा	३६३९९।०	२६५००।०	२६५००।०	२६५००।०	
	12v/ 20 AH SOLAR TUB BATTERY	12V200AH@C17	गोटा	४५६९९।०	३१५००।०	३१५००।०	३१५००।०	
<b>C</b>	<b>Charge Controler Luminus or equivelant</b>							
	6AMP/12V CONTROLER	6A /12V	गोटा	१०००।०	३००।०	३००।०	३००।०	
	6AMP/12V AUTO CONTROLER	10A /12V-24V	गोटा	१७००।०	६५०।०	६५०।०	६५०।०	
	6AMP/12V AUTO CONTROLER	20A /12V-24	गोटा	२६२०।०	१२००।०	१२००।०	१२००।०	

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten mark]*

सड़क तथा विभिन्न निर्माण कार्य को लागि प्रयोग हुने Concrete Items Price List for District Rate (Nawalparasi) For Fiscal Year 2077-78				
S.No	Description of Items	MRP Per Pcs (Without VAT)	MRP Per Cubic Meter (Without VAT)	
1	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension: 230*110*70, Tolerance/others: Machine Made Precast Concrete Bricks)	16.81	9491.81	
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension: 230*110*70, Tolerance/others: Machine Made Precast Concrete Bricks)	18.58	10491.25	
2	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension: 230*110*55, Tolerance/others: Machine Made Precast Concrete Bricks)	15.05	10815.67	
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension: 230*110*55, Tolerance/others: Machine Made Precast Concrete Bricks)	15.93	11448.08	
S.No	Description of Items	MRP Per Pcs (Without VAT)	MRP Per SQM (Without VAT)	
3	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension: 390*200*190, Tolerance/others: Machine Made)	110	1484.48	
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension: 390*200*190, Tolerance/others: Machine Made)	130	1754.39	
S.No	Description of Items	MRP Per Pcs (Without VAT)	MRP Per SQM (Without VAT)	
4	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension: 390*150*190, Tolerance/others: Machine Made)	88	1187.58	
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension: 390*150*190, Tolerance/others: Machine Made)	105	1417	

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*






S.No	Description of Items	MRP Per Pes (Without VAT)	MRP Per SQM (Without VAT)
5	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension: 390* 100* 190, Tolerance/others: Machine Made)	77	1039.14
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension: 390* 100* 190, Tolerance/others: Machine Made)	88	1187.58
















S.No	Description of Items	MRP Per Pcs (Without VAT)	MRP Per SQM (Without VAT)
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension: 226*200*50, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	26.5	786.99
6	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension: 226*200*50, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	32.5	965.17
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension: 226*200*50, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	34.5	1024.57
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 226*200*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	32	950.32
7	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 226*200*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	38	1128.51
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 226*200*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	40	1187.9
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension: 226*200*70, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	38	1128.51







8	<p>Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p>	44	1306.69
	<p>Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p>	46	1366.09
9	<p>Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:226*200*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p>	46	1366.09
	<p>Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:226*200*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p>	52	1544.28
	<p>Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:226*200*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p>	54	1603.67






34000  
Page 5 of 15  
BMA

Page 5 of 15  
BMA

34000  
Page 5 of 15  
BMA

34000  
Page 5 of 15  
BMA

S.No	Description of Items	MRP Per Pcs (Without VAT)	MRP Per SQM (Without VAT)
10	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 200*100*60, Tolerance/other: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)  Rectangular Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 200*100*60, Tolerance/other: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)  Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 200*100*60, Tolerance/other: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	26.5  31.5  33.5	1325.9  1576.07  1676.14
S.No	Description of Items	MRP Per Pcs (Without VAT)	MRP Per SQM (Without VAT)
11	Behatton Interlock I Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension: 200*165*50, Tolerance/other: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)  Behatton Interlock I Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension: 200*165*50, Tolerance/other: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)  Behatton Interlock I Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension: 200*165*50, Tolerance/other: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	30  36  38	1104.3  1325.16  1398.78

34000  
Page 5 of 15  
BMA

34000  
Page 5 of 15  
BMA

34000  
Page 5 of 15  
BMA

34000  
Page 5 of 15  
BMA








12	<p>Behatton Interlock I Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:200*165*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p> <p>Behatton Interlock I Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:200*165*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p> <p>Behatton Interlock I Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:200*165*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p>	44	1619.64
12	<p>Behatton Interlock I Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:200*165*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p>	50	1840.5
12	<p>Behatton Interlock I Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:200*165*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p>	52	1914.12







*[Handwritten signature]*

Page 7 of 15

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

S.No	Description of Items	MRP Per Pcs (Without VAT)	MRP Per SQM (Without VAT)
	Uni Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 240*120*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves, & Pigment Color, Water absorption <6%)	31	1074.06
13	Uni Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 240*120*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	37	1281.95
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 240*120*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	39	1351.24
	Zigzag Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension: 225*112.5*80, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	44	1738
14	Zigzag Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension: 225*112.5*80, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	50	1975
	Zigzag Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension: 225*112.5*80, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	52	2054
S.No	Description of Items	MRP Per Pcs (Without VAT)	MRP Per SQM (Without VAT)

*[Handwritten signature]*

Page 7 of 15

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*





<p>Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 200*173 *60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p>	40	1180.59
<p>Romba 3D interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 200*173 *60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p>	46	1357.68
<p>Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 200*173 *60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p>	48	1416.7





Page 9 of 15  
 [Handwritten signature]

S.No	Description of Items	MRP Per Pcs (Without VAT)	MRP Per SQM (Without VAT)
16	<p>Square Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 200*200*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p> <p>Square Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 200*200*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p>	52	1299.76
16	<p>Square Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 200*200*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p>	58	1449.74
17	<p>Cobble Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 100*100*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p> <p>Cobble Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 100*100*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p> <p>Cobble Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 100*100*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p>	12	1200.04
17	<p>Cobble Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 100*100*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p>	14	1400.05
17	<p>Cobble Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 100*100*60, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p>	16.5	1650.06

[Handwritten signature]



S.No	Description of Items	MRP Per Pcs (Without VAT)	MRP Per SQM (Without VAT)
19	<p>Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*200*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p> <p>Interlock With Cobble Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*200*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p> <p>Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*200*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p>	53	1324.76
20	<p>Mtrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p> <p>Mtrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p> <p>Mtrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p>	162	1012.75
S.No	Description of Items	MRP Per Pcs (Without VAT)	MRP Per SQM (Without VAT)
		202	1262.82

Page 11 of 15

Page 11 of 15

Page 11 of 15

Page 11 of 15



Page 11 of 15

Page 11 of 15

Page 11 of 15

Page 11 of 15

Page 11 of 15

<p>Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 1200*800*40, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p>	975	1017.63
<p>Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 1200*800*40, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p>	1075	1122
<p>Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension: 1200*800*40, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves &amp; Pigment Color, Water absorption &lt;6%)</p>	1215	1268.12






Page 13 of 15

*[Handwritten signature]*

Page 13 of 15

*[Handwritten signature]*

S.No	Description of Items	MRP Per Pcs (Without VAT)	MRP Per SQM (Without VAT)
22	Nostalgic Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 1140x960x60mm/ Pallet, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	2200	2114.93
22	Nostalgic Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 1140x960x60mm/ Pallet, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	2450	2355.26
22	Nostalgic Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension: 1140x960x60mm/ Pallet, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	2650	2547.53
S.No	Description of Items	MRP Per Pcs (Without VAT)	MRP Per SQM (Without VAT)
23	Grass Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension: 400x600x80mm, Tolerance/others: ±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	350	1457.44
S.No	Description of Items	MRP Per Running Meter (Without VAT)	MRP Per SQM (Without VAT)
24	Half battered Kerbstone Grey Color with compressive strength M 15. (Specification: Thickness: 200mm, Dimension: 200*350*300, Tolerance/others: ±1.5 mm Variance in height)	280	932.4
24	Half battered Kerbstone Grey Color with compressive strength M 20. (Specification: Thickness: 200mm, Dimension: 200*350*300, Tolerance/others: ±1.5 mm Variance in height)	290	965.7

Page 13 of 15

*[Handwritten signature]*

*[Handwritten signature]*






25	<p>Half battered Kerbstone Grey Color with compressive strength M 25.          (Specification: Thickness: 200mm, Dimension: 200*350*300,          Tolerance/others: ± 1.5 mm Variance in height)</p> <p>Half battered Kerbstone Grey Color with compressive strength M 15.          (Specification: Thickness: 165mm, Dimension: 165*325*300,          Tolerance/others: ± 1.5 mm Variance in height)</p> <p>Half battered Kerbstone Grey Color with compressive strength M 20.          (Specification: Thickness: 165mm, Dimension: 165*325*300,          Tolerance/others: ± 1.5 mm Variance in height)</p> <p>Half battered Kerbstone Grey Color with compressive strength M 25.          (Specification: Thickness: 165mm, Dimension: 165*325*300,          Tolerance/others: ± 1.5 mm Variance in height)</p>	<p>310</p> <p>240</p> <p>260</p> <p>280</p>	<p>1032.3</p> <p>799.2</p> <p>865.8</p> <p>932.4</p>
----	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------	------------------------------------------------------






*[Handwritten signature]*

*[Handwritten signature]*

S.No	Description of Items	MRP Per Pcs (Without VAT)	MRP Per Running Meter (Without VAT)
26	Half battered Kerbstone Grey Color with compressive strength M 15. (Specification: Thickness: 200mm, Dimension: 380*200*250, Tolerance/others: ± 1.5 mm Variance in height)	280	1120
	Half battered Kerbstone Grey Color with compressive strength M 20. (Specification: Thickness: 200mm, Dimension: 380*200*250, Tolerance/others: ± 1.5 mm Variance in height)	290	1160
	Half battered Kerbstone Grey Color with compressive strength M 25. (Specification: Thickness: 200mm, Dimension: 380*200*250, Tolerance/others: ± 1.5 mm Variance in height)	310	1240
S.No	Description of Items	MRP Per Pcs (Without VAT)	MRP Per Running Meter (Without VAT)
27	Bullnose Kerbstone Grey Color with compressive strength M 15. (Specification: Thickness: 200mm, Dimension: 200*350*300, Tolerance/others: ± 1.5 mm Variance in height)	300	999
	Bullnose Kerbstone Grey Color with compressive strength M 20. (Specification: Thickness: 200mm, Dimension: 200*350*300, Tolerance/others: ± 1.5 mm Variance in height)	325	1082.25
	Bullnose Kerbstone Grey Color with compressive strength M 25. (Specification: Thickness: 200mm, Dimension: 200*350*300, Tolerance/others: ± 1.5 mm Variance in height)	340	1132.2

*[Handwritten signature]*

नवलपरासी (बर्दघाट सुस्ता पश्चिम) जिल्लाको आ.व.०७७/७८ को स्वीकृत जिल्ला दर रेट (१)

निर्णय नं. २

आ.व.०७७/७८ को लागि निर्धारित यस दर रेटमा उल्लेख भएकाको हकमा यसै बमोजिम र यसमा उल्लेख नभएका को हकमा प्रचलित स्थानीय बजार भाउ अनुसारको दर रेटलाई आधार मान्ने निर्णय गरियो ।

*(Handwritten signatures and initials)*